



LED LIGHTING CATALOG
Q-1 2020

5 YEAR
WARRANTY

LED TUBES LED PANELS HIGHBAYS SMART LIGHTS WALL LIGHTS
MOTION SENSORS FLOODLIGHTS STREET LIGHTS LED TRACK LIGHTS
LED DOME LIGHTS LED BULBS LED DOWN LIGHTS SMART HOME EXIT LIGHTS



2009

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide



2011

Started our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria.



2012

Manufacturing Joint Venture with MEKA Lighting



2013

Started building our distribution network in the UK from our office in Southall, London.



2015

Launched our in-house product testing lab in Sofia, Bulgaria.




2016

Achieved \$100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting



2017

In-branding Partnership with Samsung and launched the V-TAC PRO Series



2018

- Partnership with Tuya and launched new Smart Series
- Unveiled the new V-TAC Showroom in Slough, UK



2019

Started new 2500 meter square showroom in Bulgaria.



INTRODUCING THE NEW SERIES



Our bestselling LED Lights — now upgraded with a superior efficiency of 160 lm/W through the latest in LED technology.



2018 has been a ground-breaking year here at V-TAC, with the introduction of our newest range of PRO-Series products. The range, which was developed in partnership with Samsung, was accepted with fervor and we offered a whole new variety of products to our consumers with the PRO-Series Range.

The PRO Series range offers V-TAC's core range of top-quality LED lighting products for professionals, by professionals. Now upgraded with LED provided by Samsung and coming with five (5) years of warranty, With the success of the PRO-Series, V-TAC is emboldened to take the brand onwards and upwards. The ever-expanding distribution network we have across Europe enables us to take to market innovative products. With that in mind, V-TAC is introducing a plethora of new product lines that will take V-TAC further into a bright future.



Following are the new series that we plan to develop more in the coming year.



WiFi-supported home lighting system simultaneously controlled through the VTAC app; works with Amazon Alexa & Google Home.



Long-lasting, fast-charging data cables for everyday use. Includes a wide range of cable finish and connectors for different usage types.



WiFi-supported home solutions to convert any device into a smart device, and ultimately convert any home into a smart home. Have a systematic, unified control on all your smart devices through the official V-TAC app, Amazon Alexa, and Google Home.



Power strips with surge protectors and lighted switches, cable reels, adapters, and direct USB ports — all designed to bring convenience and safety to modern electrical needs.



Premium quality battery packs for any device with extensive features such as power capacity, battery indicators, and more to power up the modern lifestyle.



New series of wireless speakers devices with various modes & wireless controls for a dynamic sound experience & maximum portability.

Download Our Retail Catalog:
<http://tiny.cc/9dgrcz>



LED Flood Lights - 08

LED Flood Lights

White | Grey | Black



PAGE
10

LED Flood Lights

PIR Sensor White | Black



PAGE
32

LED Flood Lights

Rechargeable FloodLights



PAGE
36

LED Flood Lights

Sports Light



PAGE
38

LED Flood Lights

Super Pro Series



PAGE
40

LED Street Lights - 42

NEW

Street Lights

Super Pro Series



PAGE
44

LED Garden Light

Super Pro Series



NEW ADDITION

PAGE
46

Street Lights

140 Lumen/w



PAGE
48

Street Lights

120 Lumen/w



PAGE
52

Street Lights



PAGE
56

LED Highbays - 58

Reflector Highbays

180 Lumen/w



PAGE
60

LED UFO Highbays

120 Lumen/w



PAGE
64

LED Linear Lights

LED Low Bay Lights



PAGE
68

LED Highbays

LED Canopy Light



PAGE
70

LED Panels - 72

LED Big Panels



PAGE
74

LED Mini Panels

Adjustable Panels



PAGE
76

LED Mini Panels

Premium Series Panels



PAGE
80

LED Mini Panels

Edge Series



PAGE
84

LED Tubes - 88

LED Tubes

G13-T8 -Nano Plastic Tube



PAGE
90

Fixtures with LED

LED Prismatic Fittings



PAGE
96

Fixtures with LED

LED Batten Fitting



PAGE
100

Fixtures with LED

CCT Changeable Batten Fitting



PAGE
104

Fixtures with LED

LED Waterproof Fittings



PAGE
108

LED Linear Lights - 110

Linear Lights

Linear Hanging Lights

NEW ADDITION



PAGE
112

Linear Lights

Recessed Linear



PAGE
124

Linear Lights

Linear Trunking



PAGE
128

Magnetic Track Lights

Up-down Lights

NEW



PAGE
132

LED TrackLights

4 Line TrackLights

NEW ADDITION



PAGE
140

LED Bulkhead and DownLights - 146

2D Bulkhead

Emergency Battery Backup and Sensor



PAGE
148

Reflector Downlight



NEW ADDITION



PAGE
156

LED Down Lights

Fire Rated Downlight

NEW ADDITION



PAGE
161

LED Down Lights

LED Cabinet & Night Lights

NEW ADDITION



PAGE
165

LED Solar Lights

LED Solar Wall and Bollard Lights



PAGE
167

LED Emergency Lights - 168

Exit Light

Surface & Recessed



PAGE
170

Exit Light

Bulkhead



PAGE
171

LED Strip Lights - 172

LED Strip Lights

CRI >95



PAGE
174

LED Strip Lights

Neon Flex Light



PAGE
175

LED Spot Lights - 176

LED Spot Lights

LED Capsules Lights



PAGE
178

LED Spot Lights

LED GU10 Lights



PAGE
179

LED Spot Lights

MR16 | GU10



PAGE
180

LED Filament Bulbs - 182

LED Bulbs

evolution



PAGE
184

LED Bulbs

Amber Filament Bulbs



PAGE
186

LED Filament Bulbs

Clear Filament Bulbs



PAGE
188

LED Plastic Bulbs - 191

LED Plastic Bulbs

High Lumen Bulbs



PAGE
192

LED Plastic Bulbs

Candle | A58 | A65 | A80



PAGE
194

LED Plastic Bulbs

Reflectors & PAR Bulbs



PAGE
203

LED Plastic Bulbs

UFO Bulbs



PAGE
205

LED Plastic Bulbs

LED Big Bulb



PAGE
208

LED Bulbs - 210

CRI > 95



LED Bulbs

NEW ADDITION



Blister Packing



Filament Special Bulbs



Amber Cover



Clear Filament



Accessory



LED Spot Lights - 254

Capsules-G9




GU10



GU10 Fitting

NEW ADDITION



LED PAR Lamps & AR111



LED Floodlights - 282

Slimline Floodlights



Solar Floodlight

NEW ADDITION



SMART Floodlights



Accessory



LED Panels - 296

Big Panels



LED Mini Panels



LED Tube Lights - 320

T8-Nano Plastic

NEW ADDITION



Fitting



Waterproof Fitting



LED Highbays - 331

UFO-High Lumen



Linear Highbay



LED Strip Lights - 334

LED Strip Lights

NEW ADDITION

PAGE
335



Neon Flex

NEW ADDITION

PAGE
343



Aluminium Profile

NEW ADDITION

PAGE
348



Power Supply

NEW ADDITION

PAGE
356



LED Track Lights - 362

Smart Color Changing

PAGE
363



Tracklights

PAGE
365



CRI >95

PAGE
366



Accessory

PAGE
369



LED Downlights - 370

Hotel Downlight

PAGE
371



Reflector Series

PAGE
373



Step Light

PAGE
374



LED Dome Lights - 379

CCT Changeable

PAGE
380



Ceiling Lights

PAGE
390



Dome Series

PAGE
392



Fire Rated Downlight

PAGE
395



Motion Sensors - 398

Infrared Sensor

NEW ADDITION

PAGE
399



LED Emergency Lights - 407

Exit Light

PAGE
408



Exit Light Bulkhead

PAGE
409



LED Floor & Table Lamps - 411

Floor Lamp
Touch & Knob
Dimming

PAGE
412



Smart Table Lamps

PAGE
414



Desk Lamps

PAGE
417



Table Lamps

PAGE
418



Table Lamps
Speaker

PAGE
420



Floor Lamp

PAGE
421



LED Innovative Lights - 422

Solar Wall Light



PAGE
423

Smart Switches



PAGE
425



works with
amazon alexa

works with the
Google Assistant

LED Smart Bulb



PAGE
429

LED Smart Spotlight



PAGE
431

LED Smart Striplight Kit



PAGE
432

LED Smart Dome Light



PAGE
433

LED Smart Panel



PAGE
434

Smart Tower Fan



NEW
PAGE
434

IR Remote Control



PAGE
435

Smart Curtain Motor



PAGE
436

Gyro Robot Vacuum Cleaner



PAGE
437

WiFi Thermostat



PAGE
438



works with
amazon alexa

works with the
Google Assistant

Touch Switches



PAGE
439

Plugs



PAGE
441

Power Strips



PAGE
442

RF433 Gateway



PAGE
443

Smart Cameras - 444

Smart Cameras



PAGE
445

Video Doorbell & CHIME



PAGE
449

Sockets and Adapters - 450

Power Adapter



PAGE
4451

European Sockets



PAGE
453

Italian Sockets



PAGE
463

LED Wall Lights - 473

LED Wall Lights Water proof



NEW ADDITION
PAGE
474

LED Wall Lights Indoor



PAGE
488

LED Outdoor Lights - 495

Wall Fitting



PAGE
496

Garden Spike



PAGE
499

Pool Lights



PAGE
503

Garden Lamps - 504

Wall Lamp

NEW ADDITION



PAGE
505

Ceiling Lamp



PAGE
511

Stand Lamp



NEW ADDITION

PAGE
512

LED Display Screen -515

P3 Indoor LED Display Screen



PAGE
516

P4 Indoor LED Display Screen



PAGE
517

P5 Indoor LED Display Screen



PAGE
518

P6 Outdoor LED Finished Cabinet



PAGE
519

Pendants - 520

Pendants

NEW ADDITION



PAGE
521

Holders



PAGE
559

LED Pendants and Mirror Lights

NEW ADDITION



PAGE
565

Decorative Lights



PAGE
595

Chandeliers



PAGE
599

Tower Fan

NEW



PAGE
604

LED Ceiling Fan

NEW



PAGE
607

Cable Tie

NEW



PAGE
614

Insect Killer

NEW



PAGE
616



LED FLOODLIGHTS

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver an exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of diecast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also waterproof and dustproof.

This extensive range of floodlights is ready to impress in terms of efficiency brought by the Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas


INNOVATIVE LED LIGHTING





KEY FEATURES

- 10w to 1000w
- IP65 rating — high-quality components used to ensure waterproof/airtight performance
- Modern and strong diecast Aluminium enclosure with a minimalistic design, for high-end support and design
- Product category includes high-lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units are inclusive of a 1-metre wire for convenience and easy installation





LED FLOODLIGHTS

Evolution Series Floodlight

Only from v-tac — the first and only led flood lights with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings.


- Aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >70
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




VT-4961

SKU: 5918 - 4000K DAY WHITE
SKU: 5919 - 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 8000lm | 10 pcs |




Super BRIGHT
160
LUMENS/W




VT-49161

SKU: 5920 - 4000K DAY WHITE
SKU: 5921 - 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|---------|----------|
| 100w | 16000lm | 4 pcs |



Super BRIGHT
160
LUMENS/W




① METER WIRE




VT-49261

SKU: 5922 - 4000K DAY WHITE
SKU: 5923 - 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|---------|----------|
| 200w | 32000lm | 2 pcs |



Super BRIGHT
160
LUMENS/W



① METER WIRE



LED FLOODLIGHTS

Slimline-White Body-High Lumen




120
lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-W


SKU: 762 | 4000K DAY WHITE
 SKU: 763 | 6400K WHITE

120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 6000 | 8 pcs |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-W

SKU: 768 | 4000K DAY WHITE
 SKU: 769 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 12000 | 4 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-W

SKU: 774 | 4000K DAY WHITE
 SKU: 775 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 18000 | 2 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-W

SKU: 787 | 4000K DAY WHITE
 SKU: 788 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 24000 | 2 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-306-W

SKU: 793 | 4000K DAY WHITE
 SKU: 794 | 6400K WHITE

120
 Lumen/W




| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 300w | 36000 | 2 pcs |

① METER WIRE



LED FLOODLIGHTS

Slimline-Black Body-High Lumen




120
lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-B


SKU: 760 | 4000K DAY WHITE
 SKU: 761 | 6400K WHITE

120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 6000 | 8 pcs |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-B

SKU: 766 | 4000K DAY WHITE
 SKU: 767 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 12000 | 4 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-B

SKU: 772 | 4000K DAY WHITE
 SKU: 773 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 18000 | 2 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-B

SKU: 778 | 4000K DAY WHITE
 SKU: 779 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 24000 | 2 pcs |

① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-306-B

SKU: 791 | 4000K DAY WHITE
 SKU: 792 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 300w | 36000 | 2 pcs |

120
 Lumen/W



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-405

SKU: 964 | 4000K DAY WHITE
 SKU: 965 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 400w | 48000 | 1 pcs |

120
 Lumen/W



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-505

SKU: 966 | 4000K DAY WHITE
 SKU: 967 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 500w | 60000 | 1 pcs |

120
 Lumen/W



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-1055


SKU: 968 | 4000K DAY WHITE
 SKU: 969 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 1000w | 120000 | 1 pcs |

120
 Lumen/W



① METER WIRE




LED FLOODLIGHTS

www.v-tac.eu | www.vtacexports.com



LED FLOODLIGHTS

Slimline-Grey Body-High Lumen




120
lm/W

More bright, energy efficient
50% better than normal LED

The V-TAC LED High Lumen Floodlight offers energy efficient, high output illumination for intensive lighting applications. This series consumes around 80% less energy than traditional outdoor lighting through pioneering optics and the latest LED technology from Samsung.

- Diecast aluminium body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-G


SKU: 764 | 4000K DAY WHITE
 SKU: 765 | 6400K WHITE

120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 6000 | 8 pcs |


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-G

SKU: 770 | 4000K DAY WHITE
 SKU: 771 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 12000 | 4 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-156-G

SKU: 776 | 4000K DAY WHITE
 SKU: 777 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 18000 | 2 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-G

SKU: 789 | 4000K DAY WHITE
 SKU: 790 | 6400K WHITE


120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 24000 | 2 pcs |

① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-306-G

SKU: 795 | 4000K DAY WHITE
 SKU: 796 | 6400K WHITE

120
 Lumen/W



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 300w | 36000 | 2 pcs |

① METER WIRE




LED FLOODLIGHTS

Slimline-White Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a clean and ivory white finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-W

SKU: 427 | 3000K WARM WHITE
 SKU: 428 | 4000K DAY WHITE
 SKU: 429 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 20 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-W

SKU: 442 | 3000K WARM WHITE
 SKU: 443 | 4000K DAY WHITE
 SKU: 444 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-W

SKU: 403 | 3000K WARM WHITE
 SKU: 404 | 4000K DAY WHITE
 SKU: 405 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 10 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-1-W


SKU: 950 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 10 pcs |



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-W

SKU: 409 | 3000K WARM WHITE
 SKU: 410 | 4000K DAY WHITE
 SKU: 411 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 8 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-1-W


SKU: 952 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 8 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-W


SKU: 415 | 3000K WARM WHITE
 SKU: 416 | 4000K DAY WHITE
 SKU: 417 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 8000 | 4 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-W


SKU: 478 | 3000K WARM WHITE
 SKU: 479 | 4000K DAY WHITE
 SKU: 480 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 12000 | 2 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-W


SKU: 420 | 4000K DAY WHITE
 SKU: 421 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 16000 | 2 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-W

SKU: 486 | 4000K DAY WHITE
 SKU: 487 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 300w | 24000 | 2 pcs |



① METER WIRE






LED FLOODLIGHTS

Slimline-Black Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a classic, jet black finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-1-B


SKU: 947 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-1-B


SKU: 20012 | 4000K DAY WHITE
 SKU: 948 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-1-B


SKU: 20013 | 4000K DAY WHITE
 SKU: 949 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 10 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-1-B


SKU: 20014 | 4000K DAY WHITE
 SKU: 951 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 8 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-B

SKU: 424 | 3000K WARM WHITE
 SKU: 425 | 4000K DAY WHITE
 SKU: 426 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 20 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-B

SKU: 439 | 3000K WARM WHITE
 SKU: 440 | 4000K DAY WHITE
 SKU: 441 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-B

SKU: 400 | 3000K WARM WHITE
 SKU: 401 | 4000K DAY WHITE
 SKU: 402 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 10 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-B

SKU: 406 | 3000K WARM WHITE
 SKU: 407 | 4000K DAY WHITE
 SKU: 408 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 8 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-B


- SKU: 412 | 3000K WARM WHITE
- SKU: 413 | 4000K DAY WHITE
- SKU: 414 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 8000 | 4 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-B


- SKU: 475 | 3000K WARM WHITE
- SKU: 476 | 4000K DAY WHITE
- SKU: 477 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 12000 | 2 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-B


- SKU: 418 | 4000K DAY WHITE
- SKU: 419 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 16000 | 2 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-B

- SKU: 422 | 4000K DAY WHITE
- SKU: 423 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 300w | 24000 | 2 pcs |



① METER WIRE




LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LED chips for a well-diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) metre wire.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-G

- SKU: 430 | 3000K WARM WHITE
- SKU: 431 | 4000K DAY WHITE
- SKU: 432 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 20 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-G

- SKU: 445 | 3000K WARM WHITE
- SKU: 446 | 4000K DAY WHITE
- SKU: 447 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-G

- SKU: 454 | 3000K WARM WHITE
- SKU: 455 | 4000K DAY WHITE
- SKU: 456 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 10 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-G

- SKU: 463 | 3000K WARM WHITE
- SKU: 464 | 4000K DAY WHITE
- SKU: 465 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 8 pcs |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-G


- SKU: 472 | 3000K WARM WHITE
- SKU: 473 | 4000K DAY WHITE
- SKU: 474 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 8000 | 4 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-G


- SKU: 481 | 3000K WARM WHITE
- SKU: 482 | 4000K DAY WHITE
- SKU: 483 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 12000 | 2 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-G


- SKU: 484 | 4000K DAY WHITE
- SKU: 485 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 16000 | 2 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-G

- SKU: 488 | 4000K DAY WHITE
- SKU: 489 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 300w | 24000 | 2 pcs |



① METER WIRE



LED FLOODLIGHTS



IP65
RATING



5
YEAR
WARRANTY


LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >70**
- **PF>0.7 for 10,20w; 0.9 for 30,50w**
- **On/Off cycle: >15000**
- **Instant start in <1sec**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Detection range:120°**
- **Detection distance:2-8m**
- **Time delay: MIN12+-3sec MAX6+-2min**
- **Installation height: 1.8-2.5m**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-S-W


SKU: 433 | 3000K WARM WHITE
 SKU: 434 | 4000K DAY WHITE
 SKU: 435 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-W


SKU: 448 | 3000K WARM WHITE
 SKU: 449 | 4000K DAY WHITE
 SKU: 450 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-W


SKU: 457 | 3000K WARM WHITE
 SKU: 458 | 4000K DAY WHITE
 SKU: 459 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-W

SKU: 466 | 3000K WARM WHITE
 SKU: 467 | 4000K DAY WHITE
 SKU: 468 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 10 pcs |



① METER WIRE




LED FLOODLIGHTS

PIR Sensor Black Body

Incorporating security functionalities, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LED for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, or industrial areas.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >70**
- **PF>0.7 for 10,20w; 0.9 for 30,50w**
- **On/Off cycle: >15000**
- **Instant start in <1sec**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Detection range:120°**
- **Detection distance:2-8m**
- **Time delay: MIN12+-3sec MAX6+-2min**
- **Installation height: 1.8-2.5m**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-S-B

NEW


- SKU: 436 | 3000K WARM WHITE
- SKU: 437 | 4000K DAY WHITE
- SKU: 438 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-B


- SKU: 451 | 3000K WARM WHITE
- SKU: 452 | 4000K DAY WHITE
- SKU: 453 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-B


- SKU: 460 | 3000K WARM WHITE
- SKU: 461 | 4000K DAY WHITE
- SKU: 462 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 20 pcs |



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-B

- SKU: 469 | 3000K WARM WHITE
- SKU: 470 | 4000K DAY WHITE
- SKU: 471 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4400 | 10 pcs |



① METER WIRE



MICRO SOCKET

RECHARGEABLE FLOODLIGHT



Strong, reliable portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port making it perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

- **IP Rating - IP44**
- **AC: 100-240V**
- **On/Off cycle: >15000**
- **CRI>80**
- **Rechargeable**
- **30,000 Hours Life**
- **PF>0.9**
- **Beamangle: 100**

VT-10-R

SKU: 20038 | 4000K DAY WHITE
 SKU:503 | 6400K WHITE



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 700 | 20 pcs |



VT-11-R

SKU: 20037 | 4000K DAY WHITE
 SKU:502 | 6400K WHITE



| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 700 | 20 pcs |



VT-20-R

SKU: 20039 | 4000K DAY WHITE
 SKU:504 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1400 | 20 pcs |






DUAL VOLTAGE
85V- 265V

3
METER WIRE

EU PLUG




WORK FLOODLIGHT

Heavy-duty, reliable LED work floodlight — V-TAC's LED Work Light is designed with dual voltage AC:85-265V and comes with 3-metre wire. Built with EU plug for direct connection, with adjustable stand and carry handle. Suitable for garages, workshops, basements, car repair shops and more.

- Input AC:85-265V,50Hz
- CRI >80
- PF >0.9
- 30,000 Life Hours
- 100° Beam Angle
- Material Die cast aluminium
- EU Plug with 3 Meter wire length


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-51

SKU: 945 | 4000K DAY WHITE
 SKU: 946 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 4000 | 8 pcs |





DIMMABLE



Your Reliable Power Partner

5 YEAR
WARRANTY*


LED FLOODLIGHTS

Sports Light

120
Lumen/W

The new LED Sports Light with Samsung LED offers excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.




- Using **MEAN WELL** driver
- **No Lead or Mercury** content
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**



VT-500D

SKU: 490 | 5000K WHITE



| WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|-------|--------|------------|----------|
| 500w | 67500 | 45° | 1 pcs |



VT-501D

SKU: 493 | 5000K WHITE

| WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|-------|--------|------------|----------|
| 500w | 67500 | 110° | 1 pcs |





Lumosa Tiny




Trunion Mount Kit



Knuckle Mount Slip Fitter Kit



Stereo Base Installation



LED FLOODLIGHTS

LED Super Pro Floodlights

120
Lumen/W

Available in 250W, 500W, and 1000W, our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- AC: 100-277V
- IP66 Rating and strong die cast aluminum body for durability
- 50,000-hr lifespan
- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9

BEAM ANGLE 120°

VT-253D


SKU: 494 | 4000K DAY WHITE
SKU: 500 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. | WEIGHT |
|-------|--------|----------|--------|
| 250w | 30000 | 1 pcs | 8KG |

BEAM ANGLE 60°

VT-252D

SKU: 495 | 4000K DAY WHITE
SKU: 501 | 6400K WHITE



BEAM ANGLE 120°

VT-503D


SKU: 496 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. | WEIGHT |
|-------|--------|----------|--------|
| 500w | 60000 | 1 pcs | 20.5KG |

BEAM ANGLE 60°

VT-502D

SKU: 497 | 4000K DAY WHITE



BEAM ANGLE 120°

VT-1003D


SKU: 498 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. | WEIGHT |
|-------|--------|----------|--------|
| 1000w | 120000 | 1 pcs | 30.8KG |

BEAM ANGLE 60°

VT-1002D

SKU: 499 | 4000K DAY WHITE







LED STREET LIGHTS

Light the path to a brighter future -- V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and Mean Well to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type 3 lenses.

KEY FEATURES

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body – IP65/66 sealed optical cavities
- Optically optimized glass lenses to prevent eye strains
- Uniformity in light distribution – maximizes efficiency
- Fully operational in extreme weather
- DALI, Inventronics, Mean Well drivers

APPLICATION

Optimized and engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.



130
LUMENS/WATT

5 YEAR
WARRANTY*



LED STREETLIGHT

CLASS II, TYPE III-M LENS



The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 80w to 200w, with select models available with DALI driver.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 26000 lumen output available**
- **AC: 175-265V, 50HZ**
- **IP66 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **150 x 80° Beam Angle**

VT-80ST


SKU: 541 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 80w | 10400 | 1 pcs |

Available with



SKU: 546



VT-120ST


SKU: 542 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 120w | 15600 | 1 pcs |

Available with



SKU: 547



VT-160ST


SKU: 543 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 160w | 20800 | 1 pcs |

Available with



SKU: 548



VT-200ST


SKU: 544 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 26000 | 1 pcs |

Available with



SKU: 548





IP65
RATING

130
LUMENS/WATT

5
YEAR
WARRANTY*



LED GARDEN LIGHT

CLASS II, TYPE III-M LENS



The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are a great alternative to traditional street lighting.

- **Instant start: 0-100% in <1sec**
- **On/off cycle: >20,000 times**
- **CRI: >70**
- **PF: > 0.9**
- **IK08 rating**
- **AC: 176-265V, 50HZ**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **Beam Angle: 150x80° | 160x100° (Suspended Light)**


Garden Light

VT-55-1

SKU: 782 | 4000K DAY WHITE

| WATTS | LUMENS | WEIGHT | BOX QTY. |
|-------|--------|--------|----------|
| 50w | 6500 | 8.36 | 1 pcs |

130
 Lumen/W




Garden Light

VT-105

SKU: 783 | 4000K DAY WHITE

| WATTS | LUMENS | WEIGHT | BOX QTY. |
|-------|--------|--------|----------|
| 100w | 13000 | 13.28 | 1 pcs |

130
 Lumen/W




Suspended Light

VT-115ST

SKU: 545 | 4000K DAY WHITE

| WATTS | LUMENS | WEIGHT | BOX QTY. |
|-------|--------|--------|----------|
| 100w | 13000 | 11.16 | 1 pcs |

130
 Lumen/W



NEW



STREET LIGHT



SUSPENDED



GARDEN LIGHT


CLASS I, TYPE III-M LENS Garden Light

VT-895

SKU: 8679 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 6750 | 1 pcs |

130
 Lumen/W





LED STREETLIGHT

Class I, Inventronics Driver Streetlight

The LED Streetlight (Class I Type) offers a high-lumen output and highly efficient performance improved through the industry-leading Inventronics driver. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 50w to 150w.

- **CRI: >70**
- **PF: > 0.9**
- **AC: 90-305V,50Hz**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**




140
 Lumen/W

VT-53ST

SKU: 953 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 7000 | 2 pcs |

INVENTRONICS
 DRIVER




140
 Lumen/W

VT-103ST

SKU: 954 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 14000 | 2 pcs |

INVENTRONICS
 DRIVER




140
 Lumen/W

VT-153ST

SKU: 955 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 21000 | 1 pcs |

INVENTRONICS
 DRIVER





140+
+
LUMENS/WATT

5 YEAR
WARRANTY*

LED STREETLIGHT


Available in 100W to 200W, V-TAC's innovative range of streetlights introduces the new dimmable series with LEDs provided by Samsung and world-renowned Inventronics driver. These streetlights are recommendable to help streets easily adapt to the varied night lighting need of different areas or regions which can ultimately lead to even bigger savings in energy consumption.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 28000 lumen output available**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**

VT-102ST

SKU: 883 | 4000K DAY WHITE
SKU: 884 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 14000 | 1 pcs |



VT-122ST

SKU: 885 | 4000K DAY WHITE
SKU: 886 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 120w | 16800 | 1 pcs |



VT-152ST

SKU: 887 | 4000K DAY WHITE
SKU: 888 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 21000 | 1 pcs |



VT-202ST

SKU: 889 | 4000K DAY WHITE
SKU: 890 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 200w | 28000 | 1 pcs |





IP65
RATING

120+
LUMENS/WATT

5
YEAR
WARRANTY*

LED STREETLIGHT

Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- 30,000 Life Hours
- 110° Beam Angle
- Material aluminium
- Input AC:220-240V,50Hz
- CRI >70
- PF >0.9




120
 Lumen/W

VT-34ST

SKU: 956 | 4000K DAY WHITE
 SKU: 957 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 3600 | 4 pcs |




120
 Lumen/W

VT-54ST

SKU: 958 | 4000K DAY WHITE
 SKU: 959 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 6000 | 4 pcs |




120
 Lumen/W

VT-104ST

SKU: 960 | 4000K DAY WHITE
 SKU: 961 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 12000 | 2 pcs |




120
 Lumen/W

VT-154ST

SKU: 962 | 4000K DAY WHITE
 SKU: 963 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 18000 | 2 pcs |






LED STREETLIGHT

Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung and the Mean Well driver with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- 110° Beam Angle
- CRI: >70
- PF: > 0.9
- Up to 18000 lumen output available
- AC: 175-265V,50Hz
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30ST


SKU: 525 | 4000K DAY WHITE
 SKU: 526 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 3600 | 4 pcs |

120
 Lumen/W



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50ST


SKU: 527 | 4000K DAY WHITE
 SKU: 528 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 6000 | 4 pcs |

120
 Lumen/W



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-100ST


SKU: 529 | 4000K DAY WHITE
 SKU: 530 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 12000 | 2 pcs |

120
 Lumen/W



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





VT-150ST

SKU: 531 | 4000K DAY WHITE
 SKU: 532 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 150w | 18000 | 2 pcs |

120
 Lumen/W






LED STREETLIGHT

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- **CRI: >70**
- **PF: > 0.9**
- **30,000-hr lifespan**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **Beam Angle: 110° | 65x135° (with lens)**





VT-31ST

SKU: 537 | 4000K DAY WHITE

SKU: 538 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 3000 | 4 pcs |





VT-51ST

SKU: 539 | 4000K DAY WHITE

SKU: 540 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 50w | 5000 | 4 pcs |





VT-101ST

SKU: 535 | 4000K DAY WHITE

SKU: 536 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 100w | 10000 | 2 pcs |




VT-121ST

SKU: 533 | 4000K DAY WHITE

SKU: 534 | 6400K WHITE


| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 120w | 12000 | 2 pcs |



STREETLIGHT-ADAPTER

VT-795

SKU: 3624 3800157608152




Compatible with 100W, 120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



STREETLIGHT-ADAPTER

VT-795-1

SKU: 3668 3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



LED Highbay

Our world-class highbay range includes models with drivers from Mean Well and Samsung -- both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today. Available in 100W to 500W.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling





KEY FEATURES

- Professional upgraded drivers from Mean Well and Samsung
- Strong and durable diecast aluminum body
- IP65 rating
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent



120
LUMENS/WATT

IP65
RATING

USING
SAMSUNG
POWER SUPPLY

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE



REFLECTOR Highbays

SAMSUNG Power Supply


With our latest in-branding program with Samsung, these highbays offer a high-lumen output of up to 180 lm/w and boasts of efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5 YEAR
WARRANTY*

| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-113 | 100w | 16000 | 120° | 1 pcs |

SKU: 20024 | 4000K DAY WHITE
SKU: 20025 | 6400K WHITE



Super**BRIGHT**



160

LUMENS/W




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-108 | 100w | 18000 | 120° | 1 pcs |

SKU: 575 | 4000K DAY WHITE
SKU: 576 | 6400K WHITE





| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-103 | 100w | 12000 | 120° | 1 pcs |

SKU: 577 | 4000K DAY WHITE
SKU: 578 | 6400K WHITE



| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-105 | 100w | 12000 | 90° | 1 pcs |

SKU: 583 | 4000K DAY WHITE
SKU: 584 | 6400K WHITE



COVER OPTIONS



Aluminum Reflector
90° SKU-570



Aluminum Reflector
120° SKU-571



PC Transparent Reflector
120° SKU-574



PC Dustproof Cover
120° SKU-586

V-TAC PERFORMANCE
180
LUMENS/WATT

 **IP65**
RATING

MW
MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

 **1-10V**
DIMMABLE



REFLECTOR HIGHBAYS

MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**


5 YEAR
WARRANTY*

| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-102 | 100w | 18000 | 120° | 2 pcs |


SKU: 566 | 4000K DAY WHITE
 SKU: 567 | 6400K WHITE



1-10V
 DIMMABLE



ø150mm




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-120 | 120w | 21600 | 120° | 2 pcs |


SKU: 568 | 4000K DAY WHITE
 SKU: 569 | 6400K WHITE



1-10V
 DIMMABLE



ø150mm



COVER OPTIONS



Aluminum Reflector
 90° SKU-570




Aluminum Reflector
 120° SKU-571



PC Transparent Reflector
 120° SKU-574



PC Dustproof Cover
 120° SKU-586



120
LUMENS/WATT

IP65
RATING

MW
MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE



UFO HIGHBAYS

MEAN WELL Driver

This advanced LED highbays are ready to impress with its high-lumen ratings and LED chips from Samsung. This range is equipped with drivers from Mean Well — a key player in the LED driver industry for a strong and efficient performance.

- Available in 100 - 500 watts
- 50,000 hrs Lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:95-265V,50/60Hz
- Die cast Aluminum
- PF: >0.9
- CRI:>80


5 YEAR
WARRANTY*

| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-106 | 100w | 12000 | 120° | 1 pcs |

SKU:585 | 4000K DAY WHITE

DALI
 Dimming

120
 Lumen/W




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-100 | 100w | 12000 | 90° | 4 pcs |

SKU: 564 | 4000K DAY WHITE

SKU: 565 | 6400K WHITE

1-10V
 DIMMABLE

120
 Lumen/W




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-150 | 150w | 18000 | 90° | 2 pcs |

SKU: 560 | 4000K DAY WHITE

SKU: 561 | 6400K WHITE

1-10V
 DIMMABLE

120
 Lumen/W




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-101 | 100w | 12000 | 120° | 4 pcs |

SKU: 562 | 4000K DAY WHITE

SKU: 563 | 6400K WHITE


1-10V
 DIMMABLE

120
 Lumen/W




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-151 | 150w | 18000 | 120° | 2 pcs |

SKU: 558 | 4000K DAY WHITE
 SKU: 559 | 6400K WHITE




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|-----------|-------|--------|------------|----------|
| VT-9-200N | 200w | 28000 | 120° | 1 pcs |

SKU: 58011 | 4000K DAY WHITE
 SKU: 58111 | 5700K WHITE




| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-200 | 200w | 24000 | 120° | 1 pcs |

SKU: 580 | 4000K DAY WHITE
 SKU: 581 | 6400K WHITE



| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-500 | 500w | 60000 | 120° | 1 pcs |

SKU: 509 | 4000K DAY WHITE





LED HIGHBAYS

www.v-tac.eu | www.vtacexports.com




LED LINEAR LOW BAY

Our series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts. Available in 100w to 200w.

- **AC:220-240v,50HZ**
- **On/off: >20,000 times**
- **IP54 rating**
- **Lifespan - 30,000 hrs**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**
- **Ideal for workshops, supermarkets, warehouses, etc.**
- **High-lumen (120 lm/w) options available**

| MODEL | WATTS | LUMENS | BEAM ANGLE | PF | CRI | LED | BODY | BOX QTY. |
|----------|-------|--------|------------|------|-----|-----|----------|----------|
| VT-9-112 | 100w | 12000 | 120° | >0.9 | >80 | SMD | Aluminum | 6 pcs |


SKU: 891 | 4000K DAY WHITE
 SKU: 892 | 6000K WHITE



120
 Lumen/W

| MODEL | WATTS | LUMENS | BEAM ANGLE | PF | CRI | LED | BODY | BOX QTY. |
|----------|-------|--------|------------|------|-----|-----|----------|----------|
| VT-9-152 | 150w | 18000 | 120° | >0.9 | >80 | SMD | Aluminum | 6 pcs |


SKU: 893 | 4000K DAY WHITE
 SKU: 894 | 6000K WHITE



120
 Lumen/W

| MODEL | WATTS | LUMENS | BEAM ANGLE | PF | CRI | LED | BODY | BOX QTY. |
|----------|-------|--------|------------|------|-----|-----|----------|----------|
| VT-9-202 | 200w | 24000 | 120° | >0.9 | >80 | SMD | Aluminum | 6 pcs |

SKU: 895 | 4000K DAY WHITE
 SKU: 896 | 6000K WHITE



120
 Lumen/W




LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

| MODEL | WATTS | LUMENS | BEAM ANGLE | BOX QTY. |
|----------|-------|--------|------------|----------|
| VT-9-155 | 150w | 18000 | 110° | 2 pcs |

SKU: 572 | 4000K DAY WHITE
 SKU: 573 | 6400K WHITE





LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

V-TAC[®]
INNOVATIVE LED LIGHTING






KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

**QUICK
CONNECTOR**





QUICK CONNECTOR

LED BIG PANELS

Square Panels-60x60

Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.


- Quick Connector
- SMD LED Type
- 30,000 hrs Lifespan
- 110° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- Aluminum+ PMMA+PP
- Flicker Free

5 YEAR
WARRANTY*

NEW


SKU: 20047 | 4000K DAY WHITE
 SKU: 20048 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|--------|-------|--------|----------|
| VT-629 | 29w | 3480 | 6 pcs |



SKU: 750 | 4000K DAY WHITE
 SKU: 751 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|--------|-------|--------|----------|
| VT-636 | 36w | 3600 | 6 pcs |



TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 | 3000K WARM WHITE
 SKU: 633 | 4000K DAY WHITE
 SKU: 634 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|--------|-------|--------|----------|
| VT-645 | 45w | 3600 | 6 pcs |





evolution

2.1 IN RECESSED OR SURFACE

SuperBRIGHT
160
LUMENS/W

LED BACKLIT PANEL


Evolution Panels Series

This 25w LED panel delivers 4000 lumens through its impressive 160 lm/w rating. With the flexibility to be installed recessed or surface-mounted, it is sure to be one of the best preferred panels in the market.

- SMD LED Type
- 20,000 hrs Lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- FE+PS

SKU: 6600 | 3000K WARM WHITE
SKU: 6601 | 4000K DAY WHITE
SKU: 6602 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|---------|-------|--------|----------|
| VT-6125 | 25W | 4000 | 1 pcs |



QUICK CONNECTOR

5 YEAR WARRANTY*


LED BIG PANELS

Rectangle Panels-120x60

- SMD LED Type
- 20,000 hrs Lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- Aluminum+ PMMA+PP
- Flicker Free

SKU: 748 | 4000K DAY WHITE
SKU: 749 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|--------|-------|--------|----------|
| VT-646 | 45w | 5400 | 2 pcs |



LED MINI PANELS

Round Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

5 YEAR WARRANTY*

SKU: 727 | 3000K WARM WHITE
 SKU: 728 | 4000K DAY WHITE
 SKU: 729 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-610RD | 12w | 750 | 20 pcs |



Cutting Size: 75-100mm

SKU: 733 | 3000K WARM WHITE
 SKU: 734 | 4000K DAY WHITE
 SKU: 735 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-619RD | 18w | 1350 | 20 pcs |



Cutting Size: 75-100mm

SKU: 739 | 3000K WARM WHITE
 SKU: 740 | 4000K DAY WHITE
 SKU: 741 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-625RD | 24w | 1800 | 20 pcs |



Cutting Size: 75-200mm



LED MINI PANELS

Square Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**
- **On/Off Cycle: >15000**

5 YEAR
WARRANTY*

SKU: 730 | 3000K WARM WHITE
SKU: 731 | 4000K DAY WHITE
SKU: 732 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-610SQ | 12w | 750 | 20 pcs |



Cutting Size: 75-100mm

SKU: 736 | 3000K WARM WHITE
SKU: 737 | 4000K DAY WHITE
SKU: 738 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-619SQ | 18w | 1350 | 20 pcs |




Cutting Size: 75-100mm

SKU: 742 | 3000K WARM WHITE
SKU: 743 | 4000K DAY WHITE
SKU: 744 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-625SQ | 24w | 1800 | 20 pcs |



Cutting Size: 75-200mm



EXPANDABLE CLIPS TO ADJUST



LED MINI PANELS

Round Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

5 YEAR WARRANTY*

SKU: 706 | 3000K WARM WHITE
 SKU: 707 | 4000K DAY WHITE
 SKU: 708 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-606RD | 6w | 420 | 40 pcs |



Cutting Size: ø110mm

SKU: 712 | 3000K WARM WHITE
 SKU: 713 | 4000K DAY WHITE
 SKU: 714 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-612RD | 12w | 1000 | 20 pcs |



Cutting Size: ø160mm

SKU: 718 | 3000K WARM WHITE
 SKU: 719 | 4000K DAY WHITE
 SKU: 720 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-618RD | 18w | 1500 | 20 pcs |



Cutting Size: ø210mm

SKU: 724 | 3000K WARM WHITE
 SKU: 725 | 4000K DAY WHITE
 SKU: 726 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-624RD | 24w | 2000 | 10 pcs |



Cutting Size: ø280mm



LED PANELS

LED MINI PANELS

Square Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

5 YEAR WARRANTY*

SKU: 703 | 3000K WARM WHITE
 SKU: 704 | 4000K DAY WHITE
 SKU: 705 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-606SQ | 6w | 420 | 40 pcs |



Cutting Size: 110x110mm

SKU: 709 | 3000K WARM WHITE
 SKU: 710 | 4000K DAY WHITE
 SKU: 711 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-612SQ | 12w | 1000 | 20 pcs |



Cutting Size: 160x160mm

SKU: 715 | 3000K WARM WHITE
 SKU: 716 | 4000K DAY WHITE
 SKU: 717 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-618SQ | 18w | 1500 | 20 pcs |




Cutting Size: 210x210mm

SKU: 721 | 3000K WARM WHITE
 SKU: 722 | 4000K DAY WHITE
 SKU: 723 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-624SQ | 24w | 2000 | 10 pcs |



Cutting Size: 280x280mm



LED PANELS

LED MINI PANELS

Round Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR
WARRANTY*

SKU: 626 | 3000K WARM WHITE
 SKU: 628 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-608RD | 8w | 800 | 100 pcs |



Cutting Size: \varnothing 72 mm

SKU: 621 | 4000K DAY WHITE
 SKU: 622 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-615RD | 15w | 1500 | 40 pcs |



Cutting Size: \varnothing 95 mm

SKU: 614 | 3000K WARM WHITE
 SKU: 615 | 4000K DAY WHITE
 SKU: 616 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-620RD | 20w | 2000 | 40 pcs |



Cutting Size: \varnothing 140 mm

Quick Connector



LED MINI PANELS

Square Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR
WARRANTY*

SKU: 623 | 3000K WARM WHITE
 SKU: 624 | 4000K DAY WHITE
 SKU: 625 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-608SQ | 8w | 800 | 100 pcs |



Cutting Size: 70 X 70mm

SKU: 617 | 3000K WARM WHITE
 SKU: 618 | 4000K DAY WHITE
 SKU: 619 | 6400K WHITE


| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-615SQ | 15w | 1500 | 40 pcs |



Cutting Size: 95X 95mm


SKU: 611 | 3000K WARM WHITE
 SKU: 612 | 4000K DAY WHITE
 SKU: 613 | 6400K WHITE

| MODEL | WATTS | LUMENS | BOX QTY. |
|----------|-------|--------|----------|
| VT-620SQ | 20w | 2000 | 40 pcs |



Cutting Size: 142X 142mm

Quick Connector





LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

- 1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
- 2) Batten Fittings with CCT-changing Switch
- 3) Linkable T5 Batten Fittings, and more.

APPLICATION


Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices

V-TAC[®]
INNOVATIVE LED LIGHTING



KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models





Super **BRIGHT**
160
LUMENS/W

T8-NANO PLASTIC TUBES

Evolution Tubes Series



5 YEAR
WARRANTY*

Together with its impressive a++ energy rating, our led tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

- Nano Plastic
- 30,000 Life Hours
- CRI - >80
- Flicker Free
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °



| MODEL | WATTS | EQ.WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|----------|--------|-----------|----------|
| VT-1607 | 7w | | 1120lm | 0.115 | 25 pcs |

SKU: 6474 | 3000K WARM WHITE
 SKU: 6475 | 4000K DAY WHITE
 SKU: 6476 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|----------|--------|-----------|----------|
| VT-1612 | 12w | | 1920lm | 0.193 | 25 pcs |

SKU: 6477 | 3000K WARM WHITE
 SKU: 6478 | 4000K DAY WHITE
 SKU: 6479 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|----------|--------|-----------|----------|
| VT-1615 | 15w | | 2400lm | 0.261 | 25 pcs |

SKU: 6480 | 3000K WARM WHITE
 SKU: 6481 | 4000K DAY WHITE
 SKU: 6482 | 6400K WHITE





LED TUBES

G13-T8 -Nano Plastic Tube


This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**

5 YEAR
WARRANTY*



| MODEL | WATTS | EQ.WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|--------|-------|----------|--------|-----------|----------|
| VT-062 | 10w | 18w | 1100 | 0.1264 | 25 pcs |

- SKU: 798 | 3000K WARM WHITE
- SKU: 686 | 4000K DAY WHITE
- SKU: 687 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|--------|-------|----------|--------|-----------|----------|
| VT-122 | 18w | 45w | 2250 | 0.1904 | 25 pcs |

- SKU: 688 | 3000K WARM WHITE
- SKU: 672 | 4000K DAY WHITE
- SKU: 673 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|--------|-------|----------|--------|-----------|----------|
| VT-152 | 22w | 75w | 3000 | 0.2572 | 25 pcs |



- SKU: 799 | 3000K WARM WHITE
- SKU: 674 | 4000K DAY WHITE
- SKU: 675 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS WEIGHT-KG BOX QTY.

VT-061 **10w** **18w** **850** **0.1264** **25 pcs**



SKU: 650 | 3000K WARM WHITE
 SKU: 651 | 4000K DAY WHITE
 SKU: 652 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS WEIGHT-KG BOX QTY.

VT-121 **18w** **36w** **1700** **0.1904** **25 pcs**



SKU: 653 | 3000K WARM WHITE
 SKU: 654 | 4000K DAY WHITE
 SKU: 655 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS WEIGHT-KG BOX QTY.

VT-151 **22w** **58w** **2000** **0.2572** **25 pcs**

SKU: 656 | 3000K WARM WHITE
 SKU: 657 | 4000K DAY WHITE
 SKU: 658 | 6400K WHITE



LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

5 YEAR Quick Connector
WARRANTY*



| MODEL | WATTS | LUMENS | ON/OFF | PF | BOX QTY. |
|----------|-------|--------|--------|------|----------|
| VT-12026 | 18w | 1700 | 15000 | >0.5 | 10 pcs |

SKU: 6442 | 4000K DAY WHITE
SKU: 6443 | 6400K WHITE



| MODEL | WATTS | LUMENS | ON/OFF | PF | BOX QTY. |
|----------|-------|--------|--------|------|----------|
| VT-15023 | 22w | 2000 | 15000 | >0.5 | 10 pcs |

SKU: 6438 | 4000K DAY WHITE
SKU: 6439 | 6400K WHITE






| MODEL | WATTS | LUMENS | ON/OFF | PF | BOX QTY. |
|----------|-------|--------|--------|------|----------|
| VT-12027 | 36w | 3400 | 15000 | >0.5 | 10 pcs |

SKU: 6444 | 4000K DAY WHITE
 SKU: 6445 | 6400K WHITE



| MODEL | WATTS | LUMENS | ON/OFF | PF | BOX QTY. |
|----------|-------|--------|--------|------|----------|
| VT-15024 | 44w | 4000 | 15000 | >0.5 | 10 pcs |

SKU: 6440 | 4000K DAY WHITE
 SKU: 6441 | 6400K WHITE





*Super***BRIGHT**
160
LUMENS/W

GRILL FITTING

Evolution Series


5 YEAR
WARRANTY*

Only from v-tac — the first and only led grill fittings with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings. Comes with a fast connector for easy wiring and installation.

- Plastic Body
- 30,000 Life Hours
- CRI - >80
- Flicker Free
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °

| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8315 | 15w | 2400lm | 0.192 | 30 pcs |

SKU: 6487 - 3000K WARM WHITE
 SKU: 6488 - 4000K DAY WHITE
 SKU: 6489 - 6400K WHITE




SuperBRIGHT
160
 LUMENS/W



| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8330 | 30w | 4800lm | 0.35 | 30 pcs |

SKU: 6490 - 3000K WARM WHITE
 SKU: 6491 - 4000K DAY WHITE
 SKU: 6492 - 6400K WHITE




SuperBRIGHT
160
 LUMENS/W



| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8338 | 38w | 6080lm | 0.57 | 30 pcs |

SKU: 6493 - 3000K WARM WHITE
 SKU: 6494 - 4000K DAY WHITE
 SKU: 6495 - 6400K WHITE



SuperBRIGHT
160
 LUMENS/W





FIXTURES WITH LED

LED Prismatic Fittings




The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**

5 YEAR
WARRANTY*

| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-10 | 10w | 1200 | 0.26 | 10 pcs |

SKU: 659 | 3000K WARM WHITE
 SKU: 660 | 4000K DAY WHITE
 SKU: 661 | 6400K WHITE




1
 FEET

120
 Lumen/W


| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-20 | 20w | 2400 | 0.42 | 10 pcs |

SKU: 662 | 3000K WARM WHITE
 SKU: 663 | 4000K DAY WHITE
 SKU: 664 | 6400K WHITE




| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-40 | 40w | 4800 | 0.84 | 10 pcs |

SKU: 665 | 3000K WARM WHITE
 SKU: 666 | 4000K DAY WHITE
 SKU: 667 | 6400K WHITE




| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-50 | 50w | 6000 | 1.00 | 10 pcs |

SKU: 668 | 4000K DAY WHITE
 SKU: 669 | 6400K WHITE



| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-9-60 | 60w | 7200 | 1.20 | 10 pcs |

SKU: 670 | 4000K DAY WHITE
 SKU: 671 | 6400K WHITE





FIXTURES WITH LED

LED Batten Fitting



V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Programmable DIP Switch Driver(Applicable for 60W and 80W only)**

5 YEAR
WARRANTY*

TP(a)
 Polycarbonate




Compatible Emergency Pack



Sensor Compatible

| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-42 | 40w | 4800 | 1.40 | 10 pcs |

SKU: 755 | 4000K DAY WHITE




4
 FEET

120
 Lumen/W




| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-62 | 60w | 6900 | 1.72 | 10 pcs |

SKU: 756 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-80 | 80w | 8600 | 2.07 | 10 pcs |

SKU: 757 | 4000K DAY WHITE



Emergency Pack (Optional)

m-pack SKU: 758 Compatible with Batten

Charging time::

≥24 HOURS

Charge current:

200 MA

Working time :

3 HOURS



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





LINKABLE
UP TO 100 WATTS TOGETHER

FIXTURES WITH LED

T5 Batten Fitting


5 YEAR
WARRANTY*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- 30,000 Life Hours
- On/Off switch
- On/Off Cycle - >15000 time
- Body:PC
- Input Voltage - AC:220-240V
- CRI - >80
- Instant start -0-100% in <1 sec
- Beam angle:120 °


| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|--------|-------|--------|-----------|----------|
| VT-035 | 4w | 360 | 0.065 | 25 pcs |

SKU: 689 | 3000K WARM WHITE
 SKU: 690 | 4000K DAY WHITE
 SKU: 691 | 6400K WHITE




| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|--------|-------|--------|-----------|----------|
| VT-065 | 7w | 630 | 0.112 | 25 pcs |

SKU: 692 | 3000K WARM WHITE
 SKU: 693 | 4000K DAY WHITE
 SKU: 694 | 6400K WHITE




| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|--------|-------|--------|-----------|----------|
| VT-125 | 16w | 1440 | 0.16 | 25 pcs |

SKU: 695 | 3000K WARM WHITE
 SKU: 696 | 4000K DAY WHITE
 SKU: 697 | 6400K WHITE





EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



CCT Changeable



FLICKER FREE

FIXTURES WITH LED

LED Batten Fitting


5 YEAR
WARRANTY*

The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle:120 °**


| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-43 | 40w | 4000 | 1.68 | 10 pcs |

SKU: 517 | 3IN1




| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-53 | 50w | 5000 | 2.06 | 10 pcs |

SKU: 518 | 3IN1



| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-63 | 60w | 6000 | 2.42 | 10 pcs |

SKU: 519 | 3IN1





FIXTURES WITH LED

LED Batten Fitting



V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Programmable DIP Switch Driver(Applicable for 60W only)**




TP(a)
 Polycarbonate



Sensor Compatible


| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-41 | 40w | 4800 | 2.90 | 4 pcs |

SKU: 753 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|-----------|----------|
| VT-8-61 | 60w | 7200 | 3.65 | 4 pcs |

SKU: 754 | 4000K DAY WHITE



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN






Super**BRIGHT**
160
LUMENS/W

Waterproof Fittings


| MODEL | WATTS | LUMENS | ON/OFF | BODY TYPE | PF | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|--------|-----------|------|-----------|----------|
| VT-1524 | 24w | 3840 | 15000 | PC+ABS | >0.9 | 0.60 kg | 12 pcs |

SKU: 6485 - 4500K DAY WHITE
 SKU: 6486 - 6400K WHITE



| MODEL | WATTS | LUMENS | ON/OFF | BODY TYPE | PF | WEIGHT-KG | BOX QTY. |
|---------|-------|--------|--------|-----------|------|-----------|----------|
| VT-1532 | 32w | 5120 | 15000 | PC+ABS | >0.9 | 1.1 kg | 12 pcs |

SKU: 6483 - 4500K DAY WHITE
 SKU: 6484 - 6400K WHITE





Waterproof Fittings


| MODEL | WATTS | LUMENS | ON/OFF | BODY TYPE | PF | WEIGHT-KG | BOX QTY. |
|--------|-------|--------|--------|---------------|------|-----------|----------|
| VT-180 | 60w | 5400 | 15000 | Plastic + ABS | >0.9 | 1.30 | 9 pcs |

SKU: 680 | 4000K DAY WHITE
 SKU: 681 | 6400K WHITE

5
 YEAR
 WARRANTY

6
 FEET

IP65
 RATING



Waterproof Fittings

| MODEL | WATTS | LUMENS | ON/OFF | BODY TYPE | PF | WEIGHT-KG | BOX QTY. |
|--------|-------|--------|--------|-------------------|------|-----------|----------|
| VT-160 | 60w | 7200 | 15000 | Plastic+Aluminium | >0.9 | 2.10 | 9 pcs |


SKU: 678 | 4000K DAY WHITE
 SKU: 679 | 6400K WHITE

5
 YEAR
 WARRANTY

4
 FEET

IP65
 RATING

120
 Lumen/W



| MODEL | WATTS | LUMENS | ON/OFF | BODY TYPE | PF | WEIGHT-KG | BOX QTY. |
|--------|-------|--------|--------|-------------------|------|-----------|----------|
| VT-170 | 70w | 8400 | 15000 | Plastic+Aluminium | >0.9 | 2.67 | 9 pcs |


SKU: 676 | 4000K DAY WHITE
 SKU: 677 | 6400K WHITE

5
 YEAR
 WARRANTY

5
 FEET

IP65
 RATING

120
 Lumen/W



LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.



COMPLETE RANGE OF LINEAR LIGHTS


Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White




Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White




Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White



Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White



LED Recessed Linear (Linkable)


Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White




LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





EASY TOGGLE SWITCH



3000K 4000K 6400K

EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



**COLOR
CHANGING**

LINEAR 3INI LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with toggle switch, 3INI color changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Toggle switch - 3INI CCT**
- **Aluminum Body**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

BLACK **VT-7-44**

SKU:20060 | 3INI




| WATTS | LUMENS | SIZE | BOX QTY. |
|-------|--------|--------------|----------|
| 40w | 3200 | 1200x35x67mm | 12 pcs |



LED LINEAR LIGHTS



 **1-10V**
DIMMABLE



LINEAR HANGING LIGHTS-NON LINKABLE


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC: 100-240V, 50Hz**
- **Aluminum Body**
- **UGR<6**
- **1-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

SILVER VT-7-61-S
SKU:607 | 4000K DAY WHITE

WHITE VT-7-61-W
SKU:606 | 4000K DAY WHITE




| | |
|-----------------|------------------|
| WATTS | LUMENS |
| UP 30w | UP-3300 |
| DOWN 30w | DOWN-3300 |

SIZE
1179x64x35mm



BOX QTY.
8 pcs



LED LINEAR LIGHTS



1-10V
DIMMABLE




LINEAR HANGING LIGHTS


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-240V,50/60Hz**
- **Aluminum Body**
- **UGR<6**
- **Linkable with connectors**
- **I-10V Dimmable**

5 YEAR
WARRANTY*



1190mm



SILVER VT-7-62-S

SKU:609 | 4000K DAY WHITE

WHITE VT-7-62-W

SKU:608 | 4000K DAY WHITE


| | |
|-----------------|------------------|
| WATTS | LUMENS |
| UP 30w | UP-3300 |
| DOWN 30w | DOWN-3300 |

SIZE
1190x160x30mm

BOX QTY.
4 pcs



LED LINEAR LIGHTS



LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **1.5 Meter Wire Length**
- **Aluminum Body**

5 YEAR
WARRANTY*

BLACK VT-7-40-B

SKU:882 | 3000K WARM WHITE
SKU:374 | 4000K DAY WHITE
SKU:600 | 6000K WHITE

SILVER VT-7-40-S



SKU:375 | 4000K DAY WHITE
SKU:601 | 6000K WHITE

WHITE VT-7-40-W

SKU:376 | 4000K DAY WHITE
SKU:602 | 6000K WHITE


| WATTS | LUMENS | SIZE |
|-------|--------|--------------|
| 40w | 3200 | 1200x35x67mm |





C0(Max): —
 C0/C180: —
 C90/C270: —
 Field angle(10%Imax):C0/180Left:79.2 Right:79.2
 :C90/270Left:79.5 Right:79.5
 Beam Angle(50%Imax):C0/180Left:53.4 Right:53.4
 :C90/270Left:54.1 Right:54.1





LINKABLE
Up to 12 Meters Together



0-10V
DIMMABLE

LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

BLACK VT-7-60-B
SKU:379 | 4000K DAY WHITE

SILVER VT-7-60-S
SKU:378 | 4000K DAY WHITE

WHITE VT-7-60-W
SKU:377 | 4000K DAY WHITE





| | | |
|----------|-----------|---------------|
| WATTS | LUMENS | SIZE |
| UP 20w | UP-2000 | 1200x75x105mm |
| DOWN 40w | DOWN-4000 | |

120

LED LINEAR LIGHTS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





LINKABLE
Up to 12 Meters Together



0-10V
DIMMABLE


LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.



- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

5 YEAR
WARRANTY*

SILVER VT-7-43-S | **WHITE** VT-7-43-W
SKU:384 | 4000K DAY WHITE | SKU:383 | 4000K DAY WHITE



| WATTS | LUMENS | SIZE |
|-------|--------|--------------|
| 40w | 3400 | 1200x50x75mm |



C180(Max): —
 C0/C180: —
 C90/C270: —
 Field angle(10%Imax):C0/180Left:81.0 Right:78.8
 :C90/270Left:80.7 Right:80.0
 Beam Angle(50%Imax):C0/180Left:57.8 Right:55.7
 :C90/270Left:57.6 Right:56.8





LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR
WARRANTY*


SILVER **VT-7-41-S**



SKU:380 | 4000K DAY WHITE
SKU:603 | 6000K WHITE

WHITE **VT-7-41-W**

SKU:381 | 4000K DAY WHITE
SKU:604 | 6000K WHITE


| WATTS | LUMENS | SIZE |
|-------|--------|--------------|
| 40w | 3200 | 1211x70x35mm |






8W
 VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE
 WHITE: SKU:385 | 4000K DAY WHITE




10W
 VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE
 WHITE: SKU:387 | 4000K DAY WHITE




12W
 VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE
 WHITE: SKU:389 | 4000K DAY WHITE




14W
 VT-7-41-T

SILVER: SKU:392 | 4000K DAY WHITE
 WHITE: SKU:391 | 4000K DAY WHITE



16W
 VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE
 WHITE: SKU:393 | 4000K DAY WHITE





LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**


5 YEAR
WARRANTY*

WHITE **VT-7-42-W**

SKU:382 | 4000K DAY WHITE


| WATTS | LUMENS | SIZE |
|-------|--------|--------------|
| 40w | 4000 | 1211x90x35mm |






10W
 VT-7-42-L

: SKU:395 | 4000K DAY WHITE




10W
 VT-7-42-LN

: SKU:396 | 4000K DAY WHITE




12W
 VT-7-42-LW

: SKU:397 | 4000K DAY WHITE




14W
 VT-7-42-T

: SKU:398 | 4000K DAY WHITE



16W
 VT-7-42-X

: SKU:399 | 4000K DAY WHITE





LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output: 160 lm/W to meet different requirements



Flexible Beam angle


90°, 120°, double-asymmetric



Modular system

Continuous row system, seamless connection, max 3500W /row





V-TAC PERFORMANCE
160
 LUMENS/WATT

PRO series

| MODEL | WATTS | CRI | LUMENS | PF | SIZE |
|----------|-------|-----|--------|------|--------|
| VT-4551D | 50w | >80 | 8000 | >0.9 | 1500mm |


LINEAR MASTER TRUNKING
 SKU: 1360 | 4000K DAY WHITE



90° LENS



DIMMABLE




LINEAR MASTER TRUNKING
 SKU: 1361 | 4000K DAY WHITE



120° LENS



DIMMABLE




LINEAR MASTER TRUNKING
 SKU: 1362 | 4000K DAY WHITE




DOUBLE ASYMMETRIC
 LENS




DIMMABLE






| MODEL | WATTS | CRI | LUMENS | PF | SIZE |
|----------|-------|-----|--------|------|--------|
| VT-4550D | 50w | >80 | 8000 | >0.9 | 1500mm |


LINEAR FOLLOW TRUNKING
 SKU: 1363 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING
 SKU: 1364 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING
 SKU: 1365 | 4000K DAY WHITE



ACCESSORIES FOR LINEAR TRUNKING



LINEAR TRACK MODULE

SKU : 1382



END CAP-LINEAR LIGHT ACCESSORY

SKU : 1366



SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : 1367



8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : 1368



L NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1383



T NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1384



X NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1385



S LINE-FOLLOW TRUNKING RAIL

SKU : 1451



S LINE-PC BLANK COVER

SKU : 1452



Magnetic Track Lights

Magnetic light is a kind of track light which is designed by using magnets fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light consists of anti-glare line light, anti-glare high power light, soft light lamp, suspension light and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, surface combination, not only to meet the needs of various lighting effects, but also convenient installation, fashionable style, can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas and clubs.

Magnetic Linear Spotlight

1W VT-4141




SKU: 7958 - 3000K Warm White 3800157652766
 SKU: 7959 - 4000K Day White 3800157652773

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 30° |
| Luminous Flux: | 35lm | Body Type: | Aluminium |
| LED Type: | SMD | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 45x35x59mm |
| Color of Fixture: | Black | Box Qty: | 40 PCS |



3 YEAR WARRANTY*

UGR<19



Magnetic Linear Spotlight

3W VT-4143




SKU: 7960 - 3000K Warm White 3800157652780
 SKU: 7961 - 4000K Day White 3800157652797

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 30° |
| Luminous Flux: | 240lm | Body Type: | Aluminium |
| LED Type: | SMD | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 106x35x59mm |
| Color of Fixture: | Black | Box Qty: | 36 PCS |



3 YEAR WARRANTY*

UGR<19



Magnetic Linear Track Light

10w VT-4210




SKU: 7962 - 3000K Warm White 3800157652803
 SKU: 7963 - 4000K Day White 3800157652810

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 30° |
| Luminous Flux: | 700lm | Body Type: | Aluminium |
| LED Type: | SMD | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 137x35x180mm |
| Color of Fixture: | Black | Box Qty: | 16 PCS |



3 YEAR WARRANTY

UGR<19



Magnetic Linear Track Light

20w VT-4220




SKU: 7964 - 3000K Warm White 3800157652827
 SKU: 7965 - 4000K Day White 3800157652834

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 30° |
| Luminous Flux: | 1200lm | Body Type: | Aluminium |
| LED Type: | SMD | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 270x35x180mm |
| Color of Fixture: | Black | Box Qty: | 8 PCS |



3 YEAR WARRANTY

UGR<19



Magnetic Spotlight

15w VT-4215




SKU: 7966 - 3000K Warm White 3800157652841
 SKU: 7967 - 4000K Day White 3800157652858

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 36° |
| Luminous Flux: | 900lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 166x100x55mm |
| Color of Fixture: | Black | Box Qty: | 16 PCS |



3 YEAR WARRANTY*

UGR<19



Magnetic Pendant Light

15w VT-4315




SKU: 7968 - 3000K Warm White 3800157652865
 SKU: 7969 - 4000K Day White 3800157652872

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 36° |
| Luminous Flux: | 1000lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 300x55mm |
| Color of Fixture: | Black | Box Qty: | 12 PCS |



3 YEAR WARRANTY*

UGR<19



Magnetic Linear Light

20w VT-4121




SKU: 7954 - 3000K Warm White 3800157652728
 SKU: 7955 - 4000K Day White 3800157652735

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 100° |
| Luminous Flux: | 1600lm | Body Type: | Aluminium |
| LED Type: | SMD | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 652x35x59mm |
| Color of Fixture: | Black | Box Qty: | 12 PCS |



3 YEAR WARRANTY*



Magnetic Linear Light

30w VT-4131



















SKU: 7956 - 3000K Warm White 3800157652742
 SKU: 7957 - 4000K Day White 3800157652759

| | | | |
|--------------------|--------|-------------|--------------|
| Voltage/Frequency: | DC:24V | Beam Angle: | 100° |
| Luminous Flux: | 2700lm | Body Type: | Aluminium |
| LED Type: | SMD | Life span: | 30,000 Hours |
| CRI: | >90 | Dimension: | 970x35x59mm |
| Color of Fixture: | Black | Box Qty: | 12 PCS |



3 YEAR WARRANTY*



| | | | |
|--|---|---|---|
| <p>NEW</p>  <p>Track Rail-0.5M SKU : 7950 EAN : 3800157652681 Box Qty: 9 PCS</p> | <p>NEW</p>  <p>Track Rail-1M SKU : 7951 EAN : 3800157652698 Box Qty: 9 PCS</p> | <p>NEW</p>  <p>Track Rail-1.5M SKU : 7953 EAN : 3800157652711 Box Qty: 6 PCS</p> | <p>NEW</p>  <p>Track Rail-2M SKU : 7952 EAN : 3800157652704 Box Qty: 6 PCS</p> |
| <p>NEW</p>  <p>Recessed Kit for Magnetic Tracklight SKU : 7970 EAN : 3800157652889 Box Qty: 75 PCS</p> | <p>NEW</p>  <p>Track Connector SKU : 7971 EAN : 3800157652896 Box Qty: 180 PCS</p> | <p>NEW</p>  <p>90'D Corner Connector SKU : 7972 EAN : 3800157652902 Box Qty: 27 PCS</p> | <p>NEW</p>  <p>Outer Corner Connector SKU : 7973 EAN : 3800157652919 Box Qty: 27 PCS</p> |
| <p>NEW</p>  <p>Cross Connector SKU : 7974 EAN : 3800157652926 Box Qty: 36 PCS</p> | <p>NEW</p>  <p>T Type Connector SKU : 7975 EAN : 3800157652933 Box Qty: 36 PCS</p> | <p>NEW</p>  <p>Pendant Track Rail Accessory SKU : 7977 EAN : 3800157652957 Box Qty: 150 PCS</p> | <p>NEW</p>  <p>Track Cover SKU : 7978 EAN : 3800157652964 Box Qty: 200 PCS</p> |
| <p>NEW</p>  <p>Live End Connector SKU : 7979 EAN : 3800157652971 Box Qty: 200 PCS</p> | <p>NEW</p>  <p>Transformer SKU : 11144 Watts : 100w EAN : 3800157652988 Input : AC:86-265V,50/60Hz Box Qty: 30 PCS Current: 4.16A Output: DC:24V</p> | | <p>NEW</p>  <p>Transformer SKU : 11145 Watts : 200w EAN : 3800157652995 Input : AC:86-265V,50/60Hz Box Qty: 30 PCS Current: 8.33A Output: DC:24V</p> |



LED TRACK LIGHTS

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premiere choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-linear track lights are included in this new generation of track lights from V-TAC.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

NEW

5 YEAR
WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- **30,000 hrs Lifespan**
- **30° Beam Angle**
- **AC:220-240V,50Hz**
- **Flicker Free**
- **High CRI of > 90**
- **Aluminum Body**
- **UGR<19**




UGR<19




| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-416-B | 12W | 960 | >0.5 | >90 | 40 pcs | 30° |

SKU: 20000 | 2700K WARM WHITE
 SKU: 20001 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-431-B | 25W | 2000 | >0.9 | >90 | 20 pcs | 30° |

SKU: 20006 | 2700K WARM WHITE
 SKU: 20007 | 4000K DAY WHITE



NEW

5 YEAR
WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminum Body
- UGR<19




UGR<19




| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-416-W | 12W | 960 | >0.5 | >90 | 40 pcs | 30° |

SKU: 20003 | 2700K WARM WHITE
SKU: 20004 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-431-W | 25W | 2000 | >0.9 | >90 | 20 pcs | 30° |

SKU: 20009 | 2700K WARM WHITE
SKU: 20010 | 4000K DAY WHITE



LED TRACKLIGHTS

4 Line Tracklights-Black Body

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.


5 YEAR
WARRANTY*

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**




| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-407-B | 7w | 420 | >0.5 | >90 | 40 pcs | 24° |

- SKU: 353 | 3000K WARM WHITE
- SKU: 354 | 4000K DAY WHITE
- SKU: 355 | 5000K WHITE




| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-415-B | 15w | 1050 | >0.5 | >90 | 40 pcs | 24° |

- SKU: 359 | 3000K WARM WHITE
- SKU: 360 | 4000K DAY WHITE
- SKU: 361 | 5000K WHITE



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-420-B | 20w | 1400 | >0.9 | >90 | 40 pcs | 24° |

- SKU: 365 | 3000K WARM WHITE
- SKU: 366 | 4000K DAY WHITE
- SKU: 367 | 5000K WHITE



LED TRACKLIGHTS

4 Line Tracklights-White Body

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.


5 YEAR
WARRANTY*

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**




| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-407-W | 7w | 490 | >0.5 | >90 | 40 pcs | 24° |

SKU: 350 | 3000K WARM WHITE
SKU: 351 | 4000K DAY WHITE
SKU: 352 | 5000K WHITE




| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-415-W | 15w | 1200 | >0.5 | >90 | 40 pcs | 24° |

SKU: 356 | 3000K WARM WHITE
SKU: 357 | 4000K DAY WHITE
SKU: 358 | 5000K WHITE



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|------------|
| VT-420-W | 20w | 1600 | >0.9 | >90 | 40 pcs | 24° |

SKU: 362 | 3000K WARM WHITE
SKU: 363 | 4000K DAY WHITE
SKU: 364 | 5000K WHITE



NEW

5 YEAR
WARRANTY*

LED TRACKLIGHTS

4 line Tracklights-Black Body

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **High CRI of > 90**
- **Aluminum Body**



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|--------|-------|--------|------|-----|----------|------------|
| VT-418 | 18w | 1260 | >0.9 | >90 | 20 pcs | 24° |

SKU: 939 | 3000K WARM WHITE


SKU: 940 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|--------|-------|--------|------|-----|----------|------------|
| VT-430 | 30w | 2100 | >0.9 | >90 | 20 pcs | 24° |

SKU: 941 | 3000K WARM WHITE

SKU: 942 | 4000K DAY WHITE



LED TRACKLIGHTS

LED Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**



5 YEAR
WARRANTY*


| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|--------------------|
| VT-433-B | 33w | 2640 | >0.9 | >90 | 8 pcs | 24°-60° Adjustable |

- SKU: 371 | 3000K WARM WHITE
- SKU: 372 | 4000K DAY WHITE
- SKU: 373 | 5000K WHITE



| MODEL | WATTS | LUMENS | PF | CRI | BOX QTY. | BEAM ANGLE |
|----------|-------|--------|------|-----|----------|--------------------|
| VT-433-W | 33w | 2640 | >0.9 | >90 | 8 pcs | 24°-60° Adjustable |

- SKU: 368 | 3000K WARM WHITE
- SKU: 369 | 4000K DAY WHITE
- SKU: 370 | 5000K WHITE





LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120°D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.


Microwave Sensor



Emergency Battery Backup

31  Emergency Battery Backup
 Microwave Sensor

2D BULKHEAD

EMERGENCY
BATTERY
BACKUP 


MICROWAVE
SENSOR

31 IN 
EMERGENCY
BATTERY
BACKUP

MICROWAVE SENSOR


IP65
RATING



LED DOME LIGHTS

2D Bulkhead


Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- AC:200-240V,50/60Hz
- PC Body type
- SMD LED Type
- 20,000 hrs Lifespan
- AC:200-240V,50/60Hz
- PC Body type
- SMD LED Type
- 20,000 hrs Lifespan


2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 815 4000K DAY WHITE |
|-------|-------|--------|----------|----------------------------|
| VT-08 | 8w | 720 | 10 pcs | |



| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 801 4000K DAY WHITE SKU: 802 6400K WHITE |
|-------|-------|--------|----------|--|
| VT-15 | 15w | 1400 | 10 pcs | |



2D Bulkhead with Emergency Battery Backup




These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.


- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

3 YEAR
WARRANTY*

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 816 4000K DAY WHITE |
|-------|-------|--------|----------|----------------------------|
| VT-11 | 10w | 720 | 10 pcs | |



| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 806 4000K DAY WHITE |
|-------|-------|--------|----------|----------------------------|
| VT-17 | 17w | 1400 | 10 pcs | |



2D Bulkhead with Sensor




This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **120° / 360° Detection Angle**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **Max D10Mx4M Detection Range**
- **10S, 1min, 5min, 10min customized Hold Time**
- **Day, 10Lux, 30Lux, 50Lux optional Day light Sensor**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

5 YEAR
WARRANTY*


| MODEL | WATTS | LUMENS | BOX QTY. |
|-------|-------|--------|----------|
| VT-09 | 8w | 720 | 10 pcs |

SKU: 818 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | BOX QTY. |
|-------|-------|--------|----------|
| VT-16 | 15w | 1400 | 10 pcs |


SKU: 803 | 3000K WARM WHITE
SKU: 804 | 4000K DAY WHITE
SKU: 805 | 6400K WHITE



| MODEL | WATTS | LUMENS | BOX QTY. |
|-------|-------|--------|----------|
| VT-22 | 15w | 1450l | 10 pcs |

SKU:819 | 4000K DAY WHITE

VANDAL-PROOF





2D Bulkhead with Emergency Battery Backup and Sensor




Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **30,000 hrs Lifespan**

3 YEAR
WARRANTY*


| MODEL | WATTS | LUMENS | BOX QTY. |
|-------|-------|--------|----------|
| VT-12 | 10w | 720 | 10 pcs |

SKU: 817 | 4000K DAY WHITE



| MODEL | WATTS | LUMENS | BOX QTY. |
|-------|-------|--------|----------|
| VT-19 | 17w | 1400 | 10 pcs |

SKU: 812 | 4000K DAY WHITE



EMERGENCY
BATTERY
BACKUP 


MICROWAVE
SENSOR

31 IN 
EMERGENCY BATTERY BACKUP

MICROWAVE SENSOR

 **IP65**
RATING



SLIM DOMELIGHT


A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.

Slim Domelight

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

5 YEAR
WARRANTY*

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 935 3000K WARM WHITE |
|--------|-------|--------|----------|-----------------------------|
| VT-12S | 12w | 1440 | 10 pcs | SKU: 820 4000K DAY WHITE |
| | | | | SKU: 936 6400K DAY WHITE |




Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

3 YEAR
WARRANTY*

 **Emergency Battery Backup**

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 822 4000K DAY WHITE |
|---------|-------|--------|----------|----------------------------|
| VT-12SE | 14w | 1440 | 10 pcs | |




Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period - 0s, 10s, 10m optional

5 YEAR
WARRANTY*

 **Microwave Sensor**

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 937 3000K WARM WHITE SKU: 821 4000K DAY WHITE SKU: 938 6400K DAY WHITE |
|---------|-------|--------|----------|---|
| VT-12SS | 12w | 1440 | 10 pcs | |




Slim Domelight with Emergency+Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override
- Standby - 0s, 10s, 10m optional

3 YEAR
WARRANTY*

 **3in1**
Bulkhead
Emergency Battery Backup
Microwave Sensor

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 823 4000K DAY WHITE |
|----------|-------|--------|----------|----------------------------|
| VT-12SES | 14w | 1440 | 10 pcs | |





Bulkhead CCT Changeable With Switch

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust. This new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.


- AC:200-240V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- PC Material
- Built in Switch for CCT Changing



EASY ACCESS FOR
 COLOR CHANGING
 WITH BUTTON



CCT Changeable



| MODEL | WATTS | LUMENS | BOX QTY. |
|---------|-------|--------|----------|
| VT-2-17 | 15w | 1400 | 10 pcs |


SKU: 20016 | 3 IN 1



Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
- 120° Beam Angle
- 20,000 Hours
- SMD LED Chip
- CRI >80
- 3 year warranty

- Detection Distance - 6m Max
- Detection Range - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating



| MODEL | WATTS | LUMENS | BOX QTY. |
|-------|-------|--------|----------|
| VT-13 | 12w | 800 | 10 pcs |

- SKU: 807 | 3000K WARM WHITE
- SKU: 808 | 4000K DAY WHITE
- SKU: 809 | 6400K WHITE



FLICKER FREE

UGR <19



12°
Narrow Beam Angle



38°
Wide Beam Angle



Reflector Downlight

Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- 30,000 Life Hours
- Input Voltage - AC:220-240V,50Hz
- Body Material - Aluminium
- Includes Quick Connector for easy wiring



MODEL
VT-2-04

12°


SKU: 972 | 2700K WARM WHITE
SKU: 971 | 4000K DAY WHITE
SKU: 970 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 4w | 320 | 100 pcs |

MODEL
VT-2-04-1

38°

SKU: 987 | 2700K WARM WHITE
SKU: 986 | 4000K DAY WHITE
SKU: 985 | 5700K WHITE



Cutting Size



MODEL
VT-2-12

12°


SKU: 975 | 2700K WARM WHITE
SKU: 974 | 4000K DAY WHITE
SKU: 973 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 12w | 960 | 50 pcs |


MODEL
VT-2-12-1

38°

SKU: 990 | 2700K WARM WHITE
SKU: 989 | 4000K DAY WHITE
SKU: 988 | 5700K WHITE



Cutting Size





MODEL
VT-2-16

12°


SKU: 978 | 2700K WARM WHITE
 SKU: 977 | 4000K DAY WHITE
 SKU: 976 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|------------|-------------|---------------|
| 16w | 1280 | 50 pcs |


MODEL
VT-2-16-1

38°

SKU: 993 | 2700K WARM WHITE
 SKU: 992 | 4000K DAY WHITE
 SKU: 991 | 5700K WHITE



Cutting Size



MODEL
VT-2-21

12°


SKU: 981 | 2700K WARM WHITE
 SKU: 980 | 4000K DAY WHITE
 SKU: 979 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|------------|-------------|---------------|
| 20w | 1600 | 20 pcs |


MODEL
VT-2-21-1

38°

SKU: 996 | 2700K WARM WHITE
 SKU: 995 | 4000K DAY WHITE
 SKU: 994 | 5700K WHITE



Cutting Size



MODEL
VT-2-36

12°


SKU: 984 | 2700K WARM WHITE
 SKU: 983 | 4000K DAY WHITE
 SKU: 982 | 5700K WHITE

| WATTS | LUMENS | BOX QTY. |
|------------|-------------|---------------|
| 36w | 2880 | 20 pcs |


MODEL
VT-2-36-1


38°

SKU: 999 | 2700K WARM WHITE
 SKU: 998 | 4000K DAY WHITE
 SKU: 997 | 5700K WHITE



Cutting Size





5 YEAR
WARRANTY*



Reflector Downlight - Black Housing

Introducing V-TAC's LED reflector downlights with black housing—available in 10w, 20w & 30w & CRI rating of >80, to achieve any residential, retail, or hospitality lighting need.


- AC:85-265V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- Aluminium Material
- 85% Energy Saving

MODEL
VT-2-13



- SKU: 20051 | 3000K WARM WHITE
- SKU: 20052 | 4000K DAY WHITE
- SKU: 20053 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 10w | 800 | 40 pcs |




MODEL
VT-2-23



- SKU: 20054 | 3000K WARM WHITE
- SKU: 20055 | 4000K DAY WHITE
- SKU: 20056 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 20w | 1600 | 20 pcs |




MODEL
VT-2-33



- SKU: 20057 | 3000K WARM WHITE
- SKU: 20058 | 4000K DAY WHITE
- SKU: 20059 | 6400K WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 30w | 2400 | 10 pcs |



5 YEAR
WARRANTY*



LED Downlight

Our new reflector downlights feature adjustable beam angle direction. CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- Adjustable Angle
- AC:220-240V,50/60Hz
- 24° Beam Angle
- IP20
- 30,000 Life Hours




VT-419

NEW

SKU: 20049 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 18w | 1450 | 20 pcs |




VT-436

NEW

SKU: 20050 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 2x18w | 2900 | 10 pcs |






Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- **Adjustable Angle**
- **AC:85-265V,50/60Hz**
- **Body type Aluminium**
- **120° Beam Angle**
- **LED (COB chip) provided by Samsung**
- **CRI >80**

| MODEL | WATTS | LUMENS | BOX QTY. |
|---------|-------|--------|----------|
| VT-2-10 | 10w | 900 | 40 pcs |


SKU: 839 | 3000K WARM WHITE
 SKU: 840 | 4000K DAY WHITE
 SKU: 841 | 6400K WHITE



Cutting Size: \varnothing 80mm

| MODEL | WATTS | LUMENS | BOX QTY. |
|---------|-------|--------|----------|
| VT-2-20 | 20w | 1600 | 20 pcs |

SKU: 842 | 3000K WARM WHITE
 SKU: 843 | 4000K DAY WHITE
 SKU: 844 | 6400K WHITE



Cutting Size: \varnothing 145 mm

| MODEL | WATTS | LUMENS | BOX QTY. |
|---------|-------|--------|----------|
| VT-2-30 | 30w | 2400 | 10 pcs |

SKU: 845 | 3000K WARM WHITE
 SKU: 846 | 4000K DAY WHITE
 SKU: 832 | 6400K WHITE



Cutting Size: \varnothing 195 mm



5 YEAR
WARRANTY*

Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K CCT options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- 70° Beam Angle
- IP rating IP65
- Iron+Aluminium Alloy
- CRI >80
- LED provided by Samsung
- 30,000 Hours



30-60-90 MIN
Fire Rated




QUICK
CONNECTOR




DIMMABLE
LIGHT CONTROL

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8175 3000K WARM WHITE |
|----------|-------|--------|--------|----------|--|
| VT-885-C | 5w | 500 | Chrome | 60 pcs | SKU: 8176 4000K DAY WHITE SKU: 8180 6400K WHITE |




Cutting Size: Ø57mm

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8173 3000K WARM WHITE |
|----------|-------|--------|--------|----------|--|
| VT-885-N | 5w | 500 | Nickel | 60 pcs | SKU: 8174 4000K DAY WHITE SKU: 8179 6400K WHITE |



Cutting Size: Ø57mm

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8177 3000K WARM WHITE |
|----------|-------|--------|-------|----------|--|
| VT-885-W | 5w | 500 | White | 60 pcs | SKU: 8178 4000K DAY WHITE SKU: 8181 6400K WHITE |



Cutting Size: Ø57mm

FIRE RATED DOWNLIGHTS

Fire Rated Downlight-3PC Pack



30-60-90 MIN
Fire Rated




QUICK
CONNECTOR




DIMMABLE
LIGHT CONTROL

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8874 3000K WARM WHITE |
|----------|-------|--------|--------|----------|--|
| VT-885-C | 5w | 500 | Chrome | 20 pcs | SKU: 8875 4000K DAY WHITE SKU: 8876 6400K WHITE |




Ø81.5mm
Cutting Size: Ø57mm

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8197 3000K WARM WHITE |
|----------|-------|--------|--------|----------|--|
| VT-885-N | 5w | 500 | Nickel | 20 pcs | SKU: 8198 4000K DAY WHITE SKU: 8199 6400K WHITE |



Ø81.5mm
Cutting Size: Ø57mm

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8182 3000K WARM WHITE |
|----------|-------|--------|-------|----------|--|
| VT-885-W | 5w | 500 | White | 20 pcs | SKU: 8183 4000K DAY WHITE SKU: 8184 6400K WHITE |



Ø81.5mm
Cutting Size: Ø57mm

NEW

Fire Rated Downlight-10PC Pack



**30-60-90 MIN
Fire Rated**




**QUICK
CONNECTOR**



**DIMMABLE
LIGHT CONTROL**

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8913 3000K WARM WHITE SKU: 8914 4000K DAY WHITE SKU: 8915 6400K WHITE |
|----------|-------|--------|--------|----------|--|
| VT-885-C | 5w | 500 | Chrome | 6 pcs | |




Cutting Size: Ø57mm

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8890 3000K WARM WHITE SKU: 8891 4000K DAY WHITE SKU: 8912 6400K WHITE |
|----------|-------|--------|--------|----------|--|
| VT-885-N | 5w | 500 | Nickel | 6 pcs | |



Cutting Size: Ø57mm

| MODEL | WATTS | LUMENS | COLOR | BOX QTY. | SKU: 8887 3000K WARM WHITE SKU: 8888 4000K DAY WHITE SKU: 8889 6400K WHITE |
|----------|-------|--------|-------|----------|--|
| VT-885-W | 5w | 500 | White | 6 pcs | |



Cutting Size: Ø57mm



Included Bezels



Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an accessible switch for colour temperature tuning so users can easily achieve any lighting mood in any room.

- IP65 Rating.
- Integrated SMD LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Dimmable
- AC:200-240V,50Hz
- Body Type: Aluminium

- 60° Beam Angle
- CRI >80
- LED provided by samsung
- 30,000 Hours
- Cutting size:75mm



EASY ACCESS FOR
 COLOR CHANGING
 WITH BUTTON



CCT Changeable

30 MIN


60 MIN

90 MIN

Fire Rated

| MODEL | WATTS | LUMENS | BOX QTY. | SKU: 881 3IN1 |
|--------|-------|--------|----------|-----------------|
| VT-18D | 8w | 720 | 30 pcs | |

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- Easy to mount
- Automatic sensing
- Uses battery instead of power supply, no wires
- Ideal for wardrobes, bookcases, cupboards, and more...


2 YEAR
WARRANTY*

VT-80

SKU: 813 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 1.5w | 80 | 50 pcs |

3xAAA (Battery not included)




VT-81

SKU: 814 | 4000K DAY WHITE

| WATTS | LUMENS | BOX QTY. |
|-------|--------|----------|
| 1.5w | 135 | 50 pcs |


4xAA (Battery not included)



LED Night Light

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- **Voltage/Frequency: 220-240V, 50Hz**
- **Power: 0.45W**
- **RA: >80**
- **Body material: ABS+PC**
- **Box Qty: 50pcs**



VT-82RD


SKU: 824 | 3000K WARM WHITE
 SKU: 825 | 4000K DAY WHITE

SIZE
 ø65x53.4mm

VT-82SQ

SKU: 826 | 3000K WARM WHITE
 SKU: 827 | 4000K DAY WHITE

SIZE
 65x65x53.4mm



VT-83RD


SKU: 828 | 3000K WARM WHITE
 SKU: 829 | 4000K DAY WHITE

SIZE
 ø60x54.5mm

VT-83SQ

SKU: 830 | 3000K WARM WHITE
 SKU: 831 | 4000K DAY WHITE

SIZE
 60x60x54.5mm



USB charging ports to charge USB chargeable devices simultaneously

VT-84RD


SKU: 505 | 3000K WARM WHITE
 SKU: 506 | 4000K DAY WHITE

SIZE
 ø60x54.5mm

VT-84SQ

SKU: 507 | 3000K WARM WHITE
 SKU: 508 | 4000K DAY WHITE

SIZE
 60x60x54.5mm



VT-86RD

SKU: 20018 | 3000K WARM WHITE
 SKU: 20017 | 4000K DAY WHITE

SIZE
 65x50mm

VT-86SQ

SKU: 20019 | 3000K WARM WHITE
 SKU: 20020 | 4000K DAY WHITE

SIZE
 65x65x50mm

LED Solar Wall and Bollard Lights

- Min 3hrs / Max 12hrs Working Time
- IP65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel

VT-77

SKU: 784 | 3000K WARM WHITE

LUMENS BEAM ANGLE

220 170°

BOX QTY. SIZE

10 pcs 140x140x290mm



VT-66

SKU: 785 | 3000K WARM WHITE

LUMENS BEAM ANGLE

280 120°

BOX QTY. SIZE

10 pcs 140x140x500mm



LED Wall Light



VT-7-06

SKU: 780 | 3000K WARM WHITE

SKU: 781 | 4000K DAY WHITE

WATTS LUMENS BEAM ANGLE BOX QTY. SIZE

10w 800 110° 20 pcs 300x55x194mm



- AC220-240V,50/60Hz
- CRI: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating



LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated.

V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

APPLICATION

Offices, hospitals, corporate buildings, schools, and commercial establishments






KEY FEATURES

- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

Exit Light - Surface

VT-519-S-12 SKU: 836 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm
 IP Rating: IP20
 Material: PC
 Exit Lamp Type: Wall/Ceiling
 Battery: Ni-Cd 3.6V,900mAh
 Recharging Time: 12 Hours
 Stickers: 3 Stickers
 Watts: 2w

Viewing Distance: 24 Meters From Both Sides
 Test Button: Green Light Indicator Test Button
 Legends: 3 Way Legend Available
 Input Voltage: AC:220-240V,50/60Hz
 Mode Of Operation: Maintained
 Emergency Operation Time: >3 Hours
 Lamp Type: 16 SMD LEDs


12Hrs
 CHARGING TIME

NEW

Exit Light - Surface

VT-529-S SKU: 83611 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm
 IP Rating: IP20
 Material: PC
 Exit Lamp Type: Wall/Ceiling
 Battery: Ni-cd 3.6V, 900mAh
 Recharging Time: 24 Hours
 Stickers: 3 Stickers
 Watts: 2w


Viewing Distance: 24 Meters From Both Sides
 Test Button: Green Light Indicator Test Button
 Legends: 3 Way Legend Available
 Input Voltage: AC:220-240V, 50/60Hz
 Mode Of Operation: Maintained
 Emergency Operation Time: >3 Hours
 Lamp Type: 16 SMD LEDs

24Hrs
 CHARGING TIME

Exit Light-Recessed

VT-522-S-12 SKU: 835 - 6000K WHITE

Box Qty: 10pcs



Lumens: 140lm
 IP Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed/Ceiling
 Battery: Ni-Cd 3.6V,900mAh
 Recharging Time: 12 Hours
 Stickers: 3 Stickers
 Watts: 2w

Viewing Distance: 24 Meters From Both Sides
 Test Button: Green Light Indicator Test Button
 Legends: 3 Way Legend Available
 Input Voltage: AC:220-240V,50/60Hz
 Mode Of Operation: Maintained
 Emergency Operation Time: >3 Hours
 Lamp Type: 16 SMD LEDs

12Hrs
 CHARGING TIME

Exit Light - Bulkhead

VT-511-S SKU: 899 - 6000K WHITE

Box Qty: 10 Pcs



Lumens: 110lm
 IP Rating: IP20
 Material: ABS+PC
 Exit Lamp Type: Bulkhead
 Watts: 3.8w

Input Voltage:
 Mode Of Operation:
 Emergency Operation Time:
 Lamp Type:
 Battery:
 Recharging Time:

AC:220-240V,50/60Hz
 Maintained/Non Maintained
 >3 Hours
 20 SMD LEDs
 4V2.0AH Lead Acid battery
 12 Hours

12Hrs
 CHARGING TIME

Exit Light - Bulkhead

VT-523-S-12
 SKU: 837 - 6000K WHITE

12Hrs
 CHARGING TIME

Lumens: 140lm
 IP Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Battery: Ni-Cd 3.6v,1500mAh
 Recharging Time: 12 Hours
 Stickers: 4 Stickers
 Watts: 3w

Exit Light - Bulkhead

VT-523-S-24
 SKU: 847 - 6000K WHITE

24Hrs
 CHARGING TIME

Viewing Distance:
 Test Button:
 Legends:
 Input Voltage:
 Mode Of Operation:
 Emergency Operation Time:
 Lamp Type:
 Box Qty:

22 Meters From One side
 Green Light Indicator Test Button
 4 Way Legend Available
 AC:220-240V,50/60Hz
 Maintained
 >3 Hours
 16 SMD LEDs
 12pcs



Exit Light - Bulkhead

VT-524-S-12 SKU: 838 - 6000K WHITE
 Box Qty: 12pcs

Lumens: 190lm
 IP Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Battery: Ni-Cd 4.8V,900mAh
 Recharging Time: 12 Hours
 Stickers: 3 Stickers
 Watts: 4w

Viewing Distance:
 Test Button:
 Legends:
 Input Voltage:
 Mode Of Operation:
 Emergency Operation Time:
 Lamp Type:

22 Meters From One side
 Green Light Indicator Test Button
 3 Way Legend Available
 AC:220-240V,50/60Hz
 Maintained
 >3 Hours
 30 SMD LEDs



12Hrs
 CHARGING TIME



LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

APPLICATION


Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas





KEY FEATURES

- Easy installation
- Available in 5m and 10m
- Exceptionally low power consumption



LED STRIP & NEON FLEX LIGHTS

This range includes up to 18 watt dust and moisture-rated LED strip lights, equipped with Samsung LED Chips for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

- LED strip is a low voltage flexible ribbon available in 24v and 12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

3 YEAR
WARRANTY*

CRI >95

| MODEL | WATTS | LUMENS | VOLTAGE | BOX QTY. |
|-------------|-------|--------|---------|------------|
| VT-10-240-1 | 18w | 1800 | DC:24V | 40 Packets |


SKU: 331 | 3000K WARM WHITE
SKU: 332 | 4000K DAY WHITE
SKU: 333 | 6400K WHITE

10
METER ROLL

| MODEL | WATTS | LUMENS | VOLTAGE | BOX QTY. | SKU: 320 3000K WARM WHITE SKU: 321 4000K DAY WHITE SKU: 322 6400K WHITE |
|-----------|-------|--------|---------|------------|---|
| VT-10-240 | 15w | 1600 | DC:24V | 80 Packets | |



| MODEL | WATTS | LUMENS | VOLTAGE | BOX QTY. | SKU: 323 3000K WARM WHITE SKU: 324 4000K DAY WHITE SKU: 325 6400K WHITE |
|----------|-------|--------|---------|------------|---|
| VT-5-120 | 12w | 1200 | DC:12V | 80 Packets | |



ULTRA THIN
 JUST 6 X 12MM

WATERPROOF LED NEON FLEX



| MODEL | WATTS | LUMENS | VOLTAGE | BOX QTY. | SKU: 326 3000K WARM WHITE SKU:327 4000K DAY WHITE SKU:328 6400K WHITE |
|-------|-------|--------|---------|------------|---|
| VT-55 | 10w | 300 | DC:12V | 40 Packets | |





LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.


V-TAC[®]
INNOVATIVE LED LIGHTING





KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38°D to 300°D
- Set the right tone: dimmable options available



LED SPOTLIGHTS

LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with LEDs provided by Samsung for maximum efficiency.

- 30,000-hr lifespan
- DC: 12V for G4
- AC: 220-240V, 50Hz for G9
- CRI: >80

5 YEAR
WARRANTY*



G4



G4





G9



G9



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------------|-------------|------------|------------|-----------|----------------|
| VT-201 | 1.5w | 10w | 100 | G4 | 200 pcs |

- SKU: 240 | 3000K WARM WHITE
- SKU: 241 | 4000K DAY WHITE
- SKU: 242 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------------|-------------|------------|------------|-----------|----------------|
| VT-234 | 3.2w | 30w | 385 | G4 | 200 pcs |

- SKU: 131 | 3000K WARM WHITE
- SKU: 132 | 4000K DAY WHITE
- SKU: 133 | 6400K WHITE




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------------|-------------|------------|------------|-----------|----------------|
| VT-203 | 2.5w | 20w | 200 | G9 | 200 pcs |

- SKU: 243 | 3000K WARM WHITE
- SKU: 244 | 4000K DAY WHITE
- SKU: 245 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------------|-----------|------------|------------|-----------|----------------|
| VT-204 | 3w | 25w | 300 | G9 | 200 pcs |

- SKU: 246 | 3000K WARM WHITE
- SKU: 247 | 4000K DAY WHITE
- SKU: 248 | 6400K WHITE



LED SPOTLIGHTS

LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life.

- Clear and frost cover options
- Available in 38°D or 110°D beam angle
- Dimmable options available
- 30,000-hr lifespan
- DC: 12V for GU5.3
- AC: 220-240V, 50Hz for GU10
- CRI: >80

5 YEAR WARRANTY*



GU10





GU10



GU10



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|--------|-------|----------|--------|------|----------|
| VT-232 | 2w | 15w | 180 | GU10 | 200 pcs |

SKU: 869 | 3000K WARM WHITE
SKU: 870 | 4000K DAY WHITE
SKU: 871 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|--------|-------|----------|--------|------|----------|
| VT-205 | 5w | 35w | 400 | GU10 | 200 pcs |

SKU: 201 | 3000K WARM WHITE
SKU: 202 | 4000K DAY WHITE
SKU: 203 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-275 | 5w | 40w | 380 | GU10 | | 192 pcs |

SKU: 108 | 3000K WARM WHITE
SKU: 797 | 4000K DAY WHITE
SKU: 511 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------|-------|----------|--------|------|-------|----------|
| VT-275D | 5w | 35w | 380 | GU10 | | 192 pcs |

SKU: 109 | 3000K WARM WHITE
SKU: 512 | 4000K DAY WHITE
SKU: 897 | 6400K WHITE



LED SPOT LIGHTS

LED SPOTLIGHTS
 MR16 | GU10

5 YEAR
 WARRANTY*





GU5.3





GU10



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|-------------------------------|-----------|------------|------------|-------------|----------------|
| VT-249 | 6w | 50w | 500 | GU10 | 200 pcs |
| SKU: 20026 3000K WARM WHITE | | | | | |
| SKU: 20027 4000K DAY WHITE | | | | | |
| SKU: 20028 6400K WHITE | | | | | |





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|-----------------------------|-------------|------------|------------|--------------|----------------|
| VT-257 | 6.5w | 55w | 450 | GU5.3 | 200 pcs |
| SKU: 204 3000K WARM WHITE | | | | | |
| SKU: 205 4000K DAY WHITE | | | | | |
| SKU: 206 6400K WHITE | | | | | |





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|-----------------------------|-------------|------------|------------|--------------|----------------|
| VT-267 | 6.5w | 40w | 450 | GU5.3 | 200 pcs |
| SKU: 207 3000K WARM WHITE | | | | | |
| SKU: 208 4000K DAY WHITE | | | | | |
| SKU: 209 6400K WHITE | | | | | |





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|-----------------------------|-------------|------------|------------|-------------|----------------|
| VT-247 | 6.5w | 60w | 480 | GU10 | 200 pcs |
| SKU: 192 3000K WARM WHITE | | | | | |
| SKU: 193 4000K DAY WHITE | | | | | |
| SKU: 194 6400K WHITE | | | | | |




MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-247D **6.5w** **55w** **450** **GU10** **200 pcs**
 SKU: 198 | 3000K WARM WHITE
 SKU: 199 | 4000K DAY WHITE
 SKU: 200 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-227 **6.5w** **60w** **480** **GU10** **200 pcs**
 SKU: 189 | 3000K WARM WHITE
 SKU: 190 | 4000K DAY WHITE
 SKU: 191 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-227D **6.5w** **35w** **450** **GU10** **200 pcs**
 SKU: 195 | 3000K WARM WHITE
 SKU: 196 | 4000K DAY WHITE
 SKU: 197 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-277 **7w** **65w** **480** **GU10** **200 pcs**
 SKU: 165 | 3000K WARM WHITE
 SKU: 166 | 4000K DAY WHITE
 SKU: 167 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-291 **8w** **80w** **720** **GU10** **200 pcs**
 SKU: 875 | 3000K WARM WHITE
 SKU: 876 | 4000K DAY WHITE
 SKU: 877 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-292 **8w** **80w** **720** **GU10** **200 pcs**
 SKU: 872 | 3000K WARM WHITE
 SKU: 873 | 4000K DAY WHITE
 SKU: 874 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.
VT-271 **10w** **70w** **1000** **GU10** **200 pcs**
 SKU: 878 | 3000K WARM WHITE
 SKU: 879 | 4000K DAY WHITE
 SKU: 880 | 6400K WHITE





LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

APPLICATION

General lighting in residential, commercial, and industrial areas





KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps



LM/WATT



DIMMABLE



ENERGY RATING

A new milestone in our ceaseless approach towards **innovation**.

INTRODUCING THE NEW SERIES



Our bestselling LED Bulbs — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

*Super***BRIGHT**
160
LUMENS / W

NEW



Thermoplastic Bulb


6.5W VT-2307

SKU: 2806 - 3000K WARM WHITE
SKU: 2807 - 4000K DAY WHITE
SKU: 2808 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 75w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 1055lm
COMMERCIAL TYPE: A60

LED TYPE: SMD
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 200°
BODY TYPE: Thermoplastic
DIMENSION: 65x134mm
BOX QTY: 100

NEW



Thermoplastic Bulb



9.5W VT-2310

SKU: 2809 - 3000K WARM WHITE
SKU: 2810 - 4000K DAY WHITE
SKU: 2811 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 100w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 1521lm
COMMERCIAL TYPE: A60

LED TYPE: SMD
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 200°
BODY TYPE: Thermoplastic
DIMENSION: 60x110mm
BOX QTY: 100

NEW



Thermoplastic Bulb


15W VT-2315

SKU: 2812 - 3000K WARM WHITE
SKU: 2813 - 4000K DAY WHITE
SKU: 2814 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 150w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 2500lm
COMMERCIAL TYPE: A65

LED TYPE: SMD
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 200°
BODY TYPE: Thermoplastic
DIMENSION: 60x121mm
BOX QTY: 100

NEW



Clear Filament Bulb



24W VT-2324

SKU: 2816 - 4000K DAY WHITE
SKU: 2817 - 6400K WHITE



5 YEAR WARRANTY

SuperBRIGHT
160
LUMENS/W



EQ. WATTS: 250w
VOLTAGE/FREQUENCY: AC:220-240V, 50Hz
LUMINOUS FLUX: 4000lm
COMMERCIAL TYPE: ED120

LED TYPE: Filament
CRI: >80
PF: >0.6
BASE: E27

BEAM ANGLE: 310°
BODY TYPE: Glass
DIMENSION: 120x300mm
BOX QTY: 20

LED AMBER FILAMENT

A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

3 YEAR
WARRANTY*





A60 | E27





A60 | B22

| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-214 | 4w | 30w | 350 | E27 | A60 | 50 pcs |





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-266 | 6w | 55w | 725 | E27 | A60 | 50 pcs |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-228 | 4w | 35w | 350 | B22 | A60 | 96 pcs |

SKU:107 | 2200K WARM WHITE



LED AMBER FILAMENT

G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 YEAR
WARRANTY*





G125



ST64



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-297 | 6w | 55w | 725 | E27 | G125 | 20 pcs |

SKU: 291 | 2200K WARM WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-276 | 6w | 55w | 725 | E27 | ST64 | 50 pcs |

SKU: 290 | 2200K WARM WHITE



LED CLEAR FILAMENT

A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 TO 5
WARRANTY* YEAR





A60 | E27



A60 | B22


| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-256 | 6w | 60w | 806 | E27 | A60 | 50 pcs |

SKU: 287 | 2700K WARM WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-208 | 4w | 40w | 400 | B22 | A60 | 96 pcs |

SKU: 106 | 3000K WARM WHITE



LED CLEAR FILAMENT

Candle



Candle | B22



Candle | E14





Twist Candle



Flame Candle



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-222 | 4w | 40w | 400 | B22 | Candle | 192 pcs |

SKU: 105 | 3000K WARM WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-254 | 4w | 35w | 400 | E14 | Candle | 100 pcs |

SKU: 272 | 2700K WARM WHITE




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------|-------|----------|--------|------|--------|----------|
| VT-254D | 4w | 30w | 350 | E14 | Candle | 100 pcs |

SKU: 278 | 2700K WARM WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-274 | 4w | 35w | 400 | E14 | Candle | 100 pcs |

SKU: 279 | 2700K WARM WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-264 | 4w | 35w | 400 | E14 | Candle | 100 pcs |

SKU: 275 | 2700K WARM WHITE



LED CLEAR FILAMENT
 Candle | G45 | G95 | G125

3 TO 5 YEAR
 WARRANTY*



Candle



G45



G95





G125

| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------|-------|----------|--------|------|----------|
| VT-284D | 4w | 30w | 350 | B15 | 100 pcs |

SKU: 862 | 3000K WARM WHITE





DIMMABLE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-244 | 4w | 35w | 400 | E27 | G45 | 100 pcs |

SKU: 280 | 2700K WARM WHITE

SKU: 944 | 4000K DAY WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-286 | 6w | 60w | 806 | E27 | G95 | 20 pcs |

SKU: 294 | 2700K WARM WHITE



120 LM/WATT




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-287 | 6w | 60w | 806 | E27 | G125 | 20 pcs |

SKU: 292 | 2700K WARM WHITE




120 LM/WATT



High Lumen Bulbs

Adequate light at an optimal cost – equipped with **Samsung LED chip**, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of modern LED lighting technology at 120 lumens per watt. Better design, quality, and performance; truly an innovative take on traditional lamps.

120 ±
LUMENS/ WATT
SUPER EFFICIENT



HIGH LUMEN BULBS

C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY*



C37





G45



P45



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-255 | 4.5w | 40w | 470 | E14 | Candle | 200 pcs |

SKU: 258 | 3000K WARM WHITE
SKU: 259 | 4000K DAY WHITE
SKU: 260 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-245 | 4.5w | 40w | 470 | E27 | G45 | 200 pcs |

SKU: 261 | 3000K WARM WHITE
SKU: 262 | 4000K DAY WHITE
SKU: 263 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-225 | 4.5w | 40w | 470 | E14 | P45 | 200 pcs |

SKU: 264 | 3000K WARM WHITE
SKU: 265 | 4000K DAY WHITE
SKU: 266 | 6400K WHITE



HIGH LUMEN BULBS

A60 | A65 | G120

5 YEAR
WARRANTY*



A60





A65



G120


| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-265 | 6.5w | 60w | 806 | E27 | A60 | 100 pcs |

SKU: 255 | 3000K WARM WHITE
SKU: 256 | 4000K DAY WHITE
SKU: 257 | 6400K WHITE




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-285 | 8.5w | 75w | 1055 | E27 | A60 | 100 pcs |

SKU: 252 | 3000K WARM WHITE
SKU: 253 | 4000K DAY WHITE
SKU: 254 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-295 | 12w | 100w | 1521 | E27 | A65 | 100 pcs |

SKU: 249 | 3000K WARM WHITE
SKU: 250 | 4000K DAY WHITE
SKU: 251 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-242 | 22w | 160 | 2650 | E27 | G120 | 20 pcs |

SKU: 20021 | 3000K WARM WHITE
SKU: 20022 | 4000K DAY WHITE
SKU: 20023 | 6400K WHITE





LED Plastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures
- Set the right tone: dimmable options available
- Customized exterior for a stronger body

LED PLASTIC BULBS

ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.

- **ST26, T37, C37, and G45 shapes available**
- **On/Off cycles: >20000**
- **Standard color temperatures**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY*



ST26





T37





T37



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-202 | 2w | 20w | 180 | E14 | ST26 | 400 pcs |
| SKU: 234 3000K WARM WHITE SKU: 235 4000K DAY WHITE SKU: 236 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-248 | 8w | 50w | 660 | E14 | T37 | 200 pcs |
| SKU: 267 3000K WARM WHITE SKU: 268 4000K DAY WHITE SKU: 269 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-237 | 8w | 50w | 660 | E27 | T37 | 200 pcs |
| SKU: 144 3000K WARM WHITE SKU: 145 4000K DAY WHITE SKU: 146 6400K WHITE | | | | | | |



LED PLASTIC BULBS
Candle C37

5 YEAR
WARRANTY*



Candle | E14



Candle | E27




Flame Candle




Candle | E14


| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|--------|----------|
| VT-226 | 5.5w | 40w | 470 | E14 | Candle | 200 pcs |
| SKU: 171 3000K WARM WHITE | | | | | | |
| SKU: 172 4000K DAY WHITE | | | | | | |
| SKU: 173 6400K WHITE | | | | | | |





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-------------------------------|-------|----------|--------|------|--------|----------|
| VT-293D | 5.5w | 40w | 470 | E14 | Candle | 200 pcs |
| SKU: 20045 3000K WARM WHITE | | | | | | |





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|--------|----------|
| VT-294D | 5.5w | 40w | 470 | E14 | Candle | 200 pcs |
| SKU: 859 3000K WARM WHITE | | | | | | |




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|--------|----------|
| VT-289 | 5.5w | 40w | 470 | E27 | Candle | 200 pcs |
| SKU: 858 3000K WARM WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|--------|----------|
| VT-258 | 5.5w | 40w | 470 | E14 | Candle | 200 pcs |
| SKU: 117 3000K WARM WHITE | | | | | | |
| SKU: 118 4000K DAY WHITE | | | | | | |
| SKU: 119 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|--------|----------|
| VT-268 | 7w | 40w | 600 | E14 | Candle | 200 pcs |
| SKU: 111 3000K WARM WHITE | | | | | | |
| SKU: 112 4000K DAY WHITE | | | | | | |
| SKU: 113 6400K WHITE | | | | | | |



LED PLASTIC BULBS
 G45 | P45

5 YEAR
 WARRANTY*




G45



P45


| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|------------|------------|------------|------------|----------------|
| VT-246 | 5.5w | 40w | 470 | E27 | G45 | 200 pcs |
| SKU: 174 | 3000K WARM WHITE | | | | | |
| SKU: 175 | 4000K DAY WHITE | | | | | |
| SKU: 176 | 6400K WHITE | | | | | |




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|------------|------------|------------|------------|----------------|
| VT-283 | 5.5w | 40w | 470 | E27 | G45 | 200 pcs |
| SKU: 857 | 3000K WARM WHITE | | | | | |




ALSO AVAILABLE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|------------|------------|------------|------------|----------------|
| VT-290 | 7w | 45w | 600 | E27 | G45 | 200 pcs |
| SKU: 866 | 3000K WARM WHITE | | | | | |
| SKU: 867 | 4000K DAY WHITE | | | | | |
| SKU: 868 | 6400K WHITE | | | | | |




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|------------|------------|------------|------------|----------------|
| VT-236 | 5.5w | 40w | 470 | E14 | P45 | 200 pcs |
| SKU: 168 | 3000K WARM WHITE | | | | | |
| SKU: 169 | 4000K DAY WHITE | | | | | |
| SKU: 170 | 6400K WHITE | | | | | |




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|------------|------------|------------|------------|----------------|
| VT-282 | 5.5w | 40w | 470 | E14 | P45 | 200 pcs |
| SKU: 856 | 3000K WARM WHITE | | | | | |



ALSO AVAILABLE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|------------|------------|------------|------------|----------------|
| VT-270 | 7w | 45w | 600 | E14 | P45 | 200 pcs |
| SKU: 863 | 3000K WARM WHITE | | | | | |
| SKU: 864 | 4000K DAY WHITE | | | | | |
| SKU: 865 | 6400K WHITE | | | | | |



LED PLASTIC BULBS

A58 | A60

5 YEAR
WARRANTY*



A58 | E14





A58 | E27



A60 | E27



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-269 | 9w | 60w | 806 | E14 | A58 | 100 pcs |

SKU: 114 | 3000K WARM WHITE
 SKU: 115 4000K DAY WHITE
 SKU: 116 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-210 | 9w | 60w | 806 | E27 | A58 | 100 pcs |

SKU: 228 | 3000K WARM WHITE
 SKU: 229 | 4000K DAY WHITE
 SKU: 230 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-212 | 11w | 75w | 1055 | E27 | A60 | 100 pcs |

SKU: 231 | 3000K WARM WHITE
 SKU: 232 | 4000K DAY WHITE
 SKU: 233 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------|-------|----------|--------|------|-------|----------|
| VT-262D | 12w | 75w | 1055 | E27 | A60 | 100 pcs |

SKU: 20044 | 3000K WARM WHITE



LED PLASTIC BULBS

A65 | A80

5 YEAR
WARRANTY*





A60 | E27





A80 | E27



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|------------|-------------|------------|------------|----------------|
| VT-215 | 15w | 85w | 1250 | E27 | A65 | 100 pcs |
| SKU: 159 3000K WARM WHITE SKU: 160 4000K DAY WHITE SKU: 161 6400K WHITE | | | | | | |




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|-------------|-------------|------------|------------|----------------|
| VT-217 | 17w | 100w | 1521 | E27 | A65 | 100 pcs |
| SKU: 162 3000K WARM WHITE SKU: 163 4000K DAY WHITE SKU: 164 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|-------------|-------------|------------|------------|----------------|
| VT-298 | 18w | 125w | 2000 | E27 | A80 | 100 pcs |
| SKU: 126 3000K WARM WHITE SKU: 127 4000K DAY WHITE SKU: 128 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|-------------|-------------|------------|------------|---------------|
| VT-233 | 20w | 150w | 2452 | E27 | A80 | 50 pcs |
| SKU: 237 3000K WARM WHITE SKU: 238 4000K DAY WHITE SKU: 239 6400K WHITE | | | | | | |



LED PLASTIC BULBS

Candle | G45



Candle | B15





Candle | B22



G45



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-299 | 5.5w | 40w | 470 | B15 | Candle | 200 pcs |

SKU: 860 | 3000K WARM WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------|-------|----------|--------|------|--------|----------|
| VT-299D | 5.5w | 40w | 470 | B15 | Candle | 200 pcs |

SKU: 861 | 3000K WARM WHITE




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|--------|----------|
| VT-223 | 5.5w | 40w | 470 | B22 | Candle | 192 pcs |

SKU: 103 | 3000K WARM WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-221 | 5.5w | 40w | 470 | B22 | G45 | 192 pcs |

SKU: 104 | 3000K WARM WHITE



LED PLASTIC BULBS
A58





5 YEAR
WARRANTY*




A58



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-229 | 9w | 60w | 806 | B22 | A58 | 96 pcs |
| SKU: 101 3000K WARM WHITE SKU: 850 4000K DAY WHITE SKU: 851 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|-------|----------|
| VT-219 | 9w | 60w | 806 | B22 | A58 | 100 pcs |
| SKU: 270 3000K WARM WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|-----------------------------|-------|----------|--------|------|-------|----------|
| VT-259D | 9w | 60 | 806 | B22 | A58 | 100 pcs |
| SKU: 852 3000K WARM WHITE | | | | | | |



LED PLASTIC BULBS
A60 | A65



5 YEAR
WARRANTY*





A60




A65



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--|-------|----------|--------|------|-------|----------|
| VT-213 | 11w | 75w | 1055 | B22 | A60 | 100 pcs |
| SKU: 271 3000K WARM WHITE SKU:110 4000K DAY WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-231 | 11w | 75w | 1055 | B22 | A60 | 96 pcs |
| SKU: 102 3000K WARM WHITE SKU: 853 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--|-------|----------|--------|------|-------|----------|
| VT-281 | 15w | 85w | 1250 | B22 | A65 | 100 pcs |
| SKU: 854 3000K WARM WHITE SKU:943 4000K DAY WHITE SKU: 855 6400K WHITE | | | | | | |



LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- Available in E14 and E27
- 30,000-hr lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR WARRANTY*



R39



R50





R63





R80



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-239 | 3w | 25w | 250 | E14 | R39 | 200 pcs |
| SKU: 210 3000K WARM WHITE SKU: 211 4000K DAY WHITE SKU: 212 6400K WHITE | | | | | | |




| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-250 | 6w | 40w | 470 | E14 | R50 | 200 pcs |
| SKU: 138 3000K WARM WHITE SKU: 139 4000K DAY WHITE SKU: 140 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-263 | 8w | 60w | 570 | E27 | R63 | 200 pcs |
| SKU: 141 3000K WARM WHITE SKU: 142 4000K DAY WHITE SKU: 143 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|-------|----------|--------|------|-------|----------|
| VT-280 | 10w | 75w | 800 | E27 | R80 | 200 pcs |
| SKU: 135 3000K WARM WHITE SKU: 136 4000K DAY WHITE SKU: 137 6400K WHITE | | | | | | |



LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.

- Uses IP-protected Samsung LED chip
- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR
WARRANTY*



PAR20




PAR30



PAR38



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-220 | 7w | 65w | 495 | E27 | PAR20 | 100 pcs |

- SKU: 147 | 3000K WARM WHITE
- SKU: 148 | 4000K DAY WHITE
- SKU: 149 | 6400K WHITE





| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-230 | 11w | 95w | 825 | E27 | PAR30 | 30 pcs |

- SKU: 153 | 3000K WARM WHITE
- SKU: 154 | 4000K DAY WHITE
- SKU: 155 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|--------|-------|----------|--------|------|-------|----------|
| VT-238 | 14w | 120w | 1100 | E27 | PAR38 | 30 pcs |

- SKU: 150 | 3000K WARM WHITE
- SKU: 151 | 4000K DAY WHITE
- SKU: 152 | 6400K WHITE



LED BULBS

UFO Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY*



F150





F200





F250



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|------------|-------------|------------|-------------|---------------|
| VT-216 | 15w | 80w | 1200 | E27 | F150 | 20 pcs |
| SKU: 213 3000K WARM WHITE SKU: 214 4000K DAY WHITE SKU: 215 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|-------------|-------------|------------|-------------|---------------|
| VT-224 | 24w | 120w | 1900 | E27 | F200 | 20 pcs |
| SKU: 216 3000K WARM WHITE SKU: 217 4000K DAY WHITE SKU: 218 6400K WHITE | | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---|------------|-------------|-------------|------------|-------------|---------------|
| VT-235 | 36w | 170w | 2900 | E27 | F250 | 20 pcs |
| SKU: 219 3000K WARM WHITE SKU: 220 4000K DAY WHITE SKU: 221 6400K WHITE | | | | | | |



LED BULBS
 PAR Bulb | G120

5 YEAR
 WARRANTY*




GX53





G120



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------------|------------------|------------|------------|-------------|----------------|
| VT-207 | 7w | 45w | 550 | GX53 | 200 pcs |
| SKU: 222 | 3000K WARM WHITE | | | | |
| SKU: 223 | 4000K DAY WHITE | | | | |
| SKU: 224 | 6400K WHITE | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|-------------|-------------|------------|-------------|---------------|
| VT-218 | 17w | 100w | 1521 | E27 | G120 | 20 pcs |
| SKU: 225 | 3000K WARM WHITE | | | | | |
| SKU: 226 | 4000K DAY WHITE | | | | | |
| SKU: 227 | 6400K WHITE | | | | | |



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | SHAPE | BOX QTY. |
|---------------|------------------|----------|-------------|------------|-------------|---------------|
| VT-288 | 18w | | 2000 | E27 | G120 | 20 pcs |
| SKU: 123 | 3000K WARM WHITE | | | | | |
| SKU: 124 | 4000K DAY WHITE | | | | | |
| SKU: 125 | 6400K WHITE | | | | | |



LED BULBS

LED Big Bulb | Lowbay

5 YEAR
WARRANTY*



E27



E40




E40

| MODEL | WATTS | LUMENS | BASE | BOX QTY. |
|--------|-------|--------|------|----------|
| VT-240 | 36w | 3960 | E27 | 20 pcs |


- SKU: 283 | 3000K WARM WHITE
- SKU: 284 | 4000K DAY WHITE
- SKU: 285 | 6400K WHITE

2 YEAR
WARRANTY*



| MODEL | WATTS | LUMENS | BASE | BOX QTY. |
|--------|-------|--------|------|----------|
| VT-260 | 60w | 4800 | E40 | 20 pcs |

- SKU: 186 | 3000K WARM WHITE
- SKU: 187 | 4000K DAY WHITE
- SKU: 188 | 6400K WHITE



| MODEL | WATTS | LUMENS | BASE | BOX QTY. |
|-------|-------|--------|------|----------|
| VT-85 | 85w | 6800 | E40 | 4 pcs |

- SKU: 520 | 4000K DAY WHITE
- SKU: 521 | 6400K WHITE



LED BIG BULBS

Acrylic Bulbs

5 YEAR
WARRANTY*

V-TAC's Acrylic Bulb range with its unique designs, all with significantly greater luminous flux. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF >0.5**
- **120° Beam Angle**
- **Acrylic+Aluminum+Plastic Material**





11w



18w


| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------|-------|----------|--------|------|----------|
| VT-2311 | 11w | 70w | 900 | E27 | 18 pcs |

SKU: 2781 | 3000K WARM WHITE
 SKU: 2782 | 4000K DAY WHITE
 SKU: 2783 | 6400K WHITE



| MODEL | WATTS | EQ.WATTS | LUMENS | BASE | BOX QTY. |
|---------|-------|----------|--------|------|----------|
| VT-2318 | 18w | 90w | 1200 | E27 | 18 pcs |

SKU: 2784 | 3000K WARM WHITE
 SKU: 2785 | 4000K DAY WHITE
 SKU: 2786 | 6400K WHITE



LED BULBS

LED Emergency Bulb

Multi-Functional LED Bulb — Our Emergency Light Bulb is portable, and can be used as camping light, flashlight, hook light, warehouse light and use as normal bulb aswell.

- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- CRI: >80
- 200° Beam Angle

Emergency Specs

- 280lm Lumens
- Power:3W
- 3 Hour Working Time
- 6 Hour Charging Time:
- Lithium Battery DC:3.7V, 1800mAh





**EMERGENCY
 BATTERY**

2 YEAR
 WARRANTY*



| MODEL | WATTS | LUMENS | BASE | BOX QTY. |
|---------|-------|--------|------|----------|
| VT-2309 | 9w | 806 | E27 | 50 pcs |

- SKU: 2371 | 3000K WARM WHITE
- SKU: 2372 | 4000K DAY WHITE
- SKU: 2373 | 6400K WHITE



V-TAC[®]

INNOVATIVE LED LIGHTING

ESSENTIALS

THE ESSENTIALS SERIES CONTAINS OUR EXTENSIVE RANGE OF OVER 1800 INNOVATIVE LED LIGHTING PRODUCTS AT COMPETITIVE PRICES – PROVIDING A COMPLETE ARRAY OF OPTIONS VARYING ON FUNCTIONALITY & APPLICATION – FOR AN EFFICIENT LIGHTING SYSTEM IN RESIDENTIAL, COMMERCIAL, AND INDUSTRIAL APPLICATIONS SPACES. THIS RANGE HAS TWO TO FIVE YEARS OF WARRANTY.



LED Thermoplastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

Product Features

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.

Witness the True to Life Colors



Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting.

A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used for tasks requiring the most accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas

Conventional Light



CRI > 95 light







Bulbs-P45-E14-CRI>95

5.5W VT-2236

SKU: 7488 - 2700K Warm White 3800157640749
 SKU: 7489 - 4000K Day White 3800157640756
 SKU: 7490 - 6400K White 3800157640763

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 470lm |
| Commercial Type: | P45 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.5 |
| Base: | E14 |



| | |
|-------------|---------------|
| Beam Angle: | 180° |
| Body Type: | Thermoplastic |
| Dimension: | 45x81mm |
| Box Qty: | 200 Pcs |





Bulbs-G45-E27-CRI>95

5.5W VT-2216

SKU: 7491 - 2700K Warm White 3800157640770
 SKU: 7492 - 4000K Day White 3800157640787
 SKU: 7493 - 6400K White 3800157640794

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 470lm |
| Commercial Type: | G45 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.5 |
| Base: | E27 |



| | |
|-------------|---------------|
| Beam Angle: | 180° |
| Body Type: | Thermoplastic |
| Dimension: | 45x81mm |
| Box Qty: | 200 Pcs |





Bulbs-Candle-E14-CRI>95

5.5W VT-2226

SKU: 7494 - 2700K Warm White 3800157640800
 SKU: 7495 - 4000K Day White 3800157640817
 SKU: 7496 - 6400K White 3800157640824

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 470lm |
| Commercial Type: | Candle |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.5 |
| Base: | E14 |



| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | Thermoplastic |
| Dimension: | 37x100mm |
| Box Qty: | 200 Pcs |





Bulbs-A60-E27-CRI>95

10w VT-2210

SKU: 7479 - 2700K Warm White 3800157640657
 SKU: 7480 - 4000K Day White 3800157640664
 SKU: 7481 - 6400K White 3800157640671

| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.5 |
| Base: | E27 |



| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | Thermoplastic |
| Dimension: | 60x112mm |
| Box Qty: | 100 Pcs |





Bulbs-A60-E27-CRI>95

12w VT-2212

SKU: 7482 - 2700K Warm White 3800157640688
 SKU: 7483 - 4000K Day White 3800157640695
 SKU: 7484 - 6400K White 3800157640701

| | |
|--------------------|------------------|
| EQ. Watts: | 75w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1055lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.5 |
| Base: | E27 |



| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | Thermoplastic |
| Dimension: | 60x120mm |
| Box Qty: | 100 Pcs |





Bulbs-A65-E27-CRI>95

17w VT-2217

SKU: 7485 - 2700K Warm White 3800157640718
 SKU: 7486 - 4000K Day White 3800157640725
 SKU: 7487 - 6400K White 3800157640732

| | |
|--------------------|------------------|
| EQ. Watts: | 100w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1521lm |
| Commercial Type: | A65 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.5 |
| Base: | E27 |



| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | Thermoplastic |
| Dimension: | 65x135mm |
| Box Qty: | 100 Pcs |

Bulbs-A60-E27-Microwave Sensor

9w VT-2219

SKU: 2760 -3000K Warm White 3800157646567
 SKU: 2761 -4000K Day White 3800157646574
 SKU: 2762 -6400K White 3800157646581



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |



1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor



MICROWAVE SENSOR BULB 8-10 meter detection range

| | | | |
|-----------|------|-------------|---------------|
| LED Type: | SMD | Beam Angle: | 200° |
| CRI: | >80 | Body Type: | Thermoplastic |
| PF: | >0.5 | Dimension: | Ø60x112mm |
| Base: | E27 | Box Qty: | 100pcs |

3. Automatically Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement



Bulbs-A60-E27-Microwave Sensor

11w VT-2211

SKU: 2763 -3000K Warm White 3800157646598
 SKU: 2764 -4000K Day White 3800157646604
 SKU: 2765 -6400K White 3800157646611



| | |
|--------------------|------------------|
| EQ. Watts: | 75w |
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 1055lm |
| Commercial Type: | A60 |



1. Auto Switch on at dusk and Switches off at dawn.
2. Built-in Daylight Sensor



MICROWAVE SENSOR BULB 8-10 meter detection range

| | | | |
|-----------|------|-------------|---------------|
| LED Type: | SMD | Beam Angle: | 200° |
| CRI: | >80 | Body Type: | Thermoplastic |
| PF: | >0.5 | Dimension: | Ø60x120mm |
| Base: | E27 | Box Qty: | 100pcs |

3. Automatically Switches On when room light is less
4. Light stays for 60 seconds upon detection of movement



Bulbs-A60-E27-RF

9w VT-2229

SKU: 2766 -RGB+3000K 3800157646697
 SKU: 2767 -RGB+4000K 3800157646703
 SKU: 2768 -RGB+6400K 3800157646710



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming





DIMMABLE WITH REMOTE



| | | | |
|-----------|------|-------------|---------------|
| LED Type: | SMD | Beam Angle: | 200° |
| CRI: | >80 | Body Type: | Thermoplastic |
| PF: | >0.5 | Dimension: | Ø60x112mm |
| Base: | E27 | Box Qty: | 100pcs |

- 16 colors selection
- Auto Color change Mode



Bulbs-Candle-E14-RF

3.5w VT-2214

SKU: 2769 -RGB+3000K 3800157646727
 SKU: 2770 -RGB+4000K 3800157646734
 SKU: 2771 -RGB+6400K 3800157646741



| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 320lm |
| Commercial Type: | Candle |

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming





DIMMABLE WITH REMOTE



| | | | |
|-----------|------|-------------|---------------|
| LED Type: | SMD | Beam Angle: | 200° |
| CRI: | >80 | Body Type: | Thermoplastic |
| PF: | >0.4 | Dimension: | 37x100mm |
| Base: | E14 | Box Qty: | 200pcs |

- 16 colors selection
- Auto Color change Mode



Bulbs-G45-E27-RF

3.5W VT-2224

SKU: 2772 -RGB+3000K 3800157646758
 SKU: 2773 -RGB+4000K 3800157646765
 SKU: 2774 -RGB+6400K 3800157646772



| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 320lm |
| Commercial Type: | G45 |

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming





DIMMABLE WITH REMOTE



| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 180° |
| Body Type: | Thermoplastic |
| Dimension: | Ø45x81mm |
| Box Qty: | 200pcs |



Bulbs-P45-E14-RF

3.5W VT-2234

SKU: 2775 -RGB+3000K 3800157646789
 SKU: 2776 -RGB+4000K 3800157646796
 SKU: 2777 -RGB+6400K 3800157646802



| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 320lm |
| Commercial Type: | P45 |

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming




DIMMABLE WITH REMOTE



| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|---------------|
| Beam Angle: | 180° |
| Body Type: | Thermoplastic |
| Dimension: | Ø45x81mm |
| Box Qty: | 200pcs |



Bulbs-A60-E27-RGB

6W VT-2022

SKU: 7121 - 2700K Warm White 3800157609975
 SKU: 7150 - 4000K Day White 3800157610711
 SKU: 7151 - 6400K White 3800157610728



| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 470lm |
| Commercial Type: | A60 |

- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice




DIMMABLE WITH REMOTE



| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x112mm |
| Box Qty: | 100 Pcs |



Bulbs-A60-E27-Sensor

9W VT-2016

SKU: 4459 - 2700K Warm White 3800157608237
 SKU: 4460 - 4000K Day White 3800157608244
 SKU: 4461 - 6000K White 3800157608251



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |


- Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.



SENSOR BULB

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x122mm |
| Box Qty: | 100 Pcs |





Bulbs-A60-E27-3 Step Dimming

9w VT-2011


SKU: 4447 - 2700K Warm White 3800157607988
 SKU: 4448 - 4000K Day White 3800157607995
 SKU: 4449 - 6400K White 3800157608008



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x112mm |
| Box Qty: | 100 Pcs |



Smart Dimming Technology Without A Dimmer!
 At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.



Bulbs-A60-E27-Color Changing

9w VT-2119

SKU: 7317 - 3 IN 1 3800157624497




COLOR CHANGING



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x112mm |
| Box Qty: | 100 Pcs |




HOW IT WORKS
 1. Switch the light on for cool white.
 2. Turn the Switch off and on again for warm white.
 3. Turn the Switch off and on again for day white.
 4. Switch between these to select your ideal colour.



Bulbs-A60-E27

9w VT-2000R

SKU: 7341 - Red 3800157626033



| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 270lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x112mm |
| Box Qty: | 100 Pcs |



Bulbs-A60-E27

9w VT-2000Y

SKU: 7342 - Yellow 3800157626040



| | |
|--------------------|------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 570lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x112mm |
| Box Qty: | 100 Pcs |



Bulbs-A60-E27

9W VT-2000G

SKU: 7343 - Green 3800157626057



| | | | | | |
|--------------------|------------------|-----------|------|-------------|---------------|
| EQ. Watts: | 30w | LED Type: | SMD | Beam Angle: | 200° |
| Voltage/Frequency: | AC:220-240V,50Hz | CRI: | >80 | Body Type: | ThermoPlastic |
| Luminous Flux: | 310lm | PF: | >0.5 | Dimension: | 60x112mm |
| Commercial Type: | A60 | Base: | E27 | Box Qty: | 100 Pcs |



Bulbs-A60-E27

9W VT-2000B

SKU: 7344 - Blue 3800157626064




| | | | | | |
|--------------------|------------------|-----------|------|-------------|---------------|
| EQ. Watts: | 15w | LED Type: | SMD | Beam Angle: | 200° |
| Voltage/Frequency: | AC:220-240V,50Hz | CRI: | >80 | Body Type: | ThermoPlastic |
| Luminous Flux: | 120lm | PF: | >0.5 | Dimension: | 60x112mm |
| Commercial Type: | A60 | Base: | E27 | Box Qty: | 100 Pcs |




LED Bulbs-E27

9W VT-1900

SKU: 7240 - 2700K Warm White 3800157620130
 SKU: 7241 - 4000K Day White 3800157620147
 SKU: 7242 - 6400K White 3800157620154




| | | | | | |
|--------------------|------------------|-----------|------|-------------|---------------|
| EQ. Watts: | 60w | LED Type: | SMD | Beam Angle: | 200° |
| Voltage/Frequency: | AC:220-240V,50Hz | CRI: | >80 | Body Type: | ThermoPlastic |
| Luminous Flux: | 806lm | PF: | >0.5 | Dimension: | 60x112mm |
| Commercial Type: | A60 | Base: | E27 | Box Qty: | 20 Pcs |




LED Bulbs-B22

9W VT-2069-3PC

SKU: 7246 - 2700K Warm White 3800157620192



| | | | | | |
|--------------------|------------------|-----------|------|-------------|---------------|
| EQ. Watts: | 60w | LED Type: | SMD | Beam Angle: | 200° |
| Voltage/Frequency: | AC:220-240V,50Hz | CRI: | >80 | Body Type: | ThermoPlastic |
| Luminous Flux: | 806lm | PF: | >0.5 | Dimension: | 60x106mm |
| Commercial Type: | A60 | Base: | B22 | Box Qty: | 20 Pcs |




Bulbs-A60-E27

9W VT-2099

SKU: 7260 - 2700K Warm White 3800157622110
 SKU: 7261 - 4000K Day White 3800157622127
 SKU: 7262 - 6400K White 3800157622134



| | | | | | |
|--------------------|------------------|-----------|------|-------------|---------------|
| EQ. Watts: | 60w | LED Type: | SMD | Beam Angle: | 200° |
| Voltage/Frequency: | AC:220-240V,50Hz | CRI: | >80 | Body Type: | ThermoPlastic |
| Luminous Flux: | 806lm | PF: | >0.5 | Dimension: | 60x112mm |
| Commercial Type: | A60 | Base: | E27 | Box Qty: | 100 Pcs |






Bulbs-A60-B22

9W VT-1853


SKU: 7402 - 4000K Day White 3800157629270
SKU: 7403 - 6400K White 3800157629287



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | B22 |


| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x104mm |
| Box Qty: | 100 Pcs |



Bulbs-A60-B22

9W VT-2189


SKU: 7422 - 2700K Warm White 3800230626295



| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | B22 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x104mm |
| Box Qty: | 100 Pcs |



LED Bulbs-E27

11W VT-2113


SKU: 7352 - 2700K Warm White 3800157627412
SKU: 7353 - 4000K Day White 3800157627429
SKU: 7354 - 6400K White 3800157627436



| | |
|--------------------|------------------|
| EQ. Watts: | 75w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1055lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x120mm |
| Box Qty: | 40 Pcs |



Bulbs-A60-E27

11W VT-2112


SKU: 7350 - 2700K Warm White 3800157627399
SKU: 7349 - 4000K Day White 3800157627320
SKU: 7351 - 6400K White 3800157627405



| | |
|--------------------|------------------|
| EQ. Watts: | 75w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1055lm |
| Commercial Type: | A60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |


| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 60x120mm |
| Box Qty: | 100 Pcs |



Bulbs-A65-B22

15W VT-2015-B22


SKU: 7229 - 2700K Warm White 3800157619554



| | |
|--------------------|------------------|
| EQ. Watts: | 90w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1350lm |
| Commercial Type: | A65 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | B22 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 66.5x134mm |
| Box Qty: | 100 Pcs |



NEW




A65 E27 3PC Pack
15W VT-2015-3PC

SKU: 2819 - 2700K Warm White 3800157656023
SKU: 2820 - 4000K Day White 3800157656030
SKU: 2818 - 6400K White 3800157656016

EQ. Watts: **90w**
Voltage/Frequency: **AC:220-240V, 50Hz**
Luminous Flux: **1350lm**
Commercial Type: **A65**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **Thermoplastic**
Dimension: **Ø66.5x134mm**
Box Qty: **120 Pcs**




Bulbs-A65-E27
15W VT-2015-E27

SKU: 4453 - 2700K Warm White 3800157608091
SKU: 4454 - 4000K Day White 3800157608107
SKU: 4455 - 6400K White 3800157608114

EQ. Watts: **90w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1350lm**
Commercial Type: **A65**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**
Box Qty: **100 Pcs**




Bulbs-A65-E27
17W VT-2017

SKU: 4456 - 2700K Warm White 3800157608121
SKU: 4457 - 4000K Day White 3800157608138
SKU: 4458 - 6400K White 3800157608145

EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1521lm**
Commercial Type: **A65**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**
Box Qty: **100 Pcs**




Bulbs-A80-E27
18W VT-2218

SKU: 2707 - 3000K Warm White 3800157641838
SKU: 2708 - 4000K Day White 3800157641845
SKU: 2709 - 6400K White 3800157641852

EQ. Watts: **125w**
Voltage/Frequency: **AC:220-240V, 50Hz**
Luminous Flux: **2000lm**
Commercial Type: **A80**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **Thermoplastic**
Dimension: **80x142mm**
Box Qty: **50 Pcs**



Bulbs-A80-E27
20W VT-2220

SKU: 2710 - 3000K Warm White 3800157643917
SKU: 2711 - 4000K Day White 3800157643924
SKU: 2712 - 6400K White 3800157643931

EQ. Watts: **150w**
Voltage/Frequency: **AC:220-240V, 50Hz**
Luminous Flux: **2452lm**
Commercial Type: **A80**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **Thermoplastic**
Dimension: **80x149mm**
Box Qty: **20 Pcs**





Bulbs-G45-E27


4W VT-1830

SKU: 4160 - 2700K Warm White 3800230621047
 SKU: 4162 - 4000K Day White 3800230621054
 SKU: 4207 - 6400K White 3800230624611

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 200 Pcs



Bulbs-G45-E27


5.5W VT-1879N

SKU: 7407 - 2700K Warm White 3800157629485
 SKU: 7408 - 4000K Day White 3800157629492
 SKU: 7409 - 6400K White 3800157629508

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 200 Pcs



Bulbs-G45 - 3Pc Pack


5.5W VT-2176

SKU: 7362 - 2700K Warm White 3800157628204
 SKU: 7363 - 4000K Day White 3800157628211
 SKU: 7364 - 6400K White 3800157628228

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 60 Pcs



Bulbs-G45-6Pc Pack


5.5W VT-2256

SKU: 2730 - 2700K Warm White 3800157645201
 SKU: 2731 - 4000K Day White 3800157645218
 SKU: 2732 - 6400K White 3800157645225

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 180°
 Body Type: Thermoplastic
 Dimension: 45x82mm
 Box Qty: 30 Pcs



Bulbs-G45-B22



5.5W VT-2197D

SKU: 7419 - 2700K Warm White 3800157633079

EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.7
 Base: B22

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 45x81mm
 Box Qty: 100 Pcs





Bulbs-Candle-E14



4W VT-1818

SKU: 4216 - 2700K Warm White 3800230624796
 SKU: 4166 - 4000K Day White 3800230620675
 SKU: 4122 - 6400K White 3800230620668

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x100mm
 Box Qty: 200 Pcs



Bulbs-Candle-E14


4W VT-1818TP

SKU: 4164 - 2700K Warm White 3800230620743
 SKU: 4156 - 4000K Day White 3800230620736

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x124mm
 Box Qty: 200 Pcs



Bulbs-Candle-E14



5.5W VT-1855

SKU: 42151 - 2700K Warm White 3800157639316
 SKU: 42581 - 4000K Day White 3800157639323
 SKU: 42411 - 6400K White 3800157624411

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: Thermoplastic
 Dimension: 37x100mm
 Box Qty: 200 Pcs



Candle-E14 - 3Pc Pack



5.5W VT-2076

SKU: 7263 - 2700K Warm White 3800157622950
 SKU: 7264 - 4000K Day White 3800157622967
 SKU: 7265 - 6400K White 3800157622974

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x100mm
 Box Qty: 60 Pcs



Bulbs-Candle-6Pc Pack



5.5W VT-2246

SKU: 2736 - 2700K Warm White 3800157645263
 SKU: 2737 - 4000K Day White 3800157645270
 SKU: 2738 - 6400K White 3800157645287

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: Thermoplastic
 Dimension: 37x100mm
 Box Qty: 30 Pcs







Bulbs-Candle-E27
5.5W VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381
SKU: 43431 - 4000K Day White 3800157624398
SKU: 43441 - 6400K White 3800157624404

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E27**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**
Box Qty: **200 Pcs**





Bulbs-Candle-B22
5.5W VT-2196D

SKU: 7418 - 2700K Warm White 3800157633062

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **B22**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**
Box Qty: **200 Pcs**





Bulbs-Candle-B22
6W VT-1965

SKU: 4440 - 2700K Warm White 3800157607667
SKU: 7346 - 6400K White 3800157627283

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **B22**

Beam Angle: **200°**
Body Type: **ThermoPlastic**
Dimension: **37x102mm**
Box Qty: **200 Pcs**





Bulbs-P45-E14
4W VT-1819

SKU: 4123 - 2700K Warm White 3800230620996
SKU: 4174 - Day White 3800230621009
SKU: 4124 - 6400K White 3800230621016

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **P45**

LED Type: **SMD**
CRI: **>80**
PF: **>0.4**
Base: **E14**

Beam Angle: **180°**
Body Type: **Thermoplastic**
Dimension: **45x82mm**
Box Qty: **200 Pcs**





Bulbs-P45-E14
5.5W VT-1880N

SKU: 42501 - 2700K Warm White 3800157624367
SKU: 42511 - 4000K Day White 3800157626408
SKU: 42521 - 6400K White 3800157624374

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **P45**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Base: **E14**

Beam Angle: **180°**
Body Type: **ThermoPlastic**
Dimension: **45x81mm**
Box Qty: **200 Pcs**





Bulbs-P45-6Pc Pack


5.5W VT-2266

SKU: 2733 - 2700K Warm White 3800157645232
 SKU: 2734 - 4000K Day White 3800157645249
 SKU: 2735 - 6400K White 3800157645256

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: P45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 180
 Body Type: Thermoplastic
 Dimension: 45x81mm
 Box Qty: 30 Pcs



LED Bulbs-E14


5.5W VT-2156

SKU: 7357 - 2700K Warm White 3800157628150
 SKU: 7358 - 4000K Day White 3800157628167
 SKU: 7359 - 6400K White 3800157628174

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: P45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x81mm
 Box Qty: 60 Pcs



Bulbs-R7S



10W VT-1990

SKU: 4369 - 3000K Warm White 3800157602952
 SKU: 4390 - 6400K White 3800157604147

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1000lm
 Commercial Type: R7S

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: R7S

Beam Angle: 360°
 Body Type: ThermoPlastic
 Dimension: 25x118mm
 Box Qty: 100 Pcs



Bulbs-R7S


7W VT-2237

SKU: 2713 - 3000K Warm White 3800157644365
 SKU: 2714 - 4000K Day White 3800157644372
 SKU: 2715 - 6400K White 3800157644389

EQ. Watts: 45w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 580lm
 Commercial Type: R7S

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: R7S

Beam Angle: 360°
 Body Type: Plastic
 Dimension: 28x78mm
 Box Qty: 200 Pcs



Bulbs-R7S


13W VT-2213

SKU: 2716 - 3000K Warm White 3800157644396
 SKU: 2717 - 4000K Day White 3800157644402
 SKU: 2718 - 6400K White 3800157644419

EQ. Watts: 80w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1200lm
 Commercial Type: R7S

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: R7S

Beam Angle: 360°
 Body Type: Plastic
 Dimension: 28x118mm
 Box Qty: 200 Pcs





Bulbs-T37-E14



9W VT-2029

SKU: 7173 - 2700K Warm White 3800157615495

| | |
|--------------------|---------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 750lm |
| Commercial Type: | T37 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E14 |

| | |
|-------------|---------------|
| Beam Angle: | 230° |
| Body Type: | ThermoPlastic |
| Dimension: | 37x115mm |
| Box Qty: | 200 Pcs |



PAR38 Bulbs-E27



15W VT-1125-G

SKU: 4418 - Green 3800157606318
 SKU: 4419 - Red 3800157606325
 SKU: 4420 - Blue 3800157606301

| | |
|--------------------|---------------------|
| EQ. Watts: | 100w |
| Voltage/Frequency: | AC:180-240V,50/60Hz |
| Luminous Flux: | 1200lm |
| Commercial Type: | PAR38 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|--------------------------|
| Beam Angle: | 40° |
| Body Type: | Plastic Coated Aluminium |
| Dimension: | 120x133mm |
| Box Qty: | 40 Pcs |



PAR38 Bulbs-E27



17W VT-1227

SKU: 45691 - 4000K Day White 3800157641241

| | |
|--------------------|---------------------|
| EQ. Watts: | 95w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1300lm |
| Commercial Type: | PAR38 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 100° |
| Body Type: | Thermoplastic |
| Dimension: | 120x132mm |
| Box Qty: | 40 Pcs |



Bulbs-Globe-E27


10W VT-1893

SKU: 4276 - 3000K Warm White 3800230627889
 SKU: 4277 - 4000K Day White 3800230627896
 SKU: 4278 - 6400K White 3800230627902

| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 810lm |
| Commercial Type: | G95 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 95x140mm |
| Box Qty: | 12 Pcs |



Bulbs-Globe-E27

13W VT-1884D

SKU: 4254 - 2700K Warm White 3800230627100
 SKU: 7194 - 4000K Day White 3800157615709
 SKU: 7195 - 6000K White 3800157615716


| | |
|--------------------|------------------|
| EQ. Watts: | 75w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1055lm |
| Commercial Type: | G120 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.7 |
| Base: | E27 |

| | |
|-------------|---------------|
| Beam Angle: | 200° |
| Body Type: | ThermoPlastic |
| Dimension: | 120x164mm |
| Box Qty: | 12 Pcs |



DIMMABLE



UFO-F150-E27

24w VT-2124



SKU: 7161 - 3000K Warm White 3800157612524
SKU: 7163 - 6400K White 3800157612548



| | |
|--------------------|---------------------|
| EQ. Watts: | 160w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 2610lm |
| Commercial Type: | F150 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 120° |
| Body Type: | Plastic |
| Dimension: | 200x80mm |
| Box Qty: | 20 Pcs |



UFO-F150-E27

36w VT-2136



SKU: 7164 - 3000K Warm White 3800157612555
SKU: 7166 - 6400K White 3800157612579



| | |
|--------------------|---------------------|
| EQ. Watts: | 190w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3240lm |
| Commercial Type: | F150 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 120° |
| Body Type: | Plastic |
| Dimension: | 250x80mm |
| Box Qty: | 20 Pcs |



LED Bulbs-E14

4w VT-2184


SKU: 7366 - 2700K Warm White 3800157628570



| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | P45 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x77mm |
| Box Qty: | 50 Pcs |



LED Candle Filament Bulbs

4w VT-2174



SKU: 7365 - 2700K Warm White 3800157628563



| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 50 Pcs |



LED Bulbs-E27

6w VT-2186



SKU: 7368 - 2700K Warm White 3800157628594



| | |
|--------------------|------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 660lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 25 Pcs |






LED Candle Bulbs 5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810
 SKU: 7292 - 4000K Day White 3800157623827
 SKU: 7293 - 6400K White 3800157623834

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: Candle

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 37x100mm
 Box Qty: 50 Pcs




LED Bulbs-E14 5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136
 SKU: 7356 - 4000K Day White 3800157628143

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: P45

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E14

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x81mm
 Box Qty: 50 Pcs




LED Bulbs-E27 5.5W VT-2166

SKU: 7360 - 2700K Warm White 3800157628181
 SKU: 7361 - 4000K Day White 3800157628198

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: G45

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E27

Beam Angle: 180°
 Body Type: ThermoPlastic
 Dimension: 45x82mm
 Box Qty: 50 Pcs





LED Bulbs-E27 6W VT-2022BP

SKU: 7324 - 2700K Warm White 3800157624602
 SKU: 7325 - 4000K Day White 3800157624619
 SKU: 7326 - 6400K White 3800157624626

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 470lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.4
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 40 Pcs




LED Bulbs-E27 9W VT-2139

SKU: 7295 - 4000K Day White 3800157623858
 SKU: 7296 - 6400K White 3800157623865

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 25 Pcs





LED Bulbs-E27

9W VT-2109


SKU: 7285 - 2700K Warm White 3800157623759
 SKU: 7286 - 4000K Day White 3800157623766
 SKU: 7287 - 6400K White 3800157623773



EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x122mm
 Box Qty: 25 Pcs



LED Bulbs-E27

9W VT-2129


SKU: 7288 - 2700K Warm White 3800157623780
 SKU: 7289 - 4000K Day White 3800157623797
 SKU: 7290 - 6400K White 3800157623803



EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 25 Pcs



LED Bulbs-E27

9W VT-2149


SKU: 7309 - 3 IN 1 3800157623995



EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 806lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27


Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x112mm
 Box Qty: 25 Pcs



LED Bulbs-E27

11W VT-2111


SKU: 7297 - 2700K Warm White 3800157623872
 SKU: 7298 - 4000K Day White 3800157623889



EQ. Watts: 75w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1055lm
 Commercial Type: A60

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 60x120mm
 Box Qty: 25 Pcs



LED Bulbs-E27

15W VT-2117


SKU: 7300 - 2700K Warm White 3800157623902
 SKU: 7301 - 4000K Day White 3800157623919
 SKU: 7302 - 6400K White 3800157623926



EQ. Watts: 90w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1350lm
 Commercial Type: A65

LED Type: SMD
 CRI: >80
 PF: >0.5
 Base: E27

Beam Angle: 200°
 Body Type: ThermoPlastic
 Dimension: 66.5x134mm
 Box Qty: 25 Pcs



LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options




SpecialBulbs

3D Filament-A60-E27

3W VT-2203

SKU: 2704 - 3000K Warm White 3800157641524



| | |
|--------------------|---------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 20lm |
| Commercial Type: | A60 |

| | |
|-----------|-------|
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø64x145mm |
| Box Qty: | 100 Pcs |




SpecialBulbs

3D Filament-ST64-E27

3W VT-2223

SKU: 2705 - 3000K Warm White 3800157641531



| | |
|--------------------|------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 25lm |
| Commercial Type: | ST64 |

| | |
|-----------|-------|
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø64x135mm |
| Box Qty: | 100 Pcs |




SpecialBulbs

3D Filament-G125-E27

3W VT-2233

SKU: 2706 - 3000K Warm White 3800157641548



| | |
|--------------------|------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 40lm |
| Commercial Type: | G125 |

| | |
|-----------|-------|
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø125x170mm |
| Box Qty: | 50 Pcs |




SpecialBulbs

Filament-G125-E27

5W VT-2205

SKU: 2700 - 2200K Warm White 3800157641487



| | |
|--------------------|-------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V, 50Hz |
| Luminous Flux: | 70lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø125x175mm |
| Box Qty: | 50 Pcs |



SpecialBulbs

Amber-G165-E27



8W VT-2159

SKU: 45641 - 2200K Warm White 3800157641197

| | |
|--------------------|------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 620lm |
| Commercial Type: | G165 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø165x295mm |
| Box Qty: | 6 Pcs |



SpecialBulbs

Smoky-G165-E27


8W VT-2159-S

SKU: 45651 - 2200K Warm White 3800157641203

| | |
|--------------------|------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 240lm |
| Commercial Type: | G165 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø165x295mm |
| Box Qty: | 6 Pcs |



SpecialBulbs

Amber-S180-E27



8W VT-2169

SKU: 45661 - 2200K Warm White 3800157641210

| | |
|--------------------|------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 620lm |
| Commercial Type: | S180 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø195x400mm |
| Box Qty: | 6 Pcs |



SpecialBulbs

Smoky-S180-E27



8W VT-2169-S

SKU: 45671 - 2200K Warm White 3800157641227

| | |
|--------------------|------------------|
| EQ. Watts: | |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 240lm |
| Commercial Type: | S180 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø195x400mm |
| Box Qty: | 6 Pcs |







SpecialBulbs

Filament-G100-E27

5W VT-2235

SKU: 2748 - 2200K Warm White 3800157645447



| | |
|--------------------|------------------|
| EQ. Watts: | 25w |
| Voltage/Frequency: | AC:170-240V,50Hz |
| Luminous Flux: | 250lm |
| Commercial Type: | G100 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø100x190mm |
| Box Qty: | 20 Pcs |





SpecialBulbs

Amber Cover -Filament-T60-E27

5W VT-2245

SKU: 2749 - 2200K Warm White 3800157645454



| | |
|--------------------|------------------|
| EQ. Watts: | 25w |
| Voltage/Frequency: | AC:170-240V,50Hz |
| Luminous Flux: | 250lm |
| Commercial Type: | T60 |

| | |
|-----------|------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | Ø60x183mm |
| Box Qty: | 35 Pcs |




SpecialBulbs

Filament-T180-E27

8W VT-2308

SKU: 2790 - 2200K Warm White 3800157648592



| | |
|--------------------|------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 620lm |
| Commercial Type: | T180 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | D:180x190mm |
| Box Qty: | 6 Pcs |




SpecialBulbs

Filament-A165-E27

8W VT-2138D

SKU: 7461 - 2000K Warm White 3800157637367



| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 500lm |
| Commercial Type: | A165 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 340° |
| Body Type: | Glass |
| Dimension: | 160x298mm |
| Box Qty: | 6 Pcs |



SpecialBulbs

Filament-G200-E27


8W VT-2158D

SKU: 7462 - 2000K Warm White 3800157637374

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 500lm |
| Commercial Type: | G200 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 340° |
| Body Type: | Glass |
| Dimension: | 200x280mm |
| Box Qty: | 4 Pcs |



SpecialBulbs

Filament-BF180-E27


8W VT-2168D

SKU: 7463 - 2000K Warm White 3800157637381

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 500lm |
| Commercial Type: | BF180 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 340° |
| Body Type: | Glass |
| Dimension: | 180x360mm |
| Box Qty: | 6 Pcs |



SpecialBulbs

Filament-BF180-E27



8W VT-2178D

SKU: 7464 - 2000K Warm White 3800157637398

| | |
|--------------------|------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 600lm |
| Commercial Type: | BF180 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 340° |
| Body Type: | Glass |
| Dimension: | 180x360mm |
| Box Qty: | 6 Pcs |



SpecialBulbs

Smoky Filament-S200-E27


8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | S200 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 340° |
| Body Type: | Glass |
| Dimension: | 180x390mm |
| Box Qty: | 4 Pcs |





SpecialBulbs

Filament-R125-E27



8W VT-2198D

SKU: 7468 - 6500K White 3800157639187
 SKU: 7466 - 2700K Warm White 3800157639163
 SKU: 7467 - 4000K Day White 3800157639170

| | |
|--------------------|-------------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 600lm |
| Commercial Type: | R125 |

| | |
|-----------|-----------------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|------------------|
| Beam Angle: | 110° |
| Body Type: | Glass |
| Dimension: | 125x182mm |
| Box Qty: | 24 Pcs |



Amber Cover -LED Filament Bulbs



4W VT-2154

SKU: 7335 - 2200K Warm White 3800157625197

| | |
|--------------------|-------------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 360lm |
| Commercial Type: | A60 |

| | |
|-----------|-----------------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x98mm |
| Box Qty: | 50 Pcs |



Filament-A60-E27



4W VT-2164

SKU: 7336 - 2700K Warm White 3800157625203

| | |
|--------------------|-------------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | A60 |

| | |
|-----------|-----------------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x98mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-A60-E27



4W VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

| | |
|--------------------|-------------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | A60 |

| | |
|-----------|-----------------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|-----------------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |





Amber Cover -Filament-A60-E27



8W VT-1958

SKU: 4472 - 2200K Warm White 3800157609067

| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 720lm |
| Commercial Type: | A67 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 67x123mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-A67-E27



10W VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

| | |
|--------------------|------------------|
| EQ. Watts: | 65w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 900lm |
| Commercial Type: | A67 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 67x123mm |
| Box Qty: | 50 Pcs |



Amber Filament-A70-E27



12.5W VT-2123

SKU: 7457 - 2200K Warm White 3800157637862

| | |
|--------------------|------------------|
| EQ. Watts: | 85w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1240lm |
| Commercial Type: | A70 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 330° |
| Body Type: | Glass |
| Dimension: | 70x132mm |
| Box Qty: | 50 Pcs |



Filament-ST64-E27



4W VT-2185

SKU: 7474 - 1800K Warm White 3800157640312

| | |
|--------------------|-------------------|
| EQ. Watts: | 20w |
| Voltage/Frequency: | AC:220-240V, 50Hz |
| Luminous Flux: | 200lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x150mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-ST64-B22

4W VT-2145



SKU: 7421 - 2200K Warm White 3800157633093



| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | B22 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x138mm |
| Box Qty: | 100 Pcs |






Amber Cover -Filament-ST64-B22

4W VT-2145D


SKU: 7420 - 2200K Warm White 3800157633086



| | |
|--------------------|------------------|
| EQ. Watts: | 25w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | B22 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x138mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-ST64-E27



5W VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 300lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x140mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-ST64-E27



5W VT-2066

SKU: 7220 - 2200K Warm White 3800157617284

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 300lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x140mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-ST64-E27

5W VT-2065D



SKU: 7416 - 2200K Warm White 3800157632003



| | |
|--------------------|---------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 300lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x140mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-ST64-E27



6W VT-1966

SKU: 4362 - 2200K Warm White 3800157602754

| | |
|--------------------|------------------|
| EQ. Watts: | 45w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 500lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x138mm |
| Box Qty: | 50 Pcs |





Amber Cover -Filament-ST64-E27



8W VT-1968

SKU: 4421 - 2200K Warm White 3800157606356

| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 700lm |
| Commercial Type: | ST64 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 64x138mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-Globe-E27



4W VT-2004

SKU: 7148 - 2200K Warm White 3800157610636

| | |
|--------------------|---------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | G80 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 80x140mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-Globe-E27



4W VT-2024

SKU: 7146 - 2200K Warm White 3800157610612

| | |
|--------------------|------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | G95 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 95x140mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-Globe-E27



5W VT-2075

SKU: 7217 - 2200K Warm White 3800157617253

| | |
|--------------------|---------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 300lm |
| Commercial Type: | G95 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 95x138mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-Globe-E27

6W VT-2026D

SKU: 7156 - 2200K Warm White 3800157612210



| | |
|--------------------|---------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 500lm |
| Commercial Type: | G95 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.7 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 95x135mm |
| Box Qty: | 12 Pcs |



DIMMABLE





Amber Cover -Filament-Globe-E27

7W VT-2027

SKU: 7147 - 2200K Warm White 3800157610629

| | |
|--------------------|---------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 700lm |
| Commercial Type: | G95 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 95x140mm |
| Box Qty: | 50 Pcs |



Amber Cover -Filament-Globe-E27


8W VT-2019

SKU: 7145 - 2200K Warm White 3800157610605

| | |
|--------------------|---------------------|
| EQ. Watts: | 65w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 800lm |
| Commercial Type: | G95 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 95x140mm |
| Box Qty: | 50 Pcs |



Filament-Globe-E27


4W VT-2195

SKU: 7475 - 1800K Warm White 3800157640329

| | |
|--------------------|-------------------|
| EQ. Watts: | 20w |
| Voltage/Frequency: | AC:220-240V, 50Hz |
| Luminous Flux: | 200lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 132x178mm |
| Box Qty: | 20 Pcs |



Amber Cover -Filament-Globe-E27


4W VT-1956

SKU: 4473 - 2200K Warm White 3800157609074

| | |
|--------------------|------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 550lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x165mm |
| Box Qty: | 12 Pcs |



Amber Cover -Filament-Globe-E27


5W VT-2085

SKU: 7216 - 2200K Warm White 3800157617246

| | |
|--------------------|---------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 300lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x175mm |
| Box Qty: | 20 Pcs |






Amber Cover -Filament-Globe-E27

5W VT-2085D


SKU: 7415 - 2200K Warm White 3800157631990

| | |
|--------------------|---------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 300lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

 DIMMABLE

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x175mm |
| Box Qty: | 20 Pcs |



Amber Cover -Filament-Globe-E27



6W VT-2126

SKU: 7328 - 2200K Warm White 3800157624725

| | |
|--------------------|------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 480lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >70 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x175mm |
| Box Qty: | 100 Pcs |




Amber Cover -Filament-Globe-E27

8W VT-2018D

SKU: 7155 - 2200K Warm White 3800157612203

| | |
|--------------------|---------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 700lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.7 |
| Base: | E27 |

 DIMMABLE

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x177mm |
| Box Qty: | 12 Pcs |



Filament-G125-E27


12.5W VT-2153

SKU: 7456 - 2200K Warm White 3800157637855

| | |
|--------------------|------------------|
| EQ. Watts: | 85w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1240lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 330° |
| Body Type: | Glass |
| Dimension: | 125x178mm |
| Box Qty: | 25 Pcs |



Amber Cover -Filament-T30-E27


2W VT-2162

SKU: 7473 - 1800K Warm White 3800157640305

| | |
|--------------------|-------------------|
| EQ. Watts: | 9w |
| Voltage/Frequency: | AC:220-240V, 50Hz |
| Luminous Flux: | 65lm |
| Commercial Type: | T30 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x190mm |
| Box Qty: | 100 Pcs |





Amber Cover -Filament-T30-E27



2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833

| | |
|--------------------|---------------------|
| EQ. Watts: | 20w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 200lm |
| Commercial Type: | T30 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 30x136mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filaments-T30-E27



5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575

| | |
|--------------------|---------------------|
| EQ. Watts: | 45w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 500lm |
| Commercial Type: | T30 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 30x300mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filaments-T30-E27



6W VT-2006

SKU: 7143 - 2200K Warm White 3800157610582

| | |
|--------------------|---------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 600lm |
| Commercial Type: | T30 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 30x185mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filaments-T30-E27



7W VT-2008

SKU: 7144 - 2200K Warm White 3800157610599

| | |
|--------------------|---------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 700lm |
| Commercial Type: | T30 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 30x300mm |
| Box Qty: | 100 Pcs |



Amber Filament



4W VT-1953

SKU: 4499 - 2200K Warm White 3800157609746

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | P45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x77mm |
| Box Qty: | 100 Pcs |





Filament-Candle-E14


2W VT-2152

SKU: 7472 - 1800K Warm White 3800157640299

| | |
|--------------------|-------------------|
| EQ. Watts: | 9w |
| Voltage/Frequency: | AC:220-240V, 50Hz |
| Luminous Flux: | 65lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x105mm |
| Box Qty: | 200 Pcs |



Amber Cover -Filament-Candle-E14


4W VT-1955

SKU: 7113 - 2200K Warm White 3800157609883

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-Candle-E14

4W VT-1949

SKU: 7114 - 2200K Warm White 3800157609890

| | |
|--------------------|------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x121mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-Candle-E14


4W VT-1948

SKU: 7115 - 2200K Warm White 3800157609906

| | |
|--------------------|------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Amber Cover -Filament-Candle-E14


4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913

| | |
|--------------------|------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x121mm |
| Box Qty: | 100 Pcs |





White Cover -Filament-A60-E27


4W VT-1939

SKU: 4489 - 2700K Warm White 3800157609647
 SKU: 4490 - 4000K Day White 3800157609654
 SKU: 4491 - 6400K White 3800157609661

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



Cross Filament-Candle-E14



4W VT-1924C

SKU: 71031 - 6400K White 3800157624244

| | |
|--------------------|------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-Candle-E14



4W VT-1936

SKU: 4476 - 6400K White 3800157609104

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-Candle-E14


4W VT-1937

SKU: 4479 - 6400K White 3800157609135

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x121mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-Candle-E14


4W VT-1928

SKU: 7109 - 6400K White 3800157609845

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |





Cross Filament-Candle-E14



4W VT-1928C

SKU: 71091 - 6400K White 3800157624237

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-Candle-E14



4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852
SKU: 7112 - 6400K White 3800157609876

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x121mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-Candle-E14

4W VT-2056D

SKU: 7177 - 2700K Warm White 3800157615532




DIMMABLE

| | |
|--------------------|---------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x121mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-P45-E14


4W VT-1835C

SKU: 44941 - 6400K White 3800157624268
3800157624282

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | P45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x77mm |
| Box Qty: | 100 Pcs |



Frost Cover -Filament-A60-E27



4W VT-1934

SKU: 4486 - 2700K Warm White 3800157609616
SKU: 4487 - 4000K Day White 3800157609623
SKU: 4488 - 6400K White 3800157609630

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |





Frost Cover -Filament-A60-E27


5W VT-2045

SKU: 7178 - 2700K Warm White 3800157615549
 SKU: 7179 - 4000K Day White 3800157615556
 SKU: 7180 - 6400K White 3800157615563

| | |
|--------------------|---------------------|
| EQ. Watts: | 50w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 600lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



Frost Cover -Filament-A60-E27



6W VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091

| | |
|--------------------|------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 660lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



Frost Cover -Filament-A60-E27


6W VT-1935

SKU: 4482 - 6400K White 3800157609166

| | |
|--------------------|------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 660lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



Frost Cover -Filament-A60-E27


7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570
 SKU: 7182 - 4000K Day White 3800157615587
 SKU: 7183 - 6400K White 3800157615594

| | |
|--------------------|---------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 840lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



Frost Cover -Filament-A60-E27


7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107

| | |
|--------------------|---------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 840lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |





Frost Cover -Filament-A67-E27



8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586
 SKU: 4484 - 4000K Day White 3800157609593
 SKU: 4485 - 6400K White 3800157609609

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **800lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Frost Cover -Filament-A67-E27


10W VT-2023

SKU: 7154 - 6400K White 3800157612197

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Frost Cover -Filament-A67-E27


9W VT-2049

SKU: 7184 - 2700K Warm White 3800157615600
 SKU: 7186 - 6400K White 3800157615624

EQ. Watts: **80w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1100lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Frost Cover -Filament-Globe-E27


7W VT-2057

SKU: 7187 - 2700K Warm White 3800157615631
 SKU: 7188 - 6400K White 3800157615648

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 Commercial Type: **G95**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **95x135mm**
 Box Qty: **12 Pcs**



Frost Cover -Filament-Globe-E27



7W VT-2067

SKU: 7189 - 2700K Warm White 3800157615655
 SKU: 7190 - 6400K White 3800157615662

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 Commercial Type: **G125**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **125x177mm**
 Box Qty: **12 Pcs**





Frost Cover -Filament-Globe-E27

7W VT-2067D


SKU: 7191 - 2700K Warm White 3800157615679

| | |
|--------------------|---------------------|
| EQ. Watts: | 55w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 750lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |



| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x177mm |
| Box Qty: | 12 Pcs |



Filament-T30-E27



2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826

| | |
|--------------------|---------------------|
| EQ. Watts: | 20w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 200lm |
| Commercial Type: | T30 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 30x136mm |
| Box Qty: | 100 Pcs |



Filament-T20-E14


4W VT-2204

SKU: 2701 - 2700K Warm White 3800157641494
 SKU: 2702 - 4000K Day White 3800157641500
 SKU: 2703 - 6000K White 3800157641517

| | |
|--------------------|---------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | T20 |

| | |
|-----------|-------|
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.45 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 360° |
| Body Type: | Glass |
| Dimension: | 20x135mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-A60-E27



4W VT-1885

SKU: 4259 - 2700K Warm White 3800230627179
 SKU: 7119 - 4000K Day White 3800157609951
 SKU: 7120 - 6400K White 3800157609968

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



Clear Glass-Filament-A60-E27

4W VT-1885D



SKU: 4364 - 2700K Warm White 3800157602907

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | A60 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |



| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 60x107mm |
| Box Qty: | 50 Pcs |



NEW




Clear Glass-Filament-A67-E27



8W VT-2288D

SKU: 2815 - 2700K Warm White 3800157655101

EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V, 50Hz**
 Luminous Flux: **700lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**


DIMMABLE
 Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **Ø67x123mm**
 Box Qty: **100 Pcs**



Clear Glass-Filament-A67-E27



8W VT-1978

SKU: 4407 - 2700K Warm White 3800157606165
 SKU: 4408 - 4000K Day White 3800157606172
 SKU: 4409 - 6400K White 3800157606189

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **800lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **100 Pcs**



Clear Glass-Filament-A67-E27



10W VT-1981

SKU: 4410 - 2700K Warm White 3800157606196
 SKU: 4411 - 4000K Day White 3800157606202
 SKU: 4412 - 6400K White 3800157606219

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **300°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Clear Filament-A67-E27


18W VT-2328

SKU: 2802 - 3000K Warm White 3800157652568

EQ. Watts: **150w**
 Voltage/Frequency: **AC:220-240V**
 Luminous Flux: **2520lm**
 Commercial Type: **A67**

LED Type: **Filament**
 CRI: **80**
 PF: **0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **67x123mm**
 Box Qty: **50 Pcs**



Clear Filament-A70-E27


12.5W VT-2133

SKU: 7460 - 6500K White 3800157637893
 SKU: 7458 - 3000K Warm White 3800157637879
 SKU: 7459 - 4000K Day White 3800157637886

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1550lm**
 Commercial Type: **A70**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **70x132mm**
 Box Qty: **50 Pcs**





Clear Glass-Filament-ST26-E14



2W VT-1952

SKU: 4444 - 2700K Warm White 3800157607858
 SKU: 4445 - 4000K Day White 3800157607865
 SKU: 4446 - 6400K White 3800157607872

| | |
|--------------------|------------------|
| EQ. Watts: | 20w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 180lm |
| Commercial Type: | ST26 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 26x58mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-Candle-E14


4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951
 SKU: 4413 - 4000K Day White 3800157606226
 SKU: 4414 - 6400K White 3800157606233

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-Candle-E14

4W VT-1986D



SKU: 4365 - 2700K Warm White 3800157602914

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E14 |



| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-Candle-E14



4W VT-1985

SKU: 4307 - 2700K Warm White 3800157600347

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |



Clear Filament

4W VT-1985D


SKU: 4367 - 2700K Warm White 3800157602938

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 320lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E14 |



| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 100 Pcs |





Clear Glass-Filament-Candle-E14


4W VT-1995

SKU: 4308 - 2700K Warm White 3800157600354
 SKU: 4431 - 4000K Day White 3800157606455
 SKU: 4432 - 6400K White 3800157606462

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995D


SKU: 4388 - 2700K Warm White 3800157603973

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.5
 Base: E14



Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995DC


SKU: 43881 - 2700K Warm White 3800157624251

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.5
 Base: E14



Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs



Clear Glass-Filament-Candle-E14


4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968
 SKU: 4429 - 4000K Day White 3800157606431

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.4
 Base: E14

Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 50 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1997D


SKU: 4366 - 2700K Warm White 3800157602921

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle

LED Type: Filament
 CRI: >80
 PF: >0.5
 Base: E14



Beam Angle: 300°
 Body Type: Glass
 Dimension: 35x121mm
 Box Qty: 100 Pcs





Clear Glass-Filament-Candle-E14



6W VT-2127

SKU: 7423 - 3000K Warm White 3800157632577
 SKU: 7424 - 4000K Day White 3800157632584
 SKU: 7425 - 6400K White 3800157632591

| | |
|--------------------|------------------|
| EQ. Watts: | 45w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 600lm |
| Commercial Type: | Candle |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E14 |

| | |
|-------------|----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 35x100mm |
| Box Qty: | 200 Pcs |



Clear Glass-Filament-Globe-E27



4W VT-1980

SKU: 4427 - 4000K Day White 3800157606417
 SKU: 4428 - 6400K White 3800157606424

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | G45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x75mm |
| Box Qty: | 100 Pcs |



Color Bulbs-G45-E27

2W VT-2132-P

SKU: 7410 - Pink 3800157630269

| | |
|--------------------|------------------|
| EQ. Watts: | 10w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 60lm |
| Commercial Type: | G45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x75mm |
| Box Qty: | 100 Pcs |



Color Bulbs-G45-E27


2W VT-2132-G

SKU: 7411 - Green 3800157630276

| | |
|--------------------|------------------|
| EQ. Watts: | 10w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 60lm |
| Commercial Type: | G45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x75mm |
| Box Qty: | 100 Pcs |



Color Bulbs-G45-E27


2W VT-2132-B

SKU: 7412 - Blue 3800157630283

| | |
|--------------------|------------------|
| EQ. Watts: | 10w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 60lm |
| Commercial Type: | G45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x75mm |
| Box Qty: | 100 Pcs |





Color Bulbs-G45-E27

2W VT-2132-R

SKU: 7413 - Red 3800157630290

| | |
|--------------------|------------------|
| EQ. Watts: | 10w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 60lm |
| Commercial Type: | G45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E27 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x75mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-P45-E14


4W VT-1996D

SKU: 4394 - 2700K Warm White 3800157604314

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 320lm |
| Commercial Type: | P45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E14 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x77mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-P45-E14


4W VT-1996

SKU: 4300 - 2700K Warm White 3800230629944
SKU: 4425 - 4000K Day White 3800157606394
SKU: 4426 - 6400K White 3800157606394

| | |
|--------------------|------------------|
| EQ. Watts: | 40w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| Commercial Type: | P45 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.4 |
| Base: | E14 |

| | |
|-------------|---------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 45x77mm |
| Box Qty: | 100 Pcs |



Clear Glass-Filament-Globe-E27


4W VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021

| | |
|--------------------|------------------|
| EQ. Watts: | 30w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 320lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x177mm |
| Box Qty: | 20 Pcs |



Clear Glass-Filament-Globe-E27


6W VT-2147

SKU: 7427 - 6400K White 3800157635288

| | |
|--------------------|------------------|
| EQ. Watts: | 60w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 806lm |
| Commercial Type: | G125 |

| | |
|-----------|----------|
| LED Type: | Filament |
| CRI: | >80 |
| PF: | >0.5 |
| Base: | E27 |

| | |
|-------------|-----------|
| Beam Angle: | 300° |
| Body Type: | Glass |
| Dimension: | 125x177mm |
| Box Qty: | 20 Pcs |





Clear Glass-Filament-Globe-E27


12.5W VT-2143

SKU: 7455 - 6500K White 3800157637848
 SKU: 7453 - 3000K Warm White 3800157637824
 SKU: 7454 - 4000K Day White 3800157637848

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1550lm**
 Commercial Type: **G125**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **125x177mm**
 Box Qty: **25 Pcs**



Clear Glass-Filament-Globe-E27


18W VT-2338

SKU: 2803 - 3000K Warm White 3800157652575

EQ. Watts: **150w**
 Voltage/Frequency: **AC:220-240V**
 Luminous Flux: **2520lm**
 Commercial Type: **G95**

LED Type: **Filament**
 CRI: **>80**
 PF: **>0.5**
 Base: **E27**

Beam Angle: **330°**
 Body Type: **Glass**
 Dimension: **95x135mm**
 Box Qty: **25 Pcs**



Lamp Holder E27

SKU: 8839

EAN: 3800157654005

Box Qty. **400 Pcs**

Thermoplastic



Lamp Holder E14

SKU: 8840

EAN: 3800157654012

Box Qty. **400 Pcs**

Thermoplastic



Lamp Holder-E27

SKU: 8750

EAN: 3800157642620

Box Qty. **400 Pcs**

Bakelite Powder



Lamp Holder-E14

SKU: 8751

EAN: 3800157642637

Box Qty. **400 Pcs**

Bakelite Powder



Lamp Holder-E27

SKU: 8752

EAN: 3800157642644

Box Qty. **400 Pcs**

PET+Nylon



Lamp Holder-E14

SKU: 8753

EAN: 3800157642651

Box Qty. **400 Pcs**

PET+Nylon



VT-71510
String Light-LED-5M **0.6w**
 SKU: 2728 - 3000K Warm White 3800157644549

- 5 Meter Long String
- 10 Bulbs included
- 0.6 watts per Bulb
- 300 Degree Beam Angle
- IP rating IP40
- 10 Pcs In Cartoon

VT-71010
Solar String Light **1w**
 SKU: 8559 - 3000K Warm White 3800157641432

- 2 Meter Long String
- 1 watts per Bulb
- 10 Bulbs included
- 6-8 Hours Working Time
- 8-12 Hours Charging Time
- Battery 1XAA Ni-MH, 1.2V/300mAh
- IP rating IP54
- 10 Pcs In Cartoon



VT-70510
String Light-LED-5M **0.5w**
 SKU: 7437 - 6000K White 3800157637473
 SKU: 7436 - 3000K Warm White 3800157637466
 SKU: 7435 - RGB+Yellow 3800157637459

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Holders with 0.5 Meter Distance
- IP rating IP44
- 10 Pcs In Cartoon

VT-71020
String Light-LED-10M **0.5w**
 SKU: 7440 - 6000K White 3800157637503
 SKU: 7439 - 3000K Warm White 3800157637497
 SKU: 7438 - RGB+Yellow 3800157637480

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Holders with 0.5 Meter Distance
- IP rating IP44
- 5 Pcs In Cartoon



VT-7135
String Light-WP Socket-E27
 SKU: 3698 3800157634182

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included

VT-713
String Light-WP Socket-E27
 SKU: 3673 3800157625173

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included





LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



Capsules-G9



2.5W VT-1946

SKU: 4466 - 3000K Warm White 3800157609005
 SKU: 4467 - 4000K Day White 3800157609012
 SKU: 4468 - 6400K White 3800157609029

EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 200lm
 LED Type: SMD

CRI: >80
 PF: >0.4
 Base: G9
 Beam Angle: 300°

Body Type: Plastic
 Dimension: 16.5x46.5mm
 Box Qty: 400 Pcs



Capsules-G9


3W VT-2103

SKU: 7476 - 3000K Warm White 3800157640336
 SKU: 7477 - 4000K Day White 3800157640343
 SKU: 7478 - 6400K White 3800157640350

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V, 50/60Hz
 Luminous Flux: 330lm
 LED Type: COB

CRI: >80
 PF: >0.7
 Base: G9
 Beam Angle: 300°

Body Type: Glass
 Dimension: 14.5x61mm
 Box Qty: 450 Pcs



Capsules-G9-6Pc Pack



3W VT-2243

SKU: 2745 - 3000K Warm White 3800157645416
 SKU: 2746 - 4000K Day White 3800157645423
 SKU: 2747 - 6400K White 3800157645430

EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 300lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: G9
 Beam Angle: 300°

Body Type: Plastic
 Dimension: 17x49mm
 Box Qty: 300 Pcs



Capsules-G9



4W VT-2254

SKU: 2742 - 2700K Warm White 3800157645324
 SKU: 2743 - 4000K Day White 3800157645331
 SKU: 2744 - 6400K White 3800157645348

EQ. Watts: 35w
 Voltage/Frequency: AC:230V
 Luminous Flux: 410lm
 LED Type: COB

CRI: >80
 PF: >0.7
 Base: G9
 Beam Angle: 300°

Body Type: Glass
 Dimension: 16x58mm
 Box Qty: 400 Pcs



Capsules-G9

5W VT-2175D

SKU: 7429 - 3000K Warm White 3800157637046
 SKU: 7430 - 4000K Day White 3800157637053
 SKU: 7431 - 6400K White 3800157637060

EQ. Watts: 50w
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 500lm
 LED Type: SMD

CRI: >80
 PF: >0.4
 Base: G9
 Beam Angle: 300°



DIMMABLE

Body Type: Ceramic
 Dimension: 22x60mm
 Box Qty: 600 Pcs





Capsules-G9


5.5W VT-2177

SKU: 7432 - 3000K Warm White 3800157637077
 SKU: 7433 - 4000K Day White 3800157637084
 SKU: 7434 - 6400K White 3800157637091

EQ. Watts: 50w
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 550lm
 LED Type: SMD

CRI: >80
 PF: >0.4
 Base: G9
 Beam Angle: 300°

Body Type: Ceramic
 Dimension: 16x63mm
 Box Qty: 600 Pcs



Capsules-G9



6W VT-2227

SKU: 2719 - 3000K Warm White 3800157644426
 SKU: 2720 - 4000K Day White 3800157644433
 SKU: 2721 - 6400K White 3800157644440

EQ. Watts: 45
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 550lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: G9
 Beam Angle: 300°

Body Type: Plastic
 Dimension: 19x68mm
 Box Qty: 200 Pcs



Capsules-G9


7W VT-2228

SKU: 2722 - 3000K Warm White 3800157644457
 SKU: 2723 - 4000K Day White 3800157644464
 SKU: 2724 - 6400K White 3800157644471

EQ. Watts: 50
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 650lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: G9
 Beam Angle: 300°

Body Type: Plastic
 Dimension: 23x70mm
 Box Qty: 200 Pcs



Spotlights-GU10-Lens-38°

5W VT-2305

SKU: 2796 - 3000K Warm White 3800157651653
 SKU: 2797 - 4000K Day White 3800157651660
 SKU: 2798 - 6400K White 3800157651677

EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 380lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 38°

Body Type: Plastic
 Dimension: 50x55mm
 Box Qty: 200 Pcs



Spotlights-GU10-Lens-38°

6W VT-2206

SKU: 7497 - 3000K Warm White 3800157640831
 SKU: 7498 - 4000K Day White 3800157640848
 SKU: 7499 - 6400K White 3800157640855

EQ. Watts: 55w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 LED Type: SMD

CRI: >95
 PF: >0.5
 Base: GU10
 Beam Angle: 38°

Body Type: Plastic
 Dimension: ø50x58mm
 Box Qty: 200 Pcs




GU10-RGB With Remote Control

3.5W VT-2244

SKU: 2778 - RGB+3000K Warm White 3800157646819
 SKU: 2779 - RGB+4000K Day White 3800157646826
 SKU: 2780 - RGB+6400K White 3800157646833



- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



| | |
|--------------------|------------------|
| EQ. Watts: | 25w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 290lm |
| LED Type: | SMD |


| | |
|-------------|------|
| CRI: | >80 |
| PF: | >0.5 |
| Base: | GU10 |
| Beam Angle: | 110° |

| | |
|------------|-----------|
| Body Type: | Plastic |
| Dimension: | 50x56.5mm |
| Box Qty: | 200 Pcs |

Spotlights-GU10-Milky Cover-110°

5W VT-1975

SKU: 1685 - 3000K Warm White 3800157606240
 SKU: 1686 - 4000K Day White 3800157606257
 SKU: 1687 - 6000K White 3800157606264



| | |
|--------------------|------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| LED Type: | SMD |



| | |
|-------------|------|
| CRI: | >80 |
| PF: | >0.4 |
| Base: | GU10 |
| Beam Angle: | 110° |

| | |
|------------|---------|
| Body Type: | Plastic |
| Dimension: | 50x57mm |
| Box Qty: | 200 Pcs |

Reflector-Square

5W VT-1100SQ

SKU: 7332 - 3000K Warm White 3800157624855
 SKU: 7334 - 6400K White 3800157624879



| | |
|--------------------|---------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 350lm |
| LED Type: | SMD |


| | |
|-------------|------|
| CRI: | >80 |
| PF: | >0.4 |
| Base: | N/A |
| Beam Angle: | 68° |

| | |
|------------|------------|
| Body Type: | ABS+PC |
| Dimension: | 90x90x45mm |
| Box Qty: | 50 Pcs |

GU10-3PC Pack-Fitting

5W VT-3333

SKU: 8881 - 3000K Warm White 3800157650038
 SKU: 8882 - 4000K Day White 3800157650045
 SKU: 8883 - 6400K White 3800157650052



| | |
|--------------------|---------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 400lm |
| LED Type: | SMD |


| | |
|-------------|------|
| CRI: | >80 |
| PF: | >0.5 |
| Base: | GU10 |
| Beam Angle: | 110° |

| | |
|------------|------------------|
| Body Type: | Plastic + Ferrum |
| Dimension: | 120x99mm |
| Box Qty: | 20 Pcs |

GU10-3PC Pack-Fitting

5W VT-4444

SKU: 8884 - 3000K Warm White 3800157650069
 SKU: 8885 - 4000K Day White 3800157650076
 SKU: 8886 - 6400K White 3800157650083



| | |
|--------------------|---------------------|
| EQ. Watts: | 35w |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 400lm |
| LED Type: | SMD |

| | |
|-------------|------|
| CRI: | >80 |
| PF: | >0.5 |
| Base: | GU10 |
| Beam Angle: | 110° |

| | |
|------------|------------------|
| Body Type: | Plastic + Ferrum |
| Dimension: | 120x99mm |
| Box Qty: | 20 Pcs |

Spotlights-GU10-3PC Pack

5W VT-2095


SKU: 7269 - 3000K Warm White 3800157623018
 SKU: 7270 - 4000K Day White 3800157623025
 SKU: 7271 - 6400K White 3800157623032



EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 110°

Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 60 Pcs



Spotlights-GU10-6PC Pack

5W VT-2225


SKU: 2739 - 3000K Warm White 3800157645294
 SKU: 2740 - 4000K Day White 3800157645300
 SKU: 2741 - 6400K White 3800157645317



EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 110°

Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 30 Pcs



GU10- 38°-10PC Pack

5W VT-2305-10PC


SKU: 2799 - 3000K Warm White 3800157651684
 SKU: 2800 - 4000K Day White 3800157651691
 SKU: 2801 - 6400K White 3800157651707



EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 380lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 38°

Body Type: Plastic
 Dimension: 50x55mm
 Box Qty: 20 Pcs



Spotlights-GU10-Blister Pack

6W VT-2107


SKU: 7305 - 6400K White 3800157623957



EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 500lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 110°

Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 50 Pcs



Spotlights-GU10-Blister Pack

6.5W VT-2108D

SKU: 7306 - 3000K Warm White 3800157623964
 SKU: 7307 - 4000K Day White 3800157623971
 SKU: 7308 - 6400K White 3800157623988




EQ. Watts: 55w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 450lm
 LED Type: SMD

CRI: >80
 PF: >0.5
 Base: GU10
 Beam Angle: 38°




Body Type: Plastic
 Dimension: 50x57mm
 Box Qty: 50 Pcs





Concrete Wall Lamp


NEW



| | |
|------------------|---------------|
| Model No | VT-891D |
| SKU: | 8690 |
| Base: | G9 |
| Material: | Concrete |
| Shape: | Round |
| Color of Fxture: | Dark Grey |
| Dimension: | 150x130x130mm |
| EAN: | 3800157655316 |
| Box Qty: | 12 Pcs |

Concrete Wall Lamp


NEW



| | |
|------------------|---------------|
| Model No | VT-891L |
| SKU: | 8691 |
| Base: | G9 |
| Material: | Concrete |
| Shape: | Round |
| Color of Fxture: | Light Grey |
| Dimension: | 150x130x130mm |
| EAN: | 3800157655323 |
| Box Qty: | 12 Pcs |

Concrete Wall Lamp


NEW



| | |
|------------------|---------------|
| Model No | VT-892D |
| SKU: | 8692 |
| Base: | G9 |
| Material: | Concrete |
| Shape: | Square |
| Color of Fxture: | Dark Grey |
| Dimension: | 120x100x120mm |
| EAN: | 3800157655330 |
| Box Qty: | 12 Pcs |

Concrete Wall Lamp


NEW



| | |
|------------------|---------------|
| Model No | VT-892L |
| SKU: | 8693 |
| Base: | G9 |
| Material: | Concrete |
| Shape: | Square |
| Color of Fxture: | Light Grey |
| Dimension: | 120x100x120mm |
| EAN: | 3800157655347 |
| Box Qty: | 12 Pcs |

Concrete Wall Lamp


NEW



| | |
|------------------|---------------|
| Model No | VT-893D |
| SKU: | 8694 |
| Base: | G9 |
| Material: | Concrete |
| Shape: | Rectangle |
| Color of Fxture: | Dark Grey |
| Dimension: | 120x100x240mm |
| EAN: | 3800157655354 |
| Box Qty: | 6 Pcs |


Concrete Wall Lamp

NEW




| | |
|------------------|---------------|
| Model No | VT-893L |
| SKU: | 8695 |
| Base: | G9 |
| Material: | Concrete |
| Shape: | Rectangle |
| Color of Fxture: | Light Grey |
| Dimension: | 120x100x240mm |
| EAN: | 3800157655361 |
| Box Qty: | 6 Pcs |

Concrete Wall Lamp

NEW

| | |
|-------------------|---------------|
| Model No | VT-894D |
| SKU: | 8696 |
| Base: | GU10 |
| Material: | Concrete |
| Shape: | Round |
| Color of Fixture: | Dark Grey |
| Dimension: | 120x140x235mm |
| EAN: | 3800157655378 |
| Box Qty: | 6 Pcs |


Concrete Wall Lamp

NEW

| | |
|-------------------|---------------|
| Model No | VT-894L |
| SKU: | 8697 |
| Base: | GU10 |
| Material: | Concrete |
| Shape: | Round |
| Color of Fixture: | Light Grey |
| Dimension: | 120x140x235mm |
| EAN: | 3800157655385 |
| Box Qty: | 6 Pcs |




Fitting Round-GU10




| | |
|-------------------|-------------------------------|
| Model No | VT-884-B |
| SKU: | 8608 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Half Circle |
| Color of Fixture: | Black frame + Black reflector |
| Dimension: | 83x40.7mm |
| Cutting Size: | ø75mm |
| EAN: | 3800157652056 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-886 |
| SKU: | 8877 |
| Base: | 2xGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | White+Black |
| Dimension: | 185x100x45mm |
| Cutting Size: | 175x85mm |
| EAN: | 3800157648646 |
| Box Qty: | 20 Pcs |

Fitting Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-887 |
| SKU: | 8878 |
| Base: | 3xGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | White+Black |
| Dimension: | 270x100x45mm |
| Cutting Size: | 256x85mm |
| EAN: | 3800157648653 |
| Box Qty: | 20 Pcs |

Fitting Round-GU10




| | |
|-------------------|------------------------------|
| Model No | VT-889 |
| SKU: | 8879 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fixture: | White Frame+Chrome Reflector |
| Dimension: | ø140x50mm |
| Cutting Size: | ø85/90mm |
| EAN: | 3800157648660 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|------------------------------|
| Model No | VT-890 |
| SKU: | 8880 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | White Frame+Chrome Reflector |
| Dimension: | 128x75x55mm |
| Cutting Size: | 79/85x75mm |
| EAN: | 3800157648677 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-872-WB |
| SKU: | 3153 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fixture: | White+Black |
| Dimension: | 79x32mm |
| Cutting Size: | 72mm |
| EAN: | 3800157638968 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|---------------|
| Model No | VT-872-WG |
| SKU: | 3154 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Gold |
| Dimension: | 79x32mm |
| Cutting Size: | 72mm |
| EAN: | 3800157638975 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10



| | |
|------------------|-----------------|
| Model No | VT-872-WR |
| SKU: | 3155 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Rose Gold |
| Dimension: | 79x32mm |
| Cutting Size: | 72mm |
| EAN: | 3800157638982 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|---------------|
| Model No | VT-872-WC |
| SKU: | 3156 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Chrome |
| Dimension: | 79x32mm |
| Cutting Size: | 72mm |
| EAN: | 3800157638999 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|-------------------------------|
| Model No | VT-873 |
| SKU: | 8595 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fxture: | Black frame + Black reflector |
| Dimension: | ø83x40.7mm |
| Cutting Size: | ø75mm |
| EAN: | 3800157652001 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|---------------|
| Model No | VT-873-WB |
| SKU: | 3157 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Black |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639002 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|---------------|
| Model No | VT-873-WG |
| SKU: | 3158 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Gold |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639019 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10



| | |
|------------------|-----------------|
| Model No | VT-873-WR |
| SKU: | 3159 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Rose Gold |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639026 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|---------------|
| Model No | VT-873-WC |
| SKU: | 3160 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fxture: | White+Chrome |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639033 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|------------------|-------------------------------|
| Model No | VT-874 |
| SKU: | 8596 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fxture: | Black frame + Black reflector |
| Dimension: | ø83x40.7mm |
| Cutting Size: | ø75mm |
| EAN: | 3800157652018 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-874-WB |
| SKU: | 3161 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fixture: | White+Black |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639040 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-874-WG |
| SKU: | 3162 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fixture: | White+Gold |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639057 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10



| | |
|-------------------|-----------------|
| Model No | VT-874-WR |
| SKU: | 3163 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fixture: | White+Rose Gold |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639064 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-874-WC |
| SKU: | 3164 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Round |
| Color of Fixture: | White+Chrome |
| Dimension: | 80x42mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639071 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-875-WB |
| SKU: | 3165 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Square |
| Color of Fixture: | White+Black |
| Dimension: | 85x85x62mm |
| Cutting Size: | 80x80mm |
| EAN: | 3800157639088 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-875-WG |
| SKU: | 3166 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Square |
| Color of Fixture: | White+Gold |
| Dimension: | 85x85x62mm |
| Cutting Size: | 80x80mm |
| EAN: | 3800157639095 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|-----------------|
| Model No | VT-875-WR |
| SKU: | 3167 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Square |
| Color of Fixture: | White+Rose Gold |
| Dimension: | 85x85x62mm |
| Cutting Size: | 80x80mm |
| EAN: | 3800157639101 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-875-WC |
| SKU: | 3168 |
| Base: | GU10 |
| Material: | Aluminium+PC |
| Shape: | Square |
| Color of Fixture: | White+Chrome |
| Dimension: | 85x85x62mm |
| Cutting Size: | 80x80mm |
| EAN: | 3800157639118 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-876-RD |
| SKU: | 3169 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 85x32mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639125 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10



| | |
|------------------|---------------|
| Model No | VT-876-SQ |
| SKU: | 3170 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 85x85x32mm |
| Cutting Size: | 75mm |
| EAN: | 3800157639132 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10




| | |
|------------------|--------------------|
| Model No | VT-797-WH |
| SKU: | 3630 |
| Base: | GU10 |
| Material: | Die Cast Aluminium |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 142x100x100mm |
| Cutting Size: | N/A |
| EAN: | 3800157612074 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|------------------|--------------------|
| Model No | VT-797-B |
| SKU: | 3631 |
| Base: | GU10 |
| Material: | Die Cast Aluminium |
| Shape: | Square |
| Color of Fxture: | Black |
| Dimension: | 100x100x142mm |
| Cutting Size: | N/A |
| EAN: | 3800157612081 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|------------------|--------------------|
| Model No | VT-797-SN |
| SKU: | 3632 |
| Base: | GU10 |
| Material: | Die Cast Aluminium |
| Shape: | Square |
| Color of Fxture: | Satin Nickel |
| Dimension: | 100x100x142mm |
| Cutting Size: | N/A |
| EAN: | 3800157612098 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10



| | |
|------------------|--------------------|
| Model No | VT-796-WH |
| SKU: | 3627 |
| Base: | GU10 |
| Material: | Die Cast Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø100x142mm |
| Cutting Size: | N/A |
| EAN: | 3800157612043 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10




| | |
|------------------|--------------------|
| Model No | VT-796-B |
| SKU: | 3628 |
| Base: | GU10 |
| Material: | Die Cast Aluminium |
| Shape: | Round |
| Color of Fxture: | Black |
| Dimension: | Ø100x142mm |
| Cutting Size: | N/A |
| EAN: | 3800157612050 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10




| | |
|------------------|--------------------|
| Model No | VT-796-SN |
| SKU: | 3629 |
| Base: | GU10 |
| Material: | Die Cast Aluminium |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | Ø100x142mm |
| Cutting Size: | N/A |
| EAN: | 3800157612067 |
| Box Qty: | 50 Pcs |

GX53-Accessory




| | |
|------------------|---------------|
| Model No | VT-715-W |
| SKU: | 3675 |
| Base: | GX53 |
| Material: | Iron |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø105x40mm |
| Cutting Size: | 90mm |
| EAN: | 3800157625241 |
| Box Qty: | 50 Pcs |

GX53-Accessory



| | |
|------------------|---------------|
| Model No | VT-715-G |
| SKU: | 3676 |
| Base: | GX53 |
| Material: | Iron |
| Shape: | Round |
| Color of Fxture: | Gold |
| Dimension: | Ø105x40mm |
| Cutting Size: | 90mm |
| EAN: | 3800157625258 |
| Box Qty: | 50 Pcs |

GX53-Accessory



| | |
|-------------------|---------------|
| Model No | VT-715-CH |
| SKU: | 3677 |
| Base: | GX53 |
| Material: | Iron |
| Shape: | Round |
| Color of Fixture: | Chrome |
| Dimension: | Ø105x40mm |
| Cutting Size: | 90mm |
| EAN: | 3800157625265 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-727SQ |
| SKU: | 3664 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 70x70x75mm |
| Cutting Size: | N/A |
| EAN: | 3800157624589 |
| Box Qty: | 36 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-727RD |
| SKU: | 3665 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø70x75mm |
| Cutting Size: | N/A |
| EAN: | 3800157624596 |
| Box Qty: | 36 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-716SQ |
| SKU: | 3666 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 75x75x75mm |
| Cutting Size: | N/A |
| EAN: | 3800157624732 |
| Box Qty: | 36 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-716RD |
| SKU: | 3667 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø75x75mm |
| Cutting Size: | N/A |
| EAN: | 3800157624749 |
| Box Qty: | 36 Pcs |

0

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-762 |
| SKU: | 3648 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 215x120x60mm |
| Cutting Size: | 218x123mm |
| EAN: | 3800157618588 |
| Box Qty: | 20 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-763 |
| SKU: | 3649 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 120x120x50mm |
| Cutting Size: | 123x123mm |
| EAN: | 3800157618595 |
| Box Qty: | 24 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-764 |
| SKU: | 3650 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø140x40mm |
| Cutting Size: | Ø140mm |
| EAN: | 3800157618601 |
| Box Qty: | 20 Pcs |

Fitting-Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-765 |
| SKU: | 3651 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 100x100x30mm |
| Cutting Size: | 103x103mm |
| EAN: | 3800157618618 |
| Box Qty: | 30 Pcs |

Fitting-Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-771 |
| SKU: | 3652 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø100x30mm |
| Cutting Size: | Ø103mm |
| EAN: | 3800157618625 |
| Box Qty: | 20 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-772 |
| SKU: | 3653 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 132x132x74mm |
| Cutting Size: | 135x135mm |
| EAN: | 3800157618632 |
| Box Qty: | 20 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-776RD |
| SKU: | 3640 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø120x40mm |
| Cutting Size: | Ø123mm |
| EAN: | 3800157616348 |
| Box Qty: | 24 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-776SQ |
| SKU: | 3641 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 120x120x50mm |
| Cutting Size: | 123x123mm |
| EAN: | 3800157616355 |
| Box Qty: | 24 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-773 |
| SKU: | 3654 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø132x74mm |
| Cutting Size: | Ø132mm |
| EAN: | 3800157618649 |
| Box Qty: | 20 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-714 |
| SKU: | 3674 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 120x120x45mm |
| Cutting Size: | 123x123mm |
| EAN: | 3800157625180 |
| Box Qty: | 24 Pcs |

Fitting-Square-GU10-Frost Glass



| | |
|-------------------|---------------|
| Model No | VT-801SQ |
| SKU: | 3691 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 120x120x60mm |
| Cutting Size: | 123x123mm |
| EAN: | 3800157628938 |
| Box Qty: | 24 Pcs |

Fitting-Round-GU10-Frost Glass



| | |
|-------------------|---------------|
| Model No | VT-801RD |
| SKU: | 3692 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø120x60mm |
| Cutting Size: | Ø123mm |
| EAN: | 3800157628945 |
| Box Qty: | 24 Pcs |

Fitting-Round-GU10-2Pc Pack



| | |
|-------------------|---------------|
| Model No | VT-778-WH |
| SKU: | 3584 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø80x30mm |
| Cutting Size: | Ø65mm |
| EAN: | 3800157607131 |
| Box Qty: | 200 Pcs |

Fitting-Round-GU10-2Pc Pack



| | |
|------------------|---------------|
| Model No | VT-778-SN |
| SKU: | 3585 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | Ø80x30mm |
| Cutting Size: | Ø65mm |
| EAN: | 3800157607148 |
| Box Qty: | 200 Pcs |

Fitting-Round-GU10-2Pc Pack



| | |
|------------------|---------------|
| Model No | VT-778-CH |
| SKU: | 3586 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fxture: | Chrome |
| Dimension: | Ø80x30mm |
| Cutting Size: | Ø65mm |
| EAN: | 3800157607155 |
| Box Qty: | 200 Pcs |

Fitting-Round-GU10-Changing Angle



| | |
|------------------|---------------|
| Model No | VT-780-WH |
| SKU: | 3593 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø100x45mm |
| Cutting Size: | Ø90mm |
| EAN: | 3800157607223 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10-Changing Angle



| | |
|------------------|---------------|
| Model No | VT-780-SN |
| SKU: | 3594 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | Ø100x45mm |
| Cutting Size: | Ø90mm |
| EAN: | 3800157607230 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-774-WH |
| SKU: | 3642 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø81x34mm |
| Cutting Size: | Ø73mm |
| EAN: | 3800157617086 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|------------------|---------------|
| Model No | VT-774-SN |
| SKU: | 3643 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | Ø81x34mm |
| Cutting Size: | Ø73mm |
| EAN: | 3800157617093 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-774-MG |
| SKU: | 3644 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Metallic Grey |
| Dimension: | Ø81x34mm |
| Cutting Size: | Ø73mm |
| EAN: | 3800157617109 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|------------------|---------------|
| Model No | VT-775-WH |
| SKU: | 3645 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø95x32mm |
| Cutting Size: | Ø85mm |
| EAN: | 3800157617116 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|------------------|---------------|
| Model No | VT-775-SN |
| SKU: | 3646 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | Ø95x32mm |
| Cutting Size: | Ø85mm |
| EAN: | 3800157617123 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|------------------|---------------|
| Model No | VT-775-MG |
| SKU: | 3647 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Metallic Grey |
| Dimension: | Ø95x32mm |
| Cutting Size: | Ø85mm |
| EAN: | 3800157617130 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-782RD-WH |
| SKU: | 3599 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø91x25mm |
| Cutting Size: | Ø75mm |
| EAN: | 3800157607285 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|-----------------|
| Model No | VT-782RD-AB |
| SKU: | 3600 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Aluminium Brush |
| Dimension: | Ø91x25mm |
| Cutting Size: | Ø75mm |
| EAN: | 3800157607292 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-783RD-WH |
| SKU: | 3601 |
| Base: | 2XGU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 173x91x25mm |
| Cutting Size: | 155x75mm |
| EAN: | 3800157607308 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10



| | |
|------------------|-----------------|
| Model No | VT-783RD-AB |
| SKU: | 3602 |
| Base: | 2XGU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Aluminium Brush |
| Dimension: | 173x91x25mm |
| Cutting Size: | 155x75mm |
| EAN: | 3800157607315 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-784RD-WH |
| SKU: | 3603 |
| Base: | 3XGU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 255x91x25 |
| Cutting Size: | 235x75mm |
| EAN: | 3800157607322 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10




| | |
|------------------|-----------------|
| Model No | VT-784RD-AB |
| SKU: | 3604 |
| Base: | 3XGU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Aluminium Brush |
| Dimension: | 255x91x25mm |
| Cutting Size: | 235x75mm |
| EAN: | 3800157607339 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|------------------|---------------|
| Model No | VT-782SQ-WH |
| SKU: | 3605 |
| Base: | 1XGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 91x91x25mm |
| Cutting Size: | 75x75mm |
| EAN: | 3800157607346 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10




| | |
|------------------|-----------------|
| Model No | VT-782SQ-AB |
| SKU: | 3606 |
| Base: | 1XGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fxture: | Aluminium Brush |
| Dimension: | 91x91x25mm |
| Cutting Size: | 235x75mm |
| EAN: | 3800157607353 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-783SQ-WH |
| SKU: | 3607 |
| Base: | 2XGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 173x91x25mm |
| Cutting Size: | 155x75mm |
| EAN: | 3800157607360 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|-------------------|-----------------|
| Model No | VT-783SQ-AB |
| SKU: | 3608 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | Aluminium Brush |
| Dimension: | 173x91x25mm |
| Cutting Size: | 155x75mm |
| EAN: | 3800157607377 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|-------------------|---------------|
| Model No | VT-784SQ-WH |
| SKU: | 3609 |
| Base: | 3XGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 255x91x25mm |
| Cutting Size: | 235x75mm |
| EAN: | 3800157607384 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10



| | |
|-------------------|-----------------|
| Model No | VT-784SQ-AB |
| SKU: | 3610 |
| Base: | 3XGU10 |
| Material: | Aluminium |
| Shape: | Square |
| Color of Fixture: | Aluminium Brush |
| Dimension: | 255x91x25mm |
| Cutting Size: | 235x75mm |
| EAN: | 3800157607391 |
| Box Qty: | 50 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-7227RD-WH |
| SKU: | 3469 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | Ø99x30.8mm |
| Cutting Size: | Ø74mm |
| EAN: | 3800157605885 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-7227RD-SN |
| SKU: | 3470 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fixture: | Satin Nickel |
| Dimension: | Ø99x30.8mm |
| Cutting Size: | Ø74mm |
| EAN: | 3800157605892 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|-------------------|-----------------|
| Model No | VT-7227RD-SS |
| SKU: | 3471 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Round |
| Color of Fixture: | Stainless Steel |
| Dimension: | Ø99x30.8mm |
| Cutting Size: | Ø74mm |
| EAN: | 3800157605908 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-7227SQ-WH |
| SKU: | 3472 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 99x99x30.8mm |
| Cutting Size: | 74x74mm |
| EAN: | 3800157605915 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10




| | |
|-------------------|---------------|
| Model No | VT-7227SQ-SN |
| SKU: | 3473 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Square |
| Color of Fixture: | Satin Nickel |
| Dimension: | 99x99x30.8mm |
| Cutting Size: | 74x74mm |
| EAN: | 3800157605922 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10




| | |
|------------------|-----------------|
| Model No | VT-7227SQ-SS |
| SKU: | 3474 |
| Base: | GU10 |
| Material: | Ferrum |
| Shape: | Square |
| Color of Fxture: | Stainless Steel |
| Dimension: | 99x99x30.8mm |
| Cutting Size: | 74x74mm |
| EAN: | 3800157605939 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-785 |
| SKU: | 3611 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 88x38mm |
| Cutting Size: | Ø75mm |
| EAN: | 3800157607407 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-786 |
| SKU: | 3612 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 88x38mm |
| Cutting Size: | Ø75mm |
| EAN: | 3800157607414 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|------------------|-------------------|
| Model No | VT-711-W-RD |
| SKU: | 3669 |
| Base: | GU10 |
| Material: | Zinc Alloy+Ferrum |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 82x101mm |
| Cutting Size: | N/A |
| EAN: | 3800157625135 |
| Box Qty: | 50 Pcs |

Zoom Fitting



| | |
|------------------|---------------|
| Model No | VT-700W |
| SKU: | 3689 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | Ø102x46mm |
| Cutting Size: | 93mm |
| EAN: | 3800157628501 |
| Box Qty: | 50 Pcs |

Zoom Fitting



| | |
|------------------|---------------|
| Model No | VT-700S |
| SKU: | 3690 |
| Base: | GU10 |
| Material: | Aluminium |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | Ø102x46mm |
| Cutting Size: | 93mm |
| EAN: | 3800157628518 |
| Box Qty: | 50 Pcs |

Fitting-Square-GU10




| | |
|------------------|-------------------|
| Model No | VT-787RD-WH |
| SKU: | 3613 |
| Base: | GU10 |
| Material: | Zinc Alloy+Ferrum |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 84x38mm |
| Cutting Size: | 75mm |
| EAN: | 3800157607421 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|------------------|-------------------|
| Model No | VT-787RD-SN |
| SKU: | 3614 |
| Base: | GU10 |
| Material: | Zinc Alloy+Ferrum |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| Dimension: | 84x38mm |
| Cutting Size: | 75mm |
| EAN: | 3800157607438 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|------------------|-------------------|
| Model No | VT-787SQ-WH |
| SKU: | 3615 |
| Base: | GU10 |
| Material: | Zinc Alloy+Ferrum |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 84x84x38mm |
| Cutting Size: | 75mm |
| EAN: | 3800157607445 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|-------------------|-------------------|
| Model No | VT-787SQ-SN |
| SKU: | 3616 |
| Base: | GU10 |
| Material: | Zinc Alloy+Ferrum |
| Shape: | Square |
| Color of Fixture: | Satin Nickel |
| Dimension: | 84x84x38mm |
| Cutting Size: | 75mm |
| EAN: | 3800157607452 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|-------------------|------------------|
| Model No | VT-781RD-WH |
| SKU: | 3595 |
| Base: | GU10 |
| Material: | Aluminium+Ferrum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 100x45mm |
| Cutting Size: | 90mm |
| EAN: | 3800157607247 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|-------------------|------------------|
| Model No | VT-781RD-SN |
| SKU: | 3596 |
| Base: | GU10 |
| Material: | Aluminium+Ferrum |
| Shape: | Round |
| Color of Fixture: | Satin Nickel |
| Dimension: | 100x45mm |
| Cutting Size: | 90mm |
| EAN: | 3800157607254 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|-------------------|------------------|
| Model No | VT-781SQ-WH |
| SKU: | 3597 |
| Base: | GU10 |
| Material: | Aluminium+Ferrum |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 100x100x38mm |
| Cutting Size: | 90x90mm |
| EAN: | 3800157607261 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|-------------------|------------------|
| Model No | VT-781SQ-SN |
| SKU: | 3598 |
| Base: | GU10 |
| Material: | Aluminium+Ferrum |
| Shape: | Square |
| Color of Fixture: | Satin Nickel |
| Dimension: | 100x100x38mm |
| Cutting Size: | 90x90mm |
| EAN: | 3800157607278 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-779-WH-RD |
| SKU: | 3587 |
| Base: | GU10 |
| Material: | Zinc Alloy |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157607162 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-779-SN-RD |
| SKU: | 3588 |
| Base: | GU10 |
| Material: | Zinc Alloy |
| Shape: | Round |
| Color of Fixture: | Satin Nickel |
| Dimension: | 82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157607179 |
| Box Qty: | 100 Pcs |

Fitting Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-779-B |
| SKU: | 8580 |
| Base: | GU10 |
| Material: | Zinc alloy |
| Shape: | Round |
| Color of Fixture: | Bronze |
| Dimension: | 82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157651851 |
| Box Qty: | 100 Pcs |

Fitting Round-GU10



| | |
|-------------------|---------------|
| Model No | VT-779-G |
| SKU: | 8579 |
| Base: | GU10 |
| Material: | Zinc alloy |
| Shape: | Round |
| Color of Fixture: | Gold |
| Dimension: | 82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157651844 |
| Box Qty: | 100 Pcs |

Fitting-Round-GU10



| | |
|------------------|---------------|
| Model No | VT-779-CH-RD |
| SKU: | 3589 |
| Base: | GU10 |
| Material: | Zinc Alloy |
| Shape: | Round |
| Color of Fxture: | Chrome |
| Dimension: | 82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157607186 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|------------------|---------------|
| Model No | VT-779-WH-SQ |
| SKU: | 3590 |
| Base: | GU10 |
| Material: | Zinc Alloy |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 82x82x22mm |
| Cutting Size: | 74mm |
| EAN: | 3800157607193 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10



| | |
|------------------|---------------|
| Model No | VT-779-SN-SQ |
| SKU: | 3591 |
| Base: | GU10 |
| Material: | Zinc Alloy |
| Shape: | Square |
| Color of Fxture: | Satin Nickel |
| Dimension: | 82x82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157607209 |
| Box Qty: | 100 Pcs |

Fitting-Square-GU10




| | |
|------------------|---------------|
| Model No | VT-779-CH-SQ |
| SKU: | 3592 |
| Base: | GU10 |
| Material: | Zinc Alloy |
| Shape: | Square |
| Color of Fxture: | Chrome |
| Dimension: | 82x82x25mm |
| Cutting Size: | 74mm |
| EAN: | 3800157607216 |
| Box Qty: | 100 Pcs |

Fitting Square-GU10



| | |
|------------------|---------------|
| Model No | VT-779-SB |
| SKU: | 8582 |
| Base: | GU10 |
| Material: | Zinc alloy |
| Shape: | Square |
| Color of Fxture: | Bronze |
| Dimension: | 82x82x22mm |
| Cutting Size: | 74mm |
| EAN: | 3800157651875 |
| Box Qty: | 100 Pcs |

Fitting Square-GU10




| | |
|------------------|---------------|
| Model No | VT-779-SG |
| SKU: | 8581 |
| Base: | GU10 |
| Material: | Zinc alloy |
| Shape: | Square |
| Color of Fxture: | Gold |
| Dimension: | 82x82x22mm |
| Cutting Size: | 74mm |
| EAN: | 3800157651868 |
| Box Qty: | 100 Pcs |

Fitting-Round-G9




| | |
|------------------|---------------|
| Model No | VT-858RD |
| SKU: | 3694 |
| Base: | G9 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fxture: | White |
| Dimension: | 70x90x95mm |
| Cutting Size: | N/A |
| EAN: | 3800157633536 |
| Box Qty: | 24 Pcs |

Fitting-Square-G9




| | |
|------------------|---------------|
| Model No | VT-858SQ |
| SKU: | 3695 |
| Base: | G9 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 70x100x100mm |
| Cutting Size: | N/A |
| EAN: | 3800157633543 |
| Box Qty: | 24 Pcs |

Fitting-Square-GU10




| | |
|------------------|---------------|
| Model No | VT-859SQ |
| SKU: | 3696 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Square |
| Color of Fxture: | White |
| Dimension: | 100x100x40mm |
| Cutting Size: | 103x103mm |
| EAN: | 3800157633550 |
| Box Qty: | 40 Pcs |

Fitting-Round-GU10




| | |
|-------------------|---------------|
| Model No | VT-859RD |
| SKU: | 3697 |
| Base: | GU10 |
| Material: | Gypsum |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | ø100x40mm |
| Cutting Size: | ø103 |
| EAN: | 3800157633567 |
| Box Qty: | 40 Pcs |

Fitting-Suspended-GU10




| | |
|-------------------|----------------------|
| Model No | VT-864-G |
| SKU: | 3111 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Matt Rose Gold |
| Dimension: | ø250x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157634366 |
| Box Qty: | 9 Pcs |

Fitting-Pendant Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-864-GBC |
| SKU: | 3134 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Gun Black |
| Dimension: | ø250x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635332 |
| Box Qty: | 9 pcs |

Fitting-Pendant Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-864CHC |
| SKU: | 3135 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Chrome |
| Dimension: | ø250x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635349 |
| Box Qty: | 9 pcs |

Fitting-Pendant Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-864-GB |
| SKU: | 3112 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Gun Black |
| Dimension: | ø250x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157634373 |
| Box Qty: | 9 pcs |

Fitting-Pendant Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-864-CH |
| SKU: | 3129 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Chrome |
| Dimension: | ø250x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157634540 |
| Box Qty: | 9 pcs |

Fitting-Pendant Metal-1XGU10




| | |
|-------------------|---------------------|
| Model No | VT-864-MR |
| SKU: | 3130 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Matt Rose Gold |
| Dimension: | ø250x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635325 |
| Box Qty: | 9 pcs |

Fitting-Surface Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-865-GBM |
| SKU: | 3136 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Gun Black |
| Dimension: | ø200x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635356 |
| Box Qty: | 9 pcs |

Fitting-Surface Metal-1XGU10




| | |
|-------------------|---------------------|
| Model No | VT-865-MRC |
| SKU: | 3137 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Matt Rose Gold |
| Dimension: | ø200x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635363 |
| Box Qty: | 9 pcs |

Fitting-Surface Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-865CHC |
| SKU: | 3138 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Chrome |
| Dimension: | ø200x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635370 |
| Box Qty: | 9 pcs |

Fitting-Surface Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-865-GBC |
| SKU: | 3139 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Gun Black |
| Dimension: | ø200x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157635387 |
| Box Qty: | 9 pcs |

Fitting-Surface Metal-1XGU10




| | |
|-------------------|----------------------|
| Model No | VT-865-MRM |
| SKU: | 3113 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Matt Rose Gold |
| Dimension: | ø200x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157634380 |
| Box Qty: | 9 pcs |

Fitting-Surface Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-865CHM |
| SKU: | 3114 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Chrome |
| Dimension: | ø200x80mm |
| Cutting Size: | N/A |
| EAN: | 3800157634397 |
| Box Qty: | 9 pcs |

Fitting-Square Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-860-GB |
| SKU: | 3140 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White+Gun Black |
| Dimension: | 100x100x130mm |
| Cutting Size: | N/A |
| EAN: | 3800157635394 |
| Box Qty: | 12pcs |

Fitting-Square Metal-1XGU10




| | |
|-------------------|---------------------|
| Model No | VT-860-MRM |
| SKU: | 3141 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | Grey+Matt Rose Gold |
| Dimension: | 100x100x130mm |
| Cutting Size: | N/A |
| EAN: | 3800157635400 |
| Box Qty: | 12pcs |

Fitting-Square Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-860-CHM |
| SKU: | 3142 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | Grey+Chrome |
| Dimension: | 100x100x130mm |
| Cutting Size: | N/A |
| EAN: | 3800157635417 |
| Box Qty: | 12pcs |

Fitting-Square Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-860-GBM |
| SKU: | 3143 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | Grey+Gun Black |
| Dimension: | 100x100x130mm |
| Cutting Size: | N/A |
| EAN: | 3800157635424 |
| Box Qty: | 12pcs |

Fitting-Square Metal-1XGU10




| | |
|-------------------|----------------------|
| Model No | VT-860-MR |
| SKU: | 3115 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White+Matt Rose Gold |
| Dimension: | 100x100x130mm |
| Cutting Size: | N/A |
| EAN: | 3800157634403 |
| Box Qty: | 12pcs |

Fitting-Square Metal-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-860-CH |
| SKU: | 3116 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White+Chrome |
| Dimension: | 100x100x130mm |
| Cutting Size: | N/A |
| EAN: | 3800157634410 |
| Box Qty: | 12pcs |

Fitting Square-GU10




| | |
|-------------------|-------------------------------|
| Model No | VT-882-B |
| SKU: | 8584 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Square |
| Color of Fixture: | White frame + Black reflector |
| Dimension: | 74x74x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651899 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|--------------------------------|
| Model No | VT-882-C |
| SKU: | 8585 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Square |
| Color of Fixture: | White frame + Chrome reflector |
| Dimension: | 74x74x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651905 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|------------------------------|
| Model No | VT-882-G |
| SKU: | 8586 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Square |
| Color of Fixture: | White frame + Gold reflector |
| Dimension: | 74x74x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651912 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|-----------------------------------|
| Model No | VT-882-SRG |
| SKU: | 8587 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Square |
| Color of Fixture: | White frame + Rose gold reflector |
| Dimension: | 74x74x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651929 |
| Box Qty: | 50 Pcs |

Fitting Square-GU10




| | |
|-------------------|-------------------------------|
| Model No | VT-882-SW |
| SKU: | 8583 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Square |
| Color of Fixture: | White frame + White reflector |
| Dimension: | 74x74x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651882 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|-------------------------------|
| Model No | VT-882-RB |
| SKU: | 8589 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fixture: | White frame + Black reflector |
| Dimension: | ø80x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651943 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|--------------------------------|
| Model No | VT-882-RC |
| SKU: | 8590 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fixture: | White frame + Chrome reflector |
| Dimension: | ø80x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651950 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10




| | |
|-------------------|------------------------------|
| Model No | VT-882-RG |
| SKU: | 8591 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fixture: | White frame + Gold reflector |
| Dimension: | ø80x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651967 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10



| | |
|------------------|-----------------------------------|
| Model No | VT-882-RRG |
| SKU: | 8592 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fxture: | White frame + Rose gold reflector |
| Dimension: | ø80x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651974 |
| Box Qty: | 50 Pcs |

Fitting Round-GU10



| | |
|------------------|-------------------------------|
| Model No | VT-882-RW |
| SKU: | 8588 |
| Base: | GU10 |
| Material: | Aluminium + PC |
| Shape: | Round |
| Color of Fxture: | White frame + White reflector |
| Dimension: | ø80x140mm |
| Cutting Size: | NA |
| EAN: | 3800157651936 |
| Box Qty: | 50 Pcs |

Fitting-Recessed-1XGU10




| | |
|------------------|----------------------|
| Model No | VT-862-MRW |
| SKU: | 3117 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fxture: | White+Matt Rose Gold |
| Dimension: | 100x100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634427 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|------------------|---------------------|
| Model No | VT-862-MRG |
| SKU: | 3118 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fxture: | Grey+Matt Rose Gold |
| Dimension: | 100x100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634434 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|------------------|-------------------|
| Model No | VT-862-CHW |
| SKU: | 3119 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fxture: | White+Chrome |
| Dimension: | 100x100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634441 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|------------------|-------------------|
| Model No | VT-862-CHG |
| SKU: | 3120 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fxture: | Grey+Chrome |
| Dimension: | 100x100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634458 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10




| | |
|------------------|--------------------------|
| Model No | VT-862-MRR |
| SKU: | 3121 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fxture: | Off White+Matt Rose Gold |
| Dimension: | 100x100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634465 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10




| | |
|------------------|-------------------|
| Model No | VT-862-CHR |
| SKU: | 3122 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fxture: | Off White+Chrome |
| Dimension: | 100x100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634472 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|------------------|----------------------|
| Model No | VT-862-MRP |
| SKU: | 3123 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fxture: | White+Matt Rose Gold |
| Dimension: | ø100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634489 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10




| | |
|-------------------|---------------------|
| Model No | VT-862-MGRD |
| SKU: | 3124 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Matt Rose Gold |
| Dimension: | ø100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634496 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|-------------------|--------------------------|
| Model No | VT-862-MRC |
| SKU: | 3125 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Off White+Matt Rose Gold |
| Dimension: | ø100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634502 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10




| | |
|-------------------|-------------------|
| Model No | VT-862-MRD |
| SKU: | 3126 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Off White+Chrome |
| Dimension: | ø100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634519 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|-------------------|-------------------|
| Model No | VT-862-CRD |
| SKU: | 3127 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Chrome |
| Dimension: | ø100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634526 |
| Box Qty: | 24 pcs |

Fitting-Recessed-1XGU10



| | |
|-------------------|-------------------|
| Model No | VT-862-MG |
| SKU: | 3128 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | Grey+Chrome |
| Dimension: | ø100x40mm |
| Cutting Size: | ø80mm |
| EAN: | 3800157634533 |
| Box Qty: | 24 pcs |

Fitting-Ceiling Metal-1XGU10



| | |
|-------------------|-------------------|
| Model No | VT-863 |
| SKU: | 3144 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | 200x200mm |
| Cutting Size: | 206x206mm |
| EAN: | 3800157634557 |
| Box Qty: | 12 pcs |

Fitting-Recessed-Black Metal-Round




| | |
|-------------------|-------------------|
| Model No | VT-866-BRD |
| SKU: | 3145 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Black |
| Dimension: | ø100mm |
| Cutting Size: | ø103mm |
| EAN: | 3800157635592 |
| Box Qty: | 30 pcs |

Fitting-Recessed-Chrome Metal-Round



| | |
|-------------------|-------------------|
| Model No | VT-866-CRD |
| SKU: | 3146 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Chrome |
| Dimension: | ø100mm |
| Cutting Size: | ø103mm |
| EAN: | 3800157635608 |
| Box Qty: | 30 pcs |

Fitting-Recessed-Matt Rose Gold Metal-Round



| | |
|-------------------|----------------------|
| Model No | VT-866-MRD |
| SKU: | 3147 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White+Matt Rose Gold |
| Dimension: | ø100mm |
| Cutting Size: | ø103mm |
| EAN: | 3800157635615 |
| Box Qty: | 30 pcs |

Fitting-Recessed-Black Metal-Square



| | |
|-------------------|-------------------|
| Model No | VT-866-BSQ |
| SKU: | 3148 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White+Black |
| Dimension: | ø100x100mm |
| Cutting Size: | 103x103mm |
| EAN: | 3800157635622 |
| Box Qty: | 30 pcs |

Fitting-Recessed-Chrome Metal-Square




| | |
|-------------------|-------------------|
| Model No | VT-866-CSQ |
| SKU: | 3149 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White+Chrome |
| Dimension: | ø100x100mm |
| Cutting Size: | 103x103mm |
| EAN: | 3800157635639 |
| Box Qty: | 30 pcs |

Fitting-Recessed-Matt Rose Gold-Square




| | |
|-------------------|----------------------|
| Model No | VT-866-GSQ |
| SKU: | 3150 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White+Matt Rose Gold |
| Dimension: | ø100x100mm |
| Cutting Size: | 103x103mm |
| EAN: | 3800157635646 |
| Box Qty: | 30 pcs |

Fitting-Recessed-Square




| | |
|-------------------|-------------------|
| Model No | VT-867-SQ |
| SKU: | 3151 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Square |
| Color of Fixture: | White |
| Dimension: | ø120x120mm |
| Cutting Size: | 125x125mm |
| EAN: | 3800157635653 |
| Box Qty: | 24 Pcs |

Fitting-Recessed-Round



| | |
|-------------------|-------------------|
| Model No | VT-867-RD |
| SKU: | 3152 |
| Base: | GU10 |
| Material: | Gypsum with metal |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | ø120mm |
| Cutting Size: | ø125mm |
| EAN: | 3800157635660 |
| Box Qty: | 24 Pcs |



Ceiling Fitting-Gu10



| | |
|-------------------|---------------|
| Model No | VT-788 |
| SKU: | 3617 |
| Base: | 1XGU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| Dimension: | 140x75x138mm |
| Cutting Size: | NA |
| EAN: | 3800157607469 |
| Box Qty: | 20 Pcs |

Ceiling Fitting-Gu10



| | |
|-------------------|---------------|
| Model No | VT-789 |
| SKU: | 3618 |
| Base: | 2XGU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| Dimension: | 230x75x138mm |
| Cutting Size: | NA |
| EAN: | 3800157607476 |
| Box Qty: | 20 Pcs |

Ceiling Fitting-Gu10



| | |
|-------------------|---------------|
| Model No | VT-790 |
| SKU: | 3619 |
| Base: | 3XGU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| Dimension: | 390x75x138mm |
| Cutting Size: | NA |
| EAN: | 3800157607483 |
| Box Qty: | 10 Pcs |

Ceiling/Wall Fitting-Gu10

NEW

| | |
|-------------------|---------------|
| Model No | VT-823 |
| SKU: | 7980 |
| Base: | 1XGU10 |
| Material: | PC |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 120x144.8mm |
| Cutting Size: | NA |
| EAN: | 3800157655453 |
| Box Qty: | 50 Pcs |

Ceiling/Wall Fitting-Gu10

NEW


| | |
|-------------------|---------------|
| Model No | VT-897 |
| SKU: | 7981 |
| Base: | 2XGU10 |
| Material: | PC |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 120x144.8mm |
| Cutting Size: | NA |
| EAN: | 3800157655460 |
| Box Qty: | 50 Pcs |

Ceiling/Wall Fitting-Gu10

NEW

| | |
|-------------------|---------------|
| Model No | VT-899 |
| SKU: | 7982 |
| Base: | 3XGU10 |
| Material: | PC |
| Shape: | Round |
| Color of Fixture: | White |
| Dimension: | 145x144.8mm |
| Cutting Size: | NA |
| EAN: | 3800157655477 |
| Box Qty: | 20 Pcs |

Gu10-Holder-PVC Cable



| | |
|-------------------|---------------|
| Model No | PVC Cable-5pc |
| SKU: | 34235 |
| Base: | GU10 |
| Material: | Ceramic |
| Color of Fixture: | White |
| Wire length: | 150mm |
| EAN: | 3800157609982 |
| Box Qty: | 100 Pcs |

Gu10-Holder-PVC Cable



| | |
|-------------------|---------------|
| Model No | PVC Cable |
| SKU: | 3423 |
| Base: | GU10 |
| Material: | Ceramic |
| Color of Fixture: | White |
| Wire length: | 150mm |
| EAN: | 3800157607827 |
| Box Qty: | 500 Pcs |

GU10 Silicon Wire-5Pc Pack



| | |
|-------------------|-------------------|
| Model No | VT-791 |
| SKU: | 36205 |
| Base: | GU10 |
| Material: | Aluminium Ceramic |
| Color of Fixture: | White |
| Wire length: | 158mm |
| EAN: | 3800157636063 |
| Box Qty: | 500 Pcs |

GU10 Silicon Wire



| | |
|-------------------|-------------------|
| Model No | VT-791-W |
| SKU: | 3620 |
| Base: | GU10 |
| Material: | Aluminium Ceramic |
| Color of Fixture: | White |
| Wire length: | 158mm |
| EAN: | 3800157607704 |
| Box Qty: | 500 Pcs |

Mr16-Lampholder-5Pc Pack



| | |
|-------------------|---------------|
| Model No | VT-7889 |
| SKU: | 36265 |
| Base: | MR16 |
| Material: | Ceramic |
| Color of Fixture: | White |
| Wire length: | 150mm |
| EAN: | 3800157609999 |
| Box Qty: | 100 Pcs |



LED PAR Lamps & AR111

V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.

Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

Applications


Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting






Including 2 reflectors (40° already mounted)

20°

40°



Instructions to change the reflector




AR111 Downlight

20W VT-1121

- SKU: 2792 | 3000K Warm White | 3800157650090
- SKU: 2793 | 4000K Day White | 3800157650106
- SKU: 2794 | 6400K White | 3800157650113

| | |
|--------------------|------------------|
| EQ. Watts: | 130w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1800lm |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------|--------------------|
| Base: | N/A |
| Beam Angle: | 40°/20° |
| Body Type: | Die Cast Aluminium |
| Dimension: | Ø111x53mm |
| Box Qty: | 50 Pcs |



AR111 Downlight

20W VT-1120-20



SKU: 1243 - 3000K Warm White 3800157606004
 SKU: 1244 - 4500K Day White 3800157606011
 SKU: 1245 - 6000K White 3800157606028



EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.7**
 Base: **N/A**
 Beam Angle: **20°**

Body Type: **Die Cast Aluminium**
 Dimension: **Ø111x53mm**
 Box Qty: **50 Pcs**



AR111 Downlight

20W VT-1120-40



SKU: 1246 - 3000K Warm White 3800157606035
 SKU: 1247 - 4500K Day White 3800157606042
 SKU: 1248 - 6000K White 3800157606059



EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.7**
 Base: **N/A**
 Beam Angle: **40°**

Body Type: **Die Cast Aluminium**
 Dimension: **Ø111x53mm**
 Box Qty: **50 Pcs**



AR111-G53

15W VT-1110-20

SKU: 4084 - 3000K Warm White 3800230620064
 SKU: 4062 - 4000K Day White 3800230620057
 SKU: 4061 - 6400K White 3800230620040





EQ. Watts: **75w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.9**
 Base: **G53**
 Beam Angle: **20°**

20°
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**
 Box Qty: **60 Pcs**



AR111-G53

15W VT-1110-40

SKU: 4257 - 3000K Warm White 3800230628664
 SKU: 4256 - 4000K Day White 3800230628657
 SKU: 4255 - 6400K White 3800230628640





EQ. Watts: **25w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.9**
 Base: **G53**
 Beam Angle: **40°**

40°
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**
 Box Qty: **60 Pcs**



AR111-GU10

12W VT-1112



SKU: 4224 - 2700K Warm White 3800230626257
 SKU: 4223 - 4000K Day White 3800230626219
 SKU: 4225 - 6400K White 3800230626264



EQ. Watts: **60w**
 Voltage/Frequency: **AC:200-240V,50Hz**
 Luminous Flux: **900lm**
 LED Type: **COB**

CRI: **>80**
 PF: **>0.9**
 Base: **GU10**
 Beam Angle: **40°**

Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86mm**
 Box Qty: **60 Pcs**






AR111-GU10
12W VT-1112D

SKU: 7234 - 3000K Warm White 3800157620055
SKU: 7235 - 4500K Day White 3800157620062
SKU: 7236 - 6000K White 3800157620079





DIMMABLE



EQ. Watts: 60w
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 900lm
LED Type: COB



CRI: >80
PF: >0.9
Base: GU10
Beam Angle: 40°

Body Type: Plastic Clad Aluminium
Dimension: Ø111x86mm
Box Qty: 60 Pcs





AR111-Accessories

Model No: VT-7221-W
SKU: 3575
Base: 1XAR111
Material: Aluminium
Color of Fixture: White
Dimension: 174x174 mm
Cutting Size: 163x163mm
EAN: 3800157604765
Box Qty: 24 Pcs





AR111-Accessories

Model No: VT-7222-W
SKU: 3576
Base: 2XAR111
Material: Aluminium
Color of Fixture: White
Dimension: 325x174mm
Cutting Size: 167x305mm.
EAN: 3800157604772
Box Qty: 12 Pcs




AR111-Accessories

Model No: VT-7223-W
SKU: 3577
Base: 3XAR111
Material: Aluminium
Color of Fixture: White
Dimension: 475x174mm
Cutting Size: 168x455mm
EAN: 3800157604789
Box Qty: 12 Pcs





AR111-Accessories

Model No: VT-7221-B
SKU: 3581
Base: 1XAR111
Material: Aluminium
Color of Fixture: Black
Dimension: 174x174 mm
Cutting Size: 163x163mm
EAN: 3800157607063
Box Qty: 24 Pcs



AR111-Accessories

Model No: VT-7222-B
SKU: 3582
Base: 2XAR111
Material: Aluminium
Color of Fixture: Black
Dimension: 325x174 mm
Cutting Size: 167x305mm.
EAN: 3800157607070
Box Qty: 12 Pcs



AR111-Accessories

Model No: VT-7223-B
SKU: 3583
Base: 3XAR111
Material: Aluminium
Color of Fixture: Black
Dimension: 475x174mm
Cutting Size: 168x455mm
EAN: 3800157607087
Box Qty: 12 Pcs



LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof / airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

Applications



Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots



E Series-White Body
10w VT-4011W

SKU: 5943 - 3000K Warm White 3800157625364
 SKU: 5944 - 4000K Day White 3800157625371
 SKU: 5945 - 6500K White 3800157625388



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 850lm |
| Color of Fixture: | White |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 110x112x22mm |
| Box Qty: | 40 Pcs |



E Series-White Body
20w VT-4021W

SKU: 5949 - 3000K Warm White 3800157625425
 SKU: 5950 - 4000K Day White 3800157625432
 SKU: 5951 - 6500K White 3800157625449



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1700lm |
| Color of Fixture: | White |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 150x143x26mm |
| Box Qty: | 20 Pcs |



E Series-White Body
30w VT-4031W

SKU: 5955 - 3000K Warm White 3800157625487
 SKU: 5956 - 4000K Day White 3800157625494
 SKU: 5957 - 6500K White 3800157625500

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2550lm |
| Color of Fixture: | White |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 185x163x26mm |
| Box Qty: | 20 Pcs |








IP65
RATING

E Series-White Body

50W VT-4051W

SKU: 5961 - 3000K Warm White 3800157625548
SKU: 5962 - 4000K Day White 3800157625555
SKU: 5963 - 6500K White 3800157625562

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 4250lm |
| Color of Fixture: | White |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 245x192x28mm |
| Box Qty: | 10 Pcs |





IP65
RATING

E Series-White Body

100W VT-40101W

SKU: 5967 - 3000K Warm White 3800157625609
SKU: 5968 - 4000K Day White 3800157625616
SKU: 5969 - 6500K White 3800157625623

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 8500lm |
| Color of Fixture: | White |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 330x271x33mm |
| Box Qty: | 5 Pcs |





IP65
RATING

Slimline-White Body-White Wire

100W VT-49101W

SKU: 5972 - 6400K White 3800157626255

| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 8500lm |
| Color of Fixture: | White |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 100° |
| Body Type: | Die Cast Aluminium |
| Dimension: | 291x240x30mm |
| Box Qty: | 4 Pcs |






E Series-Black Body

10w VT-4011

SKU: 5988 - Green 3800157625333
 SKU: 5989 - Red 3800157625340
 SKU: 5990 - Blue 3800157625357



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 110x112x22mm |
| Box Qty: | 40 Pcs |



IP65
RATING



Red



Green




Blue



E Series-Black Body

20w VT-4021

SKU: 5991 - Green 3800157625395
 SKU: 5992 - Red 3800157625401
 SKU: 5993 - Blue 3800157625418



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 150x143x26mm |
| Box Qty: | 20 Pcs |



IP65
RATING



Red



Green




Blue




E Series-Black Body

10w VT-4011B

SKU: 5940 - 3000K Warm White 3800157625333
 SKU: 5941 - 4000K Day White 3800157625340
 SKU: 5942 - 6500K White 3800157625357



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 850lm |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 110x112x22mm |
| Box Qty: | 40 Pcs |





IP65
RATING



E Series-Black Body 20W VT-4021B

SKU: 5946 - 3000K Warm White 3800157625395
 SKU: 5947 - 4000K Day White 3800157625401
 SKU: 5948 - 6500K White 3800157625418

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1700lm |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 150x143x26mm |
| Box Qty: | 20 Pcs |





**IP65
RATING**



E Series-Black Body 30W VT-4031B

SKU: 5952 - 3000K Warm White 3800157625456
 SKU: 5953 - 4000K Day White 3800157625463
 SKU: 5954 - 6500K White 3800157625470

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2550lm |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 185x163x26mm |
| Box Qty: | 20 Pcs |





**IP65
RATING**



E Series-Black Body 50W VT-4051B

SKU: 5958 - 3000K Warm White 3800157625517
 SKU: 5959 - 4000K Day White 3800157625524
 SKU: 5960 - 6500K White 3800157625531

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 4250lm |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 245x192x28mm |
| Box Qty: | 10 Pcs |




**IP65
RATING**




E Series-Black Body
100W VT-40101B

SKU: 5964 - 3000K Warm White 3800157625579
 SKU: 5965 - 4000K Day White 3800157625586
 SKU: 5966 - 6500K White 3800157625593



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 8500lm |
| Color of Fixture: | Black |
| CRI: | >70 |
| PF: | >0.9 |
| IP Rating: | IP65 |
| Beam Angle: | 110° |
| Body Type: | Aluminium |
| Dimension: | 330x271x33mm |
| Box Qty: | 5 Pcs |



Solar-Floodlight
VT-777-5 **5W**

SKU: 8547 - 4000K Day White 3800157639194

| | |
|-------------------|--------------------|
| Battery: | 3000mAh |
| Luminous Flux: | 500lm |
| Color of Fixture: | Black |
| Charging Time: | 6-7 Hours |
| Working Time: | Max 36 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 90° |
| CRI: | >70 |
| Body Type: | ABS+PC |
| Dimension: | 217.4x149.3x33.7mm |
| Box Qty: | 18Pcs |



Solar-Floodlight
VT-787-10 **10w**

SKU: 8550 - 4000K Day White 3800157639224

| | |
|-------------------|--------------|
| Battery: | 3000mAh |
| Luminous Flux: | 1100lm |
| Color of Fixture: | Black |
| Charging Time: | 6-7 Hours |
| Working Time: | Max 24 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 90° |
| CRI: | >70 |
| Body Type: | ABS+PC |
| Dimension: | 300x215x35mm |
| Box Qty: | 8Pcs |






Solar-Floodlight VT-788-10 10w

SKU: 8674 - 4000K Day White 3800157652629

| | |
|--------------------|--------------|
| Battery: | 7200mAh |
| Voltage/Frequency: | |
| Luminous Flux: | 1100lm |
| Color of Fixture: | Black |
| Charging Time: | 6-7 Hours |
| Working Time: | Max 24 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 90° |
| CRI: | >80 |
| Body Type: | Aluminium |
| Dimension: | 232x166x33mm |
| Box Qty: | 10 Pcs |




12W Solar Panel with LED Floodlight

VT-25W

SKU: 8573 - 4000K Day White 3800157645584
SKU: 94006 - 6000K White 3800157645744

| | |
|--------------------|--------------|
| Battery: | 5000mAh |
| Voltage/Frequency: | DC:3.2V |
| Luminous Flux: | 550lm |
| Color of Fixture: | Black |
| Charging Time: | 4 Hours |
| Working Time: | 8 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 120° |
| CRI: | >70 |
| Body Type: | Aluminium |
| Dimension: | 205x50x170mm |
| Box Qty: | 8Pcs |




16W Solar Panel with LED Floodlight

VT-40W

SKU: 8574 - 4000K Day White 3800157645591
SKU: 94008 - 6000K White 3800157645751


| | |
|--------------------|--------------|
| Battery: | 10000mAh |
| Voltage/Frequency: | DC:3.2V |
| Luminous Flux: | 1050lm |
| Color of Fixture: | Black |
| Charging Time: | 4 Hours |
| Working Time: | 8 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 120° |
| CRI: | >70 |
| Body Type: | Aluminium |
| Dimension: | 247x65x210mm |
| Box Qty: | 6Pcs |



20W Solar Panel with LED Floodlight
VT-60W

SKU: 8575 - 4000K Day White 3800157645607
SKU: 94010 - 6000K White 3800157645768


| | |
|--------------------|--------------|
| Battery: | 10000mAh |
| Voltage/Frequency: | DC:6.4V |
| Luminous Flux: | 1650lm |
| Color of Fixture: | Black |
| Charging Time: | 4 Hours |
| Working Time: | 8 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 120° |
| CRI: | >70 |
| Body Type: | Aluminium |
| Dimension: | 270x70x238mm |
| Box Qty: | 5Pcs |



35W Solar Panel with LED Floodlight
VT-100W

SKU: 8576 - 4000K Day White 3800157645614
SKU: 94012 - 6000K White 3800157645775

| | |
|--------------------|--------------|
| Battery: | 15000mAh |
| Voltage/Frequency: | DC:6.4V |
| Luminous Flux: | 2450lm |
| Color of Fixture: | Black |
| Charging Time: | 4 Hours |
| Working Time: | 8 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 120° |
| CRI: | >70 |
| Body Type: | Aluminium |
| Dimension: | 325x85x280mm |
| Box Qty: | 2Pcs |



40W Solar Panel with LED Floodlight
VT-200W

SKU: 8577 - 4000K Day White 3800157645621
SKU: 94026 - 6000K White 3800157645782

| | |
|--------------------|--------------|
| Battery: | 20000mAh |
| Voltage/Frequency: | DC:10V |
| Luminous Flux: | 3100lm |
| Color of Fixture: | Black |
| Charging Time: | 4 Hours |
| Working Time: | 8 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 120° |
| CRI: | >70 |
| Body Type: | Aluminium |
| Dimension: | 353x90x304mm |
| Box Qty: | 2Pcs |



50W Solar Panel with LED Floodlight VT-300W

SKU: 8578 - 4000K Day White 3800157645638
SKU: 94027 - 6000K White 3800157645799



| | |
|--------------------|--------------|
| Battery: | 25000mAh |
| Voltage/Frequency: | DC:10V |
| Luminous Flux: | 4200lm |
| Color of Fixture: | Black |
| Charging Time: | 4 Hours |
| Working Time: | 8 Hours |
| IP Rating: | IP65 |
| Beam Angle: | 120° |
| CRI: | >70 |
| Body Type: | Aluminium |
| Dimension: | 437x90x356mm |
| Box Qty: | 2Pcs |



Solar Streetlight-Black Cover

15W VT-ST15

SKU: 8549 - 4000K Day White 3800157639200
SKU: 8548 - 6000K White 3800157639217

| | |
|------------------|-------------------------------|
| Battery: | 7.4V Lithium Battery,10800mAh |
| Lumens: | 1600lm |
| No. of LED: | 40 |
| Detecting Angle: | 120° |
| Sensing Range: | 3-8M |

| | |
|----------------|--------------|
| Charging Time: | 6-7 Hours |
| IP Rating: | IP65 |
| Material: | ABS+PC |
| Dimension: | 413x232x58mm |
| Working Time: | 2-36 Hours |

50W Solar Panel With Streetlight

VT-ST200

SKU: 5502 - 4000K Day White 3800157652339



| | |
|---------------------|----------------------------|
| Battery: | Li-ion 6.4V/27.5AH Battery |
| Charging Time: | 4-6 hrs Sunlight Charging |
| Working Time: Volt- | 12-15Hours |
| age/Frequency: | DC:3.2V |
| Luminous Flux: | 4000lm |
| LED Type: | SMD |

| | |
|-------------|-----------|
| IP Rating: | IP65 |
| CRI: | >70 |
| Beam Angle: | 120° |
| Body Type: | Aluminium |
| Box Qty: | 1 Pcs |



NEW



Floodlight-Remote Control-RGB

30W VT-4932

SKU: 5995 - RGB


3800157655064



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V**
 Color of Fixture: **Black**

PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **185x163x26mm**
 Box Qty: **20Pcs**



NEW



Floodlight-Remote Control-RGB

50W VT-4952

SKU: 5996 - RGB


3800157655071



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V**
 Color of Fixture: **Black**

PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **245x192x28mm**
 Box Qty: **10Pcs**



Floodlight-Infrared-RGB

10w VT-4711IF

SKU: 5895 - RGB


3800157617529



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **800lm**
 Color of Fixture: **Grey**

CRI: **>80**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **100°**

Body Type: **Die Cast Aluminium**
 Dimension: **87X115X85mm**
 Box Qty: **20 Pcs**



Floodlight-Remote Control-RGB

30W VT-4732

SKU: 5755 - RGB


3800157609517



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V**
 Luminous Flux: **2400lm**
 Color of Fixture: **Grey**

CRI: **>80**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **100°**

Body Type: **Die Cast Aluminium**
 Dimension: **136x227x206mm**
 Box Qty: **6 Pcs**






PIR Sensor-WIFI-Camera

18W VT-4818W

SKU: 5745 - 6000K White

3800157608268



| | | | |
|--------------------|---------------------------------|-------------------|-----------------|
| Video Compression: | H.264 / MJPEG dual video stream | PF: | >0.5 |
| Image Resolution: | 1280*720 | Beam Angle: | 180° |
| Image sensor: | 1/4 " 1Megapixel CMOS | Color of Fixture: | White |
| Pixels: | 1 million pixels | Body Type: | ABS+Aluminium |
| Delay Time: | 0-30S | IP Rating: | IP20 |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Dimension: | 248x 162x 181mm |
| Luminous Flux: | 600lm | Box Qty: | 4 Pcs |
| CRI: | >70 | | |




PIR Sensor-WIFI-Camera

18W VT-4818B

SKU: 5917 - 6000K White

3800157620925



| | | | |
|--------------------|---------------------------------|-------------------|---------------|
| Video Compression: | H.264 / MJPEG dual video stream | PF: | >0.5 |
| Image Resolution: | 1280*720 | Beam Angle: | 180° |
| Image sensor: | 1/4 " 1Megapixel CMOS | Color of Fixture: | Black |
| Pixels: | 1 million pixels | Body Type: | ABS+Aluminium |
| Delay Time: | 0-30S | IP Rating: | IP20 |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Dimension: | 248x162x181mm |
| Luminous Flux: | 600lm | Box Qty: | 4 Pcs |
| CRI: | >70 | | |




Bluetooth Floodlight

20W VT-5020-W

SKU: 5984 - RGB+W/WW/DW

3800157640411

CCT and Dimming
VIA SMART PHONE APP

| | | | |
|--------------------|-------------|-------------|--------------------|
| Voltage/Frequency: | AC:220-240V | IP Rating: | IP65 |
| Luminous Flux: | 1400lm | Beam Angle: | 100° |
| Color of Fixture: | White | Body Type: | Aluminium |
| CRI: | >80 | Dimension: | 141.6x42.7x126.3mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |




Bluetooth Floodlight

20W VT-5020-B

SKU: 5985 - RGB+W/WW/DW

3800157640428

CCT and Dimming
VIA SMART PHONE APP

| | | | |
|--------------------|-------------|-------------|--------------------|
| Voltage/Frequency: | AC:220-240V | IP Rating: | IP65 |
| Luminous Flux: | 1400lm | Beam Angle: | 100° |
| Color of Fixture: | Black | Body Type: | Aluminium |
| CRI: | >80 | Dimension: | 141.6x42.7x126.3mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |



Waterproof Box Terminal Block

| | |
|-----------------------|------------------------|
| Voltage: | AC:450V |
| Material: | PP |
| Size: | Ø65.33x46.31mm |
| Wire range: | 0.5-2.5mm ² |
| Cable Diameter: | 5-9mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 150 Pcs |

VT-881

SKU: 5987 3800157642835




Waterproof Box Terminal Block

| | |
|-----------------------|------------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PA66) |
| Size: | 75.8x26.7mm |
| Wire range: | 0.5-1.5mm ² |
| Cable Diameter: | 5-9mm |
| Fire Retardant Level: | V2 |
| Ampere: | 16A |
| Box Qty: | 1000 Pcs |

VT-868-w

SKU: 5986 3800157642828




Waterproof Box Terminal Block

| | |
|-----------------------|------------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PA66) |
| Size: | 75.8x26.7mm |
| Wire range: | 0.5-1.5mm ² |
| Cable Diameter: | 5-9mm |
| Fire Retardant Level: | V2 |
| Ampere: | 16A |
| Box Qty: | 1000 |

VT-868

SKU: 5977 3800157636070




Waterproof Box Terminal Block

| | |
|-----------------------|----------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PC) |
| Size: | 106.8x96x29mm |
| Wire range: | 0.5-4mm ² |
| Cable Diameter: | 8-12mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 200 |

VT-869-B

SKU: 5978 3800157636087




Waterproof Box Terminal Block

| | |
|-----------------------|----------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PC) |
| Size: | 106.8x96x29mm |
| Wire range: | 0.5-4mm ² |
| Cable Diameter: | 8-12mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 200 |

VT-869-W

SKU: 5979 3800157636094



Waterproof Box Terminal Block

VT-870-B

SKU: 5980 3800157636100

| | |
|-----------------------|----------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PC) |
| Size: | 126.8x93.3x35.3mm |
| Wire range: | 0.5-4mm ² |
| Cable Diameter: | 8-12mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 100 |



Waterproof Box Terminal Block

VT-870-W

SKU: 5981 3800157636117

| | |
|-----------------------|----------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PC) |
| Size: | 126.8x93.3x35.3mm |
| Wire range: | 0.5-4mm ² |
| Cable Diameter: | 8-12mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 100 |



Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

| | |
|-----------------------|----------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PC) |
| Size: | 112.6x93.3x35.3mm |
| Wire range: | 0.5-4mm ² |
| Cable Diameter: | 8-12mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 100 |




Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

| | |
|-----------------------|----------------------|
| Voltage: | AC:450V |
| Material: | Polycarbonate(PC) |
| Size: | 112.6x93.3x35.3mm |
| Wire range: | 0.5-4mm ² |
| Cable Diameter: | 8-12mm |
| Fire Retardant Level: | V2 |
| Ampere: | 24A |
| Box Qty: | 100 |



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

| | |
|-------------|------------------------|
| Voltage: | AC:250V Max |
| Material: | Polypropylene (PP) |
| Size: | 123x46x33mm |
| Wire range: | 0.5-2.5mm ² |
| Box Qty: | 160 Pcs |



Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

| | |
|-------------|--------------------|
| Voltage: | AC:220V |
| Material: | Flame Retardant PP |
| Size: | Ø27x76mm |
| Wire range: | 4-6.5mm |
| Box Qty: | 500 Pcs |



Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

| | |
|-------------|------------------------|
| Voltage: | AC:250V Max |
| Material: | Polypropylene (PP) |
| Size: | 123x46x33mm |
| Wire range: | 0.5-2.5mm ² |
| Box Qty: | 240 Pcs |



Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

| | |
|-------------|--------------------|
| Voltage: | AC:220V |
| Material: | Flame Retardant PP |
| Size: | Ø27x76mm |
| Wire range: | 4-6.5mm |
| Box Qty: | 500 Pcs |



Tripod Stand-Yellow

VT-41150Y

SKU: 9104 3800230626202

Size: 900x940-1800mm
Box Qty: 8 Pcs



Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size: 900x940-1800mm
Box Qty: 8 Pcs



Billboard Stand

VT-793

SKU: 3622 3800157607803

Size: 870x200mm
Box Qty: 4 Pcs

87cm Suitable For:
70w - 100w - 120w - 150w - 200w



Billboard Stand

VT-794

SKU: 3623 3800157607810

Size: 850x150mm
Box Qty: 4 Pcs

85cm Suitable For:
10w - 20w - 30w - 50w



Floodlight Spike-Grey

VT-854-G

SKU: 7533 3800157630467



Size: Ø35xH150mm
Box Qty: 200 Pcs
Body Type: Aluminium
Suitable for 10-50W



Floodlight Spike-White

VT-854-W

SKU: 7534 3800157630474



Size: Ø35xH150mm
Box Qty: 200 Pcs
Body Type: Aluminium
Suitable for 10-50W



Floodlight Spike-Black

VT-854-B

SKU: 7535 3800157630481



Size: Ø35xH150mm
Box Qty: 200 Pcs
Body Type: Aluminium
Suitable for 10-50W



Floodlight Spike-Grey

VT-855-G

SKU: 7536 3800157630498



Size: Ø60xH265mm
Box Qty: 100 Pcs
Body Type: Aluminium
Suitable for 10-150W



Floodlight Spike-White

VT-855-W

SKU: 7537 3800157630504



Size: Ø60xH265mm
Box Qty: 100 Pcs
Body Type: Aluminium
Suitable for 10-150W



Floodlight Spike-Black

VT-855-B

SKU: 7538 3800157630511



Size: Ø60xH265mm
Box Qty: 100 Pcs
Body Type: Aluminium
Suitable for 10-150W





LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.

NEW




EASY TOGGLE SWITCH



3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON

31 IN COLOR CHANGING



CCT Changing Panel
40W VT-6240

SKU: 6605 - 3IN1

3800157654852

Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3200lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**

Body Type: **FE+PP**
Dimension: **595x595x29mm**
Box Qty: **6 Pcs**




STANDARD CRI

Witness the True to Life Colors

A CRI score of 95 is considered very high, and indicates that a light source will make objects appear very similar to how they would look under natural lighting conditions.

Without a high CRI light source, objects can appear faded, dull or inaccurate.



Big Panels-60x60-CRI>95

45W VT-6245


SKU: 8086 - 3000K Warm White
SKU: 8087 - 4000K Day White
SKU: 8088 - 6400K White

3800157648363
3800157648370
3800157648387

Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3600lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>95**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium+PMMA+PP**
Dimension: **595x595x14mm**
Box Qty: **6 Pcs**



Big Panels-60x60-IP65

40W VT-6140

SKU: 6603 - 4000K Day White 3800157652100
SKU: 6604 - 6400K White 3800157652117



| | |
|--------------------|---------------------|
| Emergency Pack: | NA |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 4400lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |


| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PS |
| Dimension: | 595x595x11mm |
| Box Qty: | 6 Pcs |



Big Panels-60x60-Lifud Driver

36W VT-6236

SKU: 8082 - 4000K Day White 3800157646857
SKU: 8081 - 6400K White 3800157646840



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3240lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |


| | |
|------------|-----------------|
| Body Type: | Aluminium+PS+PP |
| Dimension: | 595x595x8.5mm |
| Box Qty: | 6 Pcs |



Big Panels-60x60

36W VT-6237

SKU: 8083 - 3000K Warm White 3800157646925
SKU: 8084 - 4000K Day White 3800157646932
SKU: 8085 - 6400K White 3800157646949



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3240lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |


| | |
|------------|-----------------|
| Body Type: | Aluminium+PS+PP |
| Dimension: | 595x595x8.5mm |
| Box Qty: | 6 Pcs |



Big Panels-60x60

45W VT-6060-6

SKU: 60286 - 3000K Warm White 3800230624482
SKU: 60246 - 4000K Day White 3800230623652
SKU: 60256 - 6400K White 3800230623584



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3600lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PP |
| Dimension: | 595x595x14mm |
| Box Qty: | 6 Pcs |




Big Panels-UGR<19-60x60

45w VT-6068-6

SKU: 62206 - 3000K Warm White 3800157619516
 SKU: 62186 - 4000K Day White 3800157609265
 SKU: 62196 - 6400K White 3800157609272

LG7 Compliant
UGR < 19



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3600lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PP |
| Dimension: | 595x595x14mm |
| Box Qty: | 6 Pcs |




Big Panels-UGR<19-62x62

45w VT-6069

SKU: 6222 - 3000K Warm White 3800157604918
 SKU: 6217 - 4000K Day White 3800157604857
 SKU: 6221 - 6400K White 3800157604901

LG7 Compliant
UGR < 19



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3600lm |
| Beam Angle: | 90° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PP |
| Dimension: | 620x620x13mm |
| Box Qty: | 6 Pcs |




Big Panels-High Lumen-62x62

29w VT-6262

SKU: 6471 - 4000K Day White 3800157641012

120
 Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3480lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|----------------|
| Body Type: | Aluminium+PMMA |
| Dimension: | 620x620x15.5mm |
| Box Qty: | 6 Pcs |




Big Panels-High Lumen-60x60

29w VT-6129-6

SKU: 62406 - 3000K Warm White 3800157619608
 SKU: 62416 - 4000K Day White 3800157609289
 SKU: 62426 - 6400K White 3800157609296

120
 Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3480lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PP |
| Dimension: | 595x595x13mm |
| Box Qty: | 6 Pcs |




Big Panels-High Lumen-60x60

45w VT-6145-6

SKU: 63776 - 3000K Warm White 3800157622158
 SKU: 62366 - 4000K Day White 3800157615723
 SKU: 62376 - 6400K White 3800157615730

120
 Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 5400lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PP |
| Dimension: | 595x595x13mm |
| Box Qty: | 6 Pcs |



Big Panels-High Lumen-60x60


36w VT-6136

SKU: 6376 - 3000K Warm White 3800157622141
 SKU: 6238 - 4000K Day White 3800157607636
 SKU: 6239 - 6400K White 3800157607643



Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4320lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium+PMMA+PC
 Dimension: 595x595x13mm
 Box Qty: 6 Pcs



Big Panels-High Lumen-62x62


36w VT-6137

SKU: 62436 - 4000K Day White 3800157619622
 SKU: 63796 - 6400K White 3800157622172



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 4320lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium+PMMA+PC
 Dimension: 620x620x13mm
 Box Qty: 6 Pcs




Surface/Recessed Panel-60x60

40w VT-6142-1

SKU: 64511 - 4000K Day White 3800157644990
 SKU: 64521 - 6500K White 3800157645003

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3200lm
 Beam Angle: 120°

Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 4 Pcs




Surface/Recessed Panel-60x60

40w VT-6142

SKU: 6451 - 4000K Day White 3800157636438
 SKU: 6452 - 6500K White 3800157636421



LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4000lm
 Beam Angle: 120°

Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 6 Pcs




Surface/Recessed Panel-60x60

70w VT-6170

SKU: 6453 - 4000K Day White 3800157636452
 SKU: 6454 - 6500K White 3800157636445

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 5950lm
 Beam Angle: 120°

Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 6 Pcs




Big Panels-High Lumen-120x30

29w VT-12031

SKU: 6256 - 3000K Warm White 3800157610414
 SKU: 6257 - 4000K Day White 3800157610421
 SKU: 6258 - 6400K White 3800157610438

120
Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3480lm |
| Beam Angle: | 120° |

| | |
|-----------|-----------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Rectangle |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PS |
| Dimension: | 1195x295x14mm |
| Box Qty: | 6 Pcs |




Big Panel-High Lumen-120x30

45w VT-12046

SKU: 6384 - 4000K Day White 3800157624770
 SKU: 6385 - 6000K White 3800157624787

120
Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 5400lm |
| Beam Angle: | 120° |

| | |
|-----------|-----------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Rectangle |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PS |
| Dimension: | 1195x295x14mm |
| Box Qty: | 6 Pcs |




Big Panels-120x30

45w VT-12030

SKU: 60696 - 3000K Warm White 3800157609326
 SKU: 60266 - 4000K Day White 3800230623638
 SKU: 60276 - 6400K White 3800157609319

120
Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3600lm |
| Beam Angle: | 120° |

| | |
|-----------|-----------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Rectangle |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PS |
| Dimension: | 1195x295x14mm |
| Box Qty: | 6 Pcs |




Big Panels-UGR<19-120x30

45w VT-12032

SKU: 6329 - 4000K Day White 3800157619615

LG7 Compliant UGR < 19



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3600lm |
| Beam Angle: | 120° |

| | |
|-----------|-----------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Rectangle |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PS |
| Dimension: | 1195x295x14mm |
| Box Qty: | 6 Pcs |




Big Panels-High Lumen-120x60

45w VT-12045

SKU: 6332 - 4000K Day White 3800157620321
 SKU: 6333 - 6400K White 3800157620338



120
Lumen/W



| | |
|--------------------|---------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 5400lm |
| Beam Angle: | 120° |

| | |
|-----------|-----------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Rectangle |

| | |
|------------|-------------------|
| Body Type: | Aluminium+PMMA+PS |
| Dimension: | 1195x595x14mm |
| Box Qty: | 2 Pcs |



Transparent Panel-120x30


40w VT-6144

SKU: 6458 - 4000K Day White

3800157638098

5 YEAR WARRANTY

0-10V DIMMABLE



| | |
|--------------------|------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 3200lm |
| Beam Angle: | 140° |

| | |
|-----------|-----------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Rectangle |

| | |
|------------|--------------|
| Body Type: | Aluminium+PC |
| Dimension: | 1210x319mm |
| Box Qty: | 4 Pcs |

DRIVERS FOR BIG PANELS voltage: AC:220-240V,50/60Hz



| | |
|-----------|---------------|
| Watts: | 45w |
| SKU: | 6019 |
| Dimmable: | Yes |
| EAN: | 3800157604017 |
| Box Qty: | 50 Pcs |



| | |
|-----------|---------------|
| Watts: | 29w |
| SKU: | 6268 |
| Dimmable: | Yes |
| EAN: | 3800157614412 |
| Box Qty: | 20 Pcs |



| | |
|-----------|---------------|
| Watts: | 29w |
| SKU: | 6271 |
| Dimmable: | No |
| EAN: | 3800157614443 |
| Box Qty: | 50 Pcs |



| | |
|-----------|---------------|
| Watts: | 36w |
| SKU: | 6436 |
| Dimmable: | No |
| EAN: | 3800157629386 |
| Box Qty: | 20 Pcs |



| | |
|-----------|---------------|
| Watts: | 45w |
| SKU: | 6450 |
| Dimmable: | No |
| EAN: | 3800157635677 |
| Box Qty: | 50 Pcs |



| | |
|-----------|---------------|
| Watts: | 45w |
| SKU: | 6437 |
| Dimmable: | Yes |
| EAN: | 3800157630337 |
| Box Qty: | 20 Pcs |



| | |
|-----------|---------------|
| Watts: | 45w |
| SKU: | 6386 |
| Dimmable: | No |
| EAN: | 3800157624886 |
| Box Qty: | 50 Pcs |



| | |
|-----------|---------------|
| Watts: | 45w |
| SKU: | 6427 |
| Dimmable: | No |
| EAN: | 3800157626996 |
| Box Qty: | 50 Pcs |



| | |
|-----------|---------------|
| Watts: | 45w |
| SKU: | 6270 |
| Dimmable: | No |
| EAN: | 3800157614436 |
| Box Qty: | 50 Pcs |



| | |
|-----------|---------------|
| Watts: | 72w |
| SKU: | 6328 |
| Dimmable: | No |
| EAN: | 3800157619592 |
| Box Qty: | 50 Pcs |



MOUNTING KITS FOR PANELS



Watts: **29w**
 SKU: **6259**
 Dimmable: **No**
 EAN: **3800157610445**
 Box Qty: **50 Pcs**



Suspended Mounting

SKU: **6018**
 EAN: **3800230623669**
 Box Qty: **100 Pcs**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is
 • 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



Surface Mounting-60x60

SKU: **9999**
 EAN: **3800230623676**
 Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-62x62

SKU: **9997**
 EAN: **3800157633130**
 Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-60x60

SKU: **8156**
 EAN: **3800157640213**
 Box Qty: **10 Pcs**

IMPROVED
MATERIAL
MORE STRONG



Surface Mounting-62x62

SKU: **8157**
 EAN: **3800157640220**
 Box Qty: **10 Pcs**

IMPROVED
MATERIAL
MORE STRONG



Surface Mounting-120x30

SKU: **9969**
 EAN: **3800230623683**
 Box Qty: **6 Pcs**



Surface Mounting-120x60

SKU: **9989**
 EAN: **3800230623614**
 Box Qty: **5 Pcs**



Surface Mounting-120x30

SKU: **8158**
 EAN: **3800157640237**
 Box Qty: **10 Pcs**

IMPROVED
MATERIAL
MORE STRONG






Emergency Pack-6W to 24W

VT-525

SKU: 8275 3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

| | |
|-------------------|---------------------|
| Voltage: | DC:20-80V |
| Led output power: | AC:220-240V,50/60Hz |
| Charging time: | 24 Hours |
| Working time: | 3 hours |
| Battery: | Ni-Cd7.2V/2000mAh |



| | |
|---------------------------|-------------|
| Color of Fixture: | Silver |
| Body Type: | Aluminium |
| Size: | 455x52x33mm |
| Emergency switch on time: | < 1s |
| Box Qty: | 20 Pcs |




Emergency Pack-29W to 45W

VT-518

SKU: 60303 3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

| | |
|-------------------|-----------------------|
| Voltage: | DC:30-42V |
| Led output power: | AC:220-240V,50/60Hz |
| Charging time: | 24 Hours |
| Working time: | 3 Hours |
| Battery: | NI-CD, 7.2V, 4000 mAh |



| | |
|---------------------------|-------------|
| Color of Fixture: | Silver |
| Body Type: | Aluminium |
| Size: | 465x52x33mm |
| Emergency switch on time: | < 1s |
| Box Qty: | 12 Pcs |



LED LINEAR PANELS

Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White 3800157626620
 SKU: 6402 - 4000K Day White 3800157626637
 SKU: 6403 - 6400K White 3800157626644

Cutting Size:
138x32mm



Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **750lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Rectangle**

Body Type: **Aluminium**
 Dimension: **160x45x65mm**
 Box Qty: **20 Pcs**

Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White 3800157626651
 SKU: 6405 - 4000K Day White 3800157626668
 SKU: 6406 - 6400K White 3800157626675

Cutting Size:
270x32mm



Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1600lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Rectangle**

Body Type: **Aluminium**
 Dimension: **290x45x65mm**
 Box Qty: **20 Pcs**

Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White 3800157626682
 SKU: 6408 - 4000K Day White 3800157626699
 SKU: 6409 - 6400K White 3800157626705

Cutting Size:
405x32mm



Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2400lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Rectangle**

Body Type: **Aluminium**
 Dimension: **430x45x65mm**
 Box Qty: **10 Pcs**

Linear Lights

10w VT-10002

SKU: 6410 - 3000K Warm White 3800157626712
 SKU: 6411 - 4000K Day White 3800157626729
 SKU: 6412 - 6400K White 3800157626736

Cutting Size:
138x32mm



Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **700lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Rectangle**

Body Type: **Aluminium**
 Dimension: **160x45x72mm**
 Box Qty: **20 Pcs**

Linear Lights

20W VT-20002

SKU: 6413 - 3000K Warm White 3800157626743
 SKU: 6414 - 4000K Day White 3800157626750
 SKU: 6415 - 6400K White 3800157626767

Cutting Size:
 270x32mm

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Rectangle

Body Type: Aluminium
 Dimension: 290x45x72mm
 Box Qty: 20 Pcs



Linear Lights

30W VT-30002

SKU: 6416 - 3000K Warm White 3800157626774
 SKU: 6417 - 4000K Day White 3800157626781
 SKU: 6418 - 6400K White 3800157626798

Cutting Size:
 405x32mm

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2100lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle

Body Type: Aluminium
 Dimension: 430x45x72mm
 Box Qty: 10 Pcs




Premium Series-Round

3W VT-307RD

SKU: 6292 - 3000K Warm White 3800157616751
 SKU: 6293 - 4000K Day White 3800157616768
 SKU: 6294 - 6400K White 3800157616775

Cutting Size:
 Ø73mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 210lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium
 Dimension: Ø84x12mm
 Box Qty: 40 Pcs




Premium Series-Round

6W VT-607RD

SKU: 4854 - 3000K Warm White 3800230629753
 SKU: 4855 - 4000K Day White 3800230629760
 SKU: 4856 - 6400K White 3800230629777

Cutting Size:
 Ø110mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium
 Dimension: Ø120x12mm
 Box Qty: 40 Pcs






Premium Series-Round

12w VT-1207RD

SKU: 4857 - 3000K Warm White 3800230629784
 SKU: 4858 - 4000K Day White 3800230629791
 SKU: 4859 - 6400K White 3800230629807

Cutting Size:
 Ø155mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium
 Dimension: Ø170x12mm
 Box Qty: 20 Pcs




Premium Series-Round

18w VT-1807RD

SKU: 4860 - 3000K Warm White 3800230629814
 SKU: 4861 - 4000K Day White 3800230629821
 SKU: 4862 - 6400K White 3800230629838

Cutting Size:
 Ø210mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium
 Dimension: Ø225x12mm
 Box Qty: 20 Pcs




Premium Series-Round

22w VT-2207RD

SKU: 6422 - 3000K Warm White 3800157626941
 SKU: 6423 - 4000K Day White 3800157626958
 SKU: 6424 - 6400K White 3800157626965

Cutting Size:
 Ø220 mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø240x12mm
 Box Qty: 20 Pcs




Premium Series-Round

24w VT-2407RD

SKU: 4872 - 3000K Warm White 3800157601559
 SKU: 4873 - 4000K Day White 3800157601566
 SKU: 4874 - 6400K White 3800157601573

Cutting Size:
 Ø280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø300x12mm
 Box Qty: 10 Pcs




Premium Series-Round

30w VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075
 SKU: 6429 - 6400K White 3800157628082

Cutting Size:
 Ø280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø300x12mm
 Box Qty: 10 Pcs



Premium Series-Square


3W VT-3075Q

SKU: 6295 - 3000K Warm White 3800157616782
 SKU: 6296 - 4000K Day White 3800157616799
 SKU: 6297 - 6400K White 3800157616805

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **210lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Shape: **Square**

Cutting Size:
74x73mm



Body Type: **Aluminium**
 Dimension: **84x84x12mm**
 Box Qty: **40 Pcs**



Premium Series-Square


6W VT-6075Q

SKU: 4863 - 3000K Warm White 3800230629845
 SKU: 4864 - 4000K Day White 3800230629852
 SKU: 4865 - 6400K White 3800230629869

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.7**
 Shape: **Square**

Cutting Size:
110mm



Body Type: **Aluminium**
 Dimension: **120x120x12mm**
 Box Qty: **40 Pcs**



Premium Series-Square


12W VT-12075Q

SKU: 4866 - 3000K Warm White 3800230629876
 SKU: 4867 - 4000K Day White 3800230629883
 SKU: 4868 - 6400K White 3800230629890

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1000lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.6**
 Shape: **Square**

Cutting Size:
155x155mm



Body Type: **Aluminium**
 Dimension: **170x170x12mm**
 Box Qty: **20 Pcs**



Premium Series-Square


18W VT-18075Q

SKU: 4869 - 3000K Warm White 3800230629906
 SKU: 4870 - 4000K Day White 3800230629913
 SKU: 4871 - 6400K White 3800230629920

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.6**
 Shape: **Square**

Cutting Size:
205x205mm



Body Type: **Aluminium**
 Dimension: **225x225x12mm**
 Box Qty: **20 Pcs**



Premium Series-Square


24W VT-24075Q

SKU: 4887 - 3000K Warm White 3800157602198
 SKU: 4888 - 4000K Day White 3800157602204
 SKU: 4889 - 6400K White 3800157602211

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2000lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**

Cutting Size:
280x280mm



Body Type: **Aluminium**
 Dimension: **300x300x12mm**
 Box Qty: **10 Pcs**




Premium Series-Square

36w VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099
SKU: 6431 - 6400K White 3800157628105

Cutting Size:
280x280mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 2400lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|--------------|
| Body Type: | Aluminium |
| Dimension: | 300x300x12mm |
| Box Qty: | 10 Pcs |




SG Series-Square

8w VT-800 SQ

SKU: 4818 - 6400K White 3800230622563

Cutting Size:
125x125mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 800lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|----------------|
| Body Type: | Aluminium(PKW) |
| Dimension: | 145x145x20mm |
| Box Qty: | 20 Pcs |




SG Series-Round

8w VT-800 RD

SKU: 4821 - 6400K White 3800230622587

Cutting Size:
Ø105mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 800lm |
| Beam Angle: | 120° |

| | |
|-----------|-------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Round |

| | |
|------------|----------------|
| Body Type: | Aluminium(PKW) |
| Dimension: | Ø120x20mm |
| Box Qty: | 20 Pcs |




SG Series-Square

15w VT-1500 SQ

SKU: 4826 - 3000K Warm White 3800230622617
SKU: 4824 - 6400K White 3800230624994
3800230622600

Cutting Size:
140x140mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 1500lm |
| Beam Angle: | 120° |

| | |
|-----------|--------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Square |

| | |
|------------|----------------|
| Body Type: | Aluminium(PKW) |
| Dimension: | 160x160x20mm |
| Box Qty: | 20 Pcs |




SG Series-Round

22W VT-2200 RD

SKU: 4833 - 6400K White 3800230622662

Cutting Size:

Ø220mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 2200lm |
| Beam Angle: | 120° |

| | |
|-----------|-------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Round |

| | |
|------------|----------------|
| Body Type: | Aluminium(PKW) |
| Dimension: | Ø240x20mm |
| Box Qty: | 20 Pcs |




Trimless Panel-Round

8W VT-888RD

SKU: 4931 - 3000K Warm White 3800157606479
SKU: 4932 - 4000K Day White 3800157606486
SKU: 4933 - 6400K White 3800157606493

Cutting Size:

Ø75mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 800lm |
| Beam Angle: | 120° |

| | |
|-----------|-------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Round |

| | |
|------------|-----------|
| Body Type: | Aluminium |
| Dimension: | Ø90x8mm |
| Box Qty: | 100 Pcs |




Trimless Panel-Round

15W VT-1515RD

SKU: 4934 - 3000K Warm White 3800157606509
SKU: 4935 - 4000K Day White 3800157606516
SKU: 4936 - 6400K White 3800157606523

Cutting Size:

Ø130mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 1500lm |
| Beam Angle: | 120° |

| | |
|-----------|-------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Round |

| | |
|------------|-----------|
| Body Type: | Aluminium |
| Dimension: | Ø146x8mm |
| Box Qty: | 40 Pcs |




Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White 3800157606530
SKU: 4938 - 4000K Day White 3800157606547
SKU: 4939 - 6400K White 3800157606554

Cutting Size:

Ø155mm



| | |
|--------------------|--------------------|
| Emergency Pack: | Available |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 2200lm |
| Beam Angle: | 120° |

| | |
|-----------|-------|
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Shape: | Round |


| | |
|------------|-----------|
| Body Type: | Aluminium |
| Dimension: | Ø170x8mm |
| Box Qty: | 40 Pcs |



Trimless Panel-Round
29W VT-2929RD

SKU: 4940 - 3000K Warm White 3800157606561
SKU: 4941 - 4000K Day White 3800157606578
SKU: 4942 - 6400K White 3800157606585

Cutting Size:
Ø195mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Round**


Body Type: **Aluminium**
Dimension: **Ø220x8mm**
Box Qty: **40 Pcs**



Trimless Panel-Square
8W VT-888SQ

SKU: 4943 - 3000K Warm White 3800157606592
SKU: 4944 - 4000K Day White 3800157606608
SKU: 4945 - 6400K White 3800157606615

Cutting Size:
75x75mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium**
Dimension: **90x90x8mm**
Box Qty: **100 Pcs**



Trimless Panel-Square
15W VT-1515SQ

SKU: 4946 - 3000K Warm White 3800157606622
SKU: 4947 - 4000K Day White 3800157606639
SKU: 4948 - 6400K White 3800157606646

Cutting Size:
130x130mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium**
Dimension: **146x146x8mm**
Box Qty: **40 Pcs**



Trimless Panel-Square
22W VT-2222SQ

SKU: 4949 - 3000K Warm White 3800157606653
SKU: 4797 - 4000K Day White 3800157606660
SKU: 4798 - 6400K White 3800157606677

Cutting Size:
155x155mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**


Body Type: **Aluminium**
Dimension: **170x170x8mm**
Box Qty: **40 Pcs**



Trimless Panel-Square
29W VT-2929SQ

SKU: 5031 - 3000K Warm White 3800157606660
SKU: 5032 - 4000K Day White 3800157606677
SKU: 5033 - 6400K White 3800157606684

Cutting Size:
195x195mm



Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**
Beam Angle: **120°**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Shape: **Square**

Body Type: **Aluminium**
Dimension: **220x220x8mm**
Box Qty: **40 Pcs**




Slim Surface-Round

6W VT-605RD

SKU: 4904 - 3000K Warm White 3800157605380
 SKU: 4905 - 4000K Day White 3800157605397
 SKU: 4906 - 6400K White 3800157605403

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs




Slim Surface-Round

12W VT-1205 RD

SKU: 4910 - 3000K Warm White 3800157605441
 SKU: 4911 - 4000K Day White 3800157605458
 SKU: 4912 - 6400K White 3800157605465

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 900lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Slim Surface-Round

18W VT-1805RD

SKU: 4916 - 3000K Warm White 3800157605502
 SKU: 4917 - 4000K Day White 3800157605519
 SKU: 4918 - 6400K White 3800157605526

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1440lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø190x24mm
 Box Qty: 20 Pcs




Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White 3800157605410
 SKU: 4908 - 4000K Day White 3800157605427
 SKU: 4909 - 6400K White 3800157605434

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 90x90x24mm
 Box Qty: 40 Pcs




Slim Surface-Square

12w VT-1205 SQ

SKU: 4913 - 3000K Warm White 3800157605472
 SKU: 4914 - 4000K Day White 3800157605489
 SKU: 4915 - 6400K White 3800157605496

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **900lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**



Body Type: **Aluminium**
 Dimension: **140x140x24mm**
 Box Qty: **40 Pcs**




Slim Surface-Square

18w VT-1805SQ

SKU: 4919 - 3000K Warm White 3800157605533
 SKU: 4920 - 4000K Day White 3800157605540
 SKU: 4921 - 6400K White 3800157605557

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1440lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**



Body Type: **Aluminium**
 Dimension: **190x190x24mm**
 Box Qty: **20 Pcs**




Surface Series-Round

8w VT-1408 RD

SKU: 4805 - 3000K Warm White 3800230622730
 SKU: 4804 - 4000K Day White 3800230622723
 SKU: 4803 - 6400K White 3800230622716

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø110x35mm**
 Box Qty: **20 Pcs**




Surface Series-Round

15w VT-1415 RD

SKU: 4811 - 3000K Warm White 3800230622792
 SKU: 4810 - 4000K Day White 3800230622785
 SKU: 4809 - 6400K White 3800230622778

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø160x35mm**
 Box Qty: **20 Pcs**




Surface Series-Round

22w VT-1422 RD

SKU: 4817 - 3000K Warm White 3800230622853
 SKU: 4816 - 4000K Day White 3800230622846
 SKU: 4815 - 6400K White 3800230622839

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2200lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø205x35mm**
 Box Qty: **20 Pcs**




Surface Series-Square

8W VT-1408 SQ

SKU: 4802 - 3000K Warm White 3800230622709
 SKU: 4801 - 4000K Day White 3800230622693
 SKU: 4800 - 6400K White 3800230622686

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 107x107x35mm
 Box Qty: 40 Pcs




Surface Series-Square

15W VT-1415 SQ

SKU: 4808 - 3000K Warm White 3800230622761
 SKU: 4807 - 4000K Day White 3800230622754
 SKU: 4806 - 6400K White 3800230622747

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 155x155x35mm
 Box Qty: 20 Pcs




Surface Series-Square

22W VT-1422 SQ

SKU: 4814 - 3000K Warm White 3800230622822
 SKU: 4813 - 4000K Day White 3800230622815
 SKU: 4812 - 6400K White 3800230622808

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 205x205x35mm
 Box Qty: 20 Pcs



Slim Series-Chrome-Round


12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Cutting Size:
 Ø155mm




Body Type: Aluminium+Chrome
 Dimension: Ø170x25mm
 Box Qty: 20 Pcs

Slim Series-Chrome-Round

18w VT-1807CH

SKU: 6346 - 3000K Warm White 3800157621304
 SKU: 6347 - 4000K Day White 3800157621311
 SKU: 6348 - 6400K White 3800157621328

Cutting Size:
 Ø205mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Chrome
 Dimension: Ø225x25mm
 Box Qty: 20 Pcs

Slim Series-Chrome-Round

24w VT-2407CH

SKU: 6352 - 3000K Warm White 3800157621366
 SKU: 6353 - 4000K Day White 3800157621373
 SKU: 6354 - 6400K White 3800157621380

Cutting Size:
 Ø285mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Chrome
 Dimension: Ø300x25mm
 Box Qty: 10 Pcs

Slim Series-Satin Nickel-Round

24w VT-2407SN

SKU: 6355 - 3000K Warm White 3800157621397
 SKU: 6356 - 4000K Day White 3800157621403
 SKU: 6357 - 6400K White 3800157621410

Cutting Size:
 Ø285mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Satin Nickel
 Dimension: Ø300x25mm
 Box Qty: 10 Pcs

Slim Surface-Chrome-Round

6w VT-605CH

SKU: 6358 - 3000K Warm White 3800157621427

Cutting Size:
 Ø90mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium+Chrome
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs

Slim Surface-Chrome-Round

12w VT-1205CH

SKU: 6364 - 3000K Warm White 3800157621489
 SKU: 6365 - 4000K Day White 3800157621496
 SKU: 6366 - 6400K White 3800157621502

Cutting Size:
 Ø140mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium+Chrome
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Slim Surface-Chrome-Round

18w VT-1805CH

SKU: 6370 - 3000K Warm White 3800157621540
 SKU: 6372 - 6400K White 3800157621564

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round



Body Type: Aluminium+Chrome
 Dimension: Ø190x24mm
 Box Qty: 20 Pcs




Slim Surface-Satin Nickel-Round

6w VT-605SN

SKU: 6361 - 3000K Warm White 3800157621458

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round



Body Type: Aluminium+Satin Nickel
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs




Slim Surface-Satin Nickel-Round

12w VT-1205SN


SKU: 6367 - 3000K Warm White 3800157621519
 SKU: 6369 - 6400K White 3800157621533

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round



Body Type: Aluminium+Satin Nickel
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Twin LED-Square

8w VT-809SQ

SKU: 4922 - 3000K Warm White 3800157605564
 SKU: 4923 - 4000K Day White 3800157605571
 SKU: 4924 - 6400K White 3800157605588

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square




Body Type: Aluminium
 Dimension: 142x142x40mm
 Box Qty: 20 Pcs



Twin LED-Square
15w VT-1509SQ

SKU: 4925 - 3000K Warm White 3800157605595
SKU: 4926 - 4000K Day White 3800157605601
SKU: 4927 - 6400K White 3800157605618

| | | | |
|--------------------|--------------------|-----------|--------|
| Emergency Pack: | Available | LED Type: | SMD |
| Voltage/Frequency: | AC:85-265V,50/60Hz | CRI: | >80 |
| Luminous Flux: | 1500lm | PF: | >0.9 |
| Beam Angle: | 120° | Shape: | Square |




| | |
|------------|--------------|
| Body Type: | Aluminium |
| Dimension: | 192x192x40mm |
| Box Qty: | 20 Pcs |



Twin LED-Square
22w VT-2209SQ

SKU: 4928 - 3000K Warm White 3800157605625
SKU: 4929 - 4000K Day White 3800157605632
SKU: 4930 - 6400K White 3800157605649

| | | | |
|--------------------|--------------------|-----------|--------|
| Emergency Pack: | Available | LED Type: | SMD |
| Voltage/Frequency: | AC:85-265V,50/60Hz | CRI: | >80 |
| Luminous Flux: | 2200lm | PF: | >0.9 |
| Beam Angle: | 120° | Shape: | Square |




| | |
|------------|--------------|
| Body Type: | Aluminium |
| Dimension: | 240x240x40mm |
| Box Qty: | 20 Pcs |



Twin LED-Round
8w VT-809RD

SKU: 4890 - 3000K Warm White 3800157602594
SKU: 4891 - 4000K Day White 3800157602600
SKU: 4892 - 6400K White 3800157602617

| | | | |
|--------------------|--------------------|-----------|-------|
| Emergency Pack: | Available | LED Type: | SMD |
| Voltage/Frequency: | AC:85-265V,50/60Hz | CRI: | >80 |
| Luminous Flux: | 800lm | PF: | >0.9 |
| Beam Angle: | 120° | Shape: | Round |




| | |
|------------|-----------|
| Body Type: | Aluminium |
| Dimension: | 142x40mm |
| Box Qty: | 20 Pcs |



Twin LED-Round
15w VT-1509RD

SKU: 4893 - 3000K Warm White 3800157602624
SKU: 4894 - 4000K Day White 3800157602631
SKU: 4895 - 6400K White 3800157602648

| | | | |
|--------------------|--------------------|-----------|-------|
| Emergency Pack: | Available | LED Type: | SMD |
| Voltage/Frequency: | AC:85-265V,50/60Hz | CRI: | >80 |
| Luminous Flux: | 1500lm | PF: | >0.9 |
| Beam Angle: | 120° | Shape: | Round |




| | |
|------------|-----------|
| Body Type: | Aluminium |
| Dimension: | 192x40mm |
| Box Qty: | 20 Pcs |



Twin LED-Round
22w VT-2209RD

SKU: 4896 - 3000K Warm White 3800157602655
SKU: 4897 - 4000K Day White 3800157602662
SKU: 4898 - 6400K White 3800157602679

| | | | |
|--------------------|--------------------|-----------|-------|
| Emergency Pack: | Available | LED Type: | SMD |
| Voltage/Frequency: | AC:85-265V,50/60Hz | CRI: | >80 |
| Luminous Flux: | 2200lm | PF: | >0.9 |
| Beam Angle: | 120° | Shape: | Round |



| | |
|------------|-----------|
| Body Type: | Aluminium |
| Dimension: | 240x40mm |
| Box Qty: | 20 Pcs |




Glass Panel-Round

6W VT-602G RD

SKU: 4740 - 3000K Warm White 3800230622891
 SKU: 6277 - 4000K Day White 3800157615754
 SKU: 4739 - 6400K White 3800230622884

Cutting Size:
 Ø75mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø100x40mm
 Box Qty: 40 Pcs




Glass Panel-Round

12W VT-1202G RD

SKU: 4744 - 3000K Warm White 3800230622938
 SKU: 6279 - 4000K Day White 3800157615778
 SKU: 4743 - 6400K White 3800230622921

Cutting Size:
 Ø120mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 840lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø160x40mm
 Box Qty: 20 Pcs




Glass Panel-Round

18W VT-1881G RD

SKU: 4760 - 3000K Warm White 3800230622976
 SKU: 6281 - 4000K Day White 3800157615792
 SKU: 4759 - 6400K White 3800230622969


Cutting Size:
 Ø145mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 1260lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø198x40mm
 Box Qty: 20 Pcs




Glass Panel-Square

6W VT-602G SQ

SKU: 4738 - 3000K Warm White 3800230622877
 SKU: 6276 - 4000K Day White 3800157615747
 SKU: 4737 - 6400K White 3800230622860


Cutting Size:
 75x75mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°


LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+Glass
 Dimension: 100x100x40mm
 Box Qty: 40 Pcs




Glass Panel-Square
12w VT-1202G SQ

SKU: 4742 - 3000K Warm White 3800230622914
SKU: 6278 - 4000K Day White 3800157615761
SKU: 4741 - 6400K White 3800230622907




| | | |
|--|---------------|----------------------------|
| Emergency Pack: Available | LED Type: SMD | Body Type: Aluminium+Glass |
| Voltage/Frequency: AC:100-240V,50/60Hz | CRI: >80 | Dimension: 160x160x40mm |
| Luminous Flux: 840lm | PF: >0.9 | Box Qty: 20 Pcs |
| Beam Angle: 120° | Shape: Square | |



Glass Panel-Square
18w VT-1881G SQ

SKU: 4746 - 3000K Warm White 3800230622952
SKU: 6280 - 4000K Day White 3800157615785
SKU: 4745 - 6400K White 3800230622945



| | | |
|--|---------------|----------------------------|
| Emergency Pack: Available | LED Type: SMD | Body Type: Aluminium+Glass |
| Voltage/Frequency: AC:100-240V,50/60Hz | CRI: >80 | Dimension: 198x198x40mm |
| Luminous Flux: 1260lm | PF: >0.9 | Box Qty: 20 Pcs |
| Beam Angle: 120° | Shape: Square | |

DRIVERS FOR MINI PANELS Voltage: AC:180-240V,50/60Hz



Watts: 6w
SKU: 8073
Dimmable: Yes
EAN: 3800157605823
Box Qty: 200 Pcs



Watts: 12w
SKU: 8074
Dimmable: Yes
EAN: 3800157605830
Box Qty: 200 Pcs



Watts: 18w
SKU: 8075
Dimmable: Yes
EAN: 3800157605847
Box Qty: 200 Pcs



Watts: 18/24w
SKU: 8070
Dimmable: Yes
EAN: 3800157616836
Box Qty: 50 Pcs



Watts: 24w
SKU: 8076
Dimmable: Yes
EAN: 3800157605946
Box Qty: 200 Pcs





LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-60cm



10w VT-6072-R

SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 3800157605236

3 YEAR WARRANTY



Dummy Starter Included



| | |
|--------------------|------------------|
| EQ. Watts: | 18w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 850lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Nano Plastic |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 125g |
| Dimension: | 27.9x600mm |
| Box Qty: | 25 Pcs |



T8-Nano Plastic-60cm



10w VT-6072-NR

SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319

3 YEAR WARRANTY



Dummy Starter Included



| | |
|--------------------|------------------|
| EQ. Watts: | 18w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 850lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Nano Plastic |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 126.4g |
| Dimension: | 27.9x600mm |
| Box Qty: | 25 Pcs |



T8-Nano Plastic-90cm


14w VT-9077

SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128

3 YEAR WARRANTY



Dummy Starter Included



| | |
|--------------------|------------------|
| EQ. Watts: | 25w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1200lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Nano Plastic |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 145.6g |
| Dimension: | 27.9x900mm |
| Box Qty: | 25 Pcs |



T8-Nano Plastic-120cm



18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
SKU: 6273 - 4000K Day White 3800157615426
SKU: 6264 - 6400K White 3800157612142

3 YEAR WARRANTY



Dummy Starter Included



| | |
|--------------------|------------------|
| EQ. Watts: | 36w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1700lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Nano Plastic |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 200g |
| Dimension: | 27.9x1200mm |
| Box Qty: | 25 Pcs |



T8-Nano Plastic-150cm



22w VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444

3 YEAR
WARRANTY



Dummy Starter
Included



| | |
|--------------------|------------------|
| EQ. Watts: | 58w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2000lm |
| LED Type: | SMD |
| CRI: | >80 |



| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Nano Plastic |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 30,000 Hours |
| Gross weight: | 283.4g |
| Dimension: | 27.9x1500mm |
| Box Qty: | 25 Pcs |

T5-Glass Plastic-60cm

8w VT-6005

SKU: 6318 - 4000K Day White 3800157619271
 SKU: 6319 - 6500K White 3800157619288



| | |
|--------------------|------------------|
| EQ. Watts: | 14w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 800lm |
| LED Type: | SMD |
| CRI: | >80 |


| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Glass with PET |
| Holder: | G5 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 120g |
| Dimension: | 18.4x549mm |
| Box Qty: | 25 Pcs |

T5-Glass Plastic-120cm

16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295
 SKU: 6321 - 6500K White 3800157619301



| | |
|--------------------|------------------|
| EQ. Watts: | 28w |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1600lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-----------------|----------------|
| PF: | >0.5 |
| Beam Angle: | 160° |
| Body Type: | Glass with PET |
| Holder: | G5 |
| Instant start : | 0-100% in < 1s |



| | |
|---------------|--------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 208g |
| Dimension: | 18.4x1149mm |
| Box Qty: | 25 Pcs |

T8 Bread Tube-120cm

18w VT-1228-B

SKU: 6322 3800157619318

| | |
|--------------------|------------------|
| EQ. Watts: | 36w |
| Voltage/Frequency: | AC:180-240V,50Hz |
| Luminous Flux: | 1530lm |
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.9 |
| Beam Angle: | 160° |
| Body Type: | Glass with PET |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 320g |
| Dimension: | 26x1200mm |
| Box Qty: | 25 Pcs |




T8 Vegetable Tube-120cm

18w VT-1228-V

SKU: 6324 3800157619332

| | |
|--------------------|------------------|
| EQ. Watts: | 36w |
| Voltage/Frequency: | AC:180-240V,50Hz |
| Luminous Flux: | 1530lm |
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.9 |
| Beam Angle: | 160° |
| Body Type: | Glass with PET |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 320g |
| Dimension: | 26x1200mm |
| Box Qty: | 25 Pcs |





T8 Seafood Tube-120cm

18w VT-1228-S

SKU: 6325 3800157619349

| | |
|--------------------|---------------------|
| EQ. Watts: | 36w |
| Voltage/Frequency: | AC:180-240V,50/60Hz |
| Luminous Flux: | 1530lm |
| LED Type: | SMD |
| CRI: | >95 |
| PF: | >0.9 |
| Beam Angle: | 160° |
| Body Type: | Glass with PET |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 320g |
| Dimension: | 26x1200mm |
| Box Qty: | 25 Pcs |



Tube-Batten Fitting
VT-16010


| | |
|------------|----------------------|
| SKU: | 6052 |
| Body Type: | Iron |
| Size: | 600mm |
| EAN: | 3800230624642 |
| Box Qty: | 20 Pcs |

Tube-Batten Fitting
VT-12020


| | |
|------------|----------------------|
| SKU: | 6054 |
| Body Type: | Iron |
| Size: | 1200mm |
| EAN: | 3800230624666 |
| Box Qty: | 20 Pcs |

Tube-Batten Fitting
VT-15020


| | |
|------------|----------------------|
| SKU: | 6056 |
| Body Type: | Iron |
| Size: | 1500mm |
| EAN: | 3800230624680 |
| Box Qty: | 20 Pcs |

Tube-Batten Fitting
VT-16011


| | |
|------------|----------------------|
| SKU: | 6053 |
| Body Type: | Iron |
| Size: | 600x2mm |
| EAN: | 3800230624659 |
| Box Qty: | 20 Pcs |

Tube-Batten Fitting
VT-12021


| | |
|------------|----------------------|
| SKU: | 6055 |
| Body Type: | Iron |
| Size: | 1200x2mm |
| EAN: | 3800230624673 |
| Box Qty: | 12 Pcs |

Tube-Batten Fitting
VT-15021


| | |
|------------|----------------------|
| SKU: | 6057 |
| Body Type: | Iron |
| Size: | 1500x2mm |
| EAN: | 3800230624697 |
| Box Qty: | 12 Pcs |


T8-Nano Plastic-60cm
18w VT-6077


SKU: 6313 - 4000K Day White 3800157618656
 SKU: 6314 - 6400K White 3800157618663



| | |
|--------------------|-------------------------|
| EQ. Watts: | 36w |
| Voltage/Frequency: | AC:200-240V,50Hz |
| Luminous Flux: | 2500lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-----------------|--------------------------|
| PF: | >0.9 |
| Beam Angle: | 160° |
| Body Type: | Nano Plastic |
| Holder: | G13 |
| Instant start : | 0-100% in < 1s |

| | |
|---------------|---------------------|
| On/Off: | >15,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 290g |
| Dimension: | 18.5x549mm |
| Box Qty: | 10 Pcs |




Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
 SKU: 5070 - 6000K White 3800157606738

| | |
|--------------------|----------------------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 800lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 110° |
| Body Type: | Aluminium Body, Plastic Diffuser |
| On/Off: | >10,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 600g |
| Dimension: | 579x78x35mm |
| Box Qty: | 12 Pcs |




Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
 SKU: 5072 - 4500K Day White 3800157606752
 SKU: 5073 - 6000K White 3800157606769

| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 900lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.6 |
| Beam Angle: | 120° |
| Body Type: | Aluminium+PC |
| On/Off: | >10,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 240g |
| Dimension: | 600x32x25mm |
| Box Qty: | 25 Pcs |





Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
 SKU: 5076 - 6000K White 3800157606790

| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 1800lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.6 |
| Beam Angle: | 120° |
| Body Type: | Aluminium+PC |
| On/Off: | >10,000 |
| Life span: | 20,000 Hours |
| Gross weight: | 370g |
| Dimension: | 1200x32x25mm |
| Box Qty: | 25 Pcs |





LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

10w VT-6028


SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 850lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.5 |
| Beam Angle: | 120° |
| Body Type: | Plastic+ABS |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 0.70 kg |
| Dimension: | 666x68x58mm |
| Box Qty: | 16pcs |



IP65 RATING

2 LED TUBES INCLUDED

Waterproof Fitting-Tubes

2x10w VT-6029


SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 1700lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.5 |
| Beam Angle: | 120° |
| Body Type: | Plastic+ABS |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 1 kg |
| Dimension: | 666x96x58mm |
| Box Qty: | 12pcs |



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

18w VT-12028


SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 1700lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.5 |
| Beam Angle: | 120° |
| Body Type: | Plastic+ABS |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 1 kg |
| Dimension: | 1276x68x58mm |
| Box Qty: | 16pcs |



IP65 RATING

1 LED TUBE INCLUDED

Waterproof Fitting-Tubes

22w VT-15028


SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 2000lm |
| LED Type: | SMD |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.5 |
| Beam Angle: | 120° |
| Body Type: | Plastic+ABS |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 1.2 kg |
| Dimension: | 1576x68x58mm |
| Box Qty: | 16pcs |



Waterproof Fitting-Tubes

36w VT-12023



IP65
RATING

 SKU: 6387 - 4000K Day White 3800157625036
 SKU: 6399 - 6400K White 3800157626385

2 LED TUBES INCLUDED

 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3400lm
 LED Type: SMD
 CRI: >80

 PF: >0.9
 Beam Angle: 120°
 Body Type: Plastic+ABS
 On/Off: >10,000

 Life span: 30,000 Hours
 Gross weight: 1.33 kg
 Dimension: 1290x116x66mm
 Box Qty: 10 Pcs


Waterproof Fitting-Tubes

44w VT-15022



IP65
RATING

 SKU: 6388 - 4000K Day White 3800157625043
 SKU: 6400 - 6400K White 3800157626392

2 LED TUBES INCLUDED

 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4000lm
 LED Type: SMD
 CRI: >80

 PF: >0.9
 Beam Angle: 120°
 Body Type: Plastic+ABS
 On/Off: >10,000

 Life span: 30,000 Hours
 Gross weight: 1.65 kg
 Dimension: 1590x116x66mm
 Box Qty: 10 Pcs


Waterproof Fitting-G Series


18w VT-6076


IP65
RATING

 SKU: 6283 - 4000K Day White 3800157616478
 SKU: 6282 - 6400K White 3800157616461

 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1440lm
 LED Type: SMD
 CRI: >70

 PF: >0.5
 Beam Angle: 120°
 Body Type: Plastic
 On/Off: >10,000

 Life span: 20,000 Hours
 Gross weight: 0.60 kg
 Dimension: 600x65x58mm
 Box Qty: 12 Pcs


Waterproof Fitting-G Series


36w VT-1249


IP65
RATING

 SKU: 6285 - 4000K Day White 3800157616492
 SKU: 6284 - 6400K White 3800157616485

 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 2880lm
 LED Type: SMD
 CRI: >70

 PF: >0.9
 Beam Angle: 120°
 Body Type: Plastic
 On/Off: >10,000

 Life span: 20,000 Hours
 Gross weight: 0.60 kg
 Dimension: 1200x65x58mm
 Box Qty: 12 Pcs


Waterproof Fitting-G Series


48w VT-1574


IP65
RATING

 SKU: 6287 - 4000K Day White 3800157616515
 SKU: 6286 - 6400K White 3800157616508

 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3840lm
 LED Type: SMD
 CRI: >70

 PF: >0.9
 Beam Angle: 120°
 Body Type: Plastic
 On/Off: >10,000

 Life span: 20,000 Hours
 Gross weight: 1.1 kg
 Dimension: 1500x65x58mm
 Box Qty: 12 Pcs


Waterproof Fitting-S Series

18W VT-1518




SKU: 6472 - 4000K Day White 3800157647199
SKU: 6473 - 6500K White 3800157647205



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 1530lm |
| LED Type: | SMD2835 |
| CRI: | >80 |

| | |
|-------------|---------|
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | PC |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 0.25 kg |
| Dimension: | 600x60x35mm |
| Box Qty: | 20 Pcs |



Waterproof Fitting-S Series

36W VT-1239




SKU: 6469 - 4000K Day White 3800157640992
SKU: 6470 - 6500K White 3800157641005



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3000lm |
| LED Type: | SMD2835 |
| CRI: | >80 |

| | |
|-------------|---------|
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | PC |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 0.448 kg |
| Dimension: | 1200x60x35mm |
| Box Qty: | 20 Pcs |



Waterproof Fitting-S Series

48W VT-1549




SKU: 6467 - 4000K Day White 3800157640978
SKU: 6468 - 6500K White 3800157640985



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 4000lm |
| LED Type: | SMD2835 |
| CRI: | >80 |

| | |
|-------------|---------|
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | PC |
| On/Off: | >15,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 0.558 kg |
| Dimension: | 1500x60x35mm |
| Box Qty: | 20 Pcs |



Waterproof-Emergency Kit

36W VT-1250



**Waterproof
Emergency Kit**



SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6400K White 3800157632133


| | |
|---------------------------|-----------|
| Charging Time: | 24 Hours |
| Emergency Operation Time: | 3 Hours |
| Emergency Switch on time: | <1 Second |



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 2880lm |
| LED Type: | SMD |
| CRI: | >70 |

| | |
|-------------|-------------|
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | Plastic+ABS |
| On/Off: | >10,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 1.9 kg |
| Dimension: | 1200x76x66mm |
| Box Qty: | 12 Pcs |



Waterproof-Emergency Kit

48W VT-1550



**Waterproof
Emergency Kit**



SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6400K White 3800157632119


| | |
|---------------------------|-----------|
| Charging Time: | 24 Hours |
| Emergency Operation Time: | 3 Hours |
| Emergency Switch on time: | <1 Second |



| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 3920lm |
| LED Type: | SMD |
| CRI: | >70 |

| | |
|-------------|---------|
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | ABS+PC |
| On/Off: | >10,000 |

| | |
|---------------|--------------|
| Life span: | 20,000 Hours |
| Gross weight: | 2.35 kg |
| Dimension: | 1500x76x66mm |
| Box Qty: | 12 Pcs |



Waterproof Fitting


18w VT-6048

SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263

Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **1440lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Plastic+ABS**
On/Off: **>10,000**

Life span: **20,000 Hours**
Gross weight: **0.80 kg**
Dimension: **600x76x66mm**
Box Qty: **12 Pcs**



Waterproof Fitting



36w VT-1248

SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287

Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **2880lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **120°**
Body Type: **Plastic+ABS**
On/Off: **>10,000**

Life span: **20,000 Hours**
Gross weight: **1.42 kg**
Dimension: **1200x76x66mm**
Box Qty: **12 Pcs**



Waterproof Fitting




48w VT-1548

SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396

Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3840lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.7**
Beam Angle: **120°**
Body Type: **Plastic+ABS**
On/Off: **>10,000**


Life span: **20,000 Hours**
Gross weight: **1.86 kg**
Dimension: **1480x76x66mm**
Box Qty: **12 Pcs**



Waterproof Suspension Kit

SKU: **8119**
EAN: **3800157624763**
Box Qty: **50 Pcs**

suspension kit for all waterproof fittings



LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90° / 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver

100W VT-9107

SKU: 5588 - 6400K White


3800157622301

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 13000lm |
| LED Type: | SMD |
| CRI: | >70 |
| PF: | >0.9 |
| Beam Angle: | 90° |
| Body Type: | Die Cast Aluminium |
| IP Rating: | IP65 |
| Dimension: | 280x165mm |
| Box Qty: | 4 Pcs |


90° BEAM ANGLE



5 YEAR WARRANTY



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



1-10V DIMMABLE

IP65 RATING



UFO-High Lumen-Meanwell Driver

500W VT-9500

SKU: 5607 - 4000K Day White

3800157625050

SKU: 5608 - 6400K White



3800157625067

| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:90-295V,50Hz |
| Luminous Flux: | 65000lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | Die Cast Aluminium |
| IP Rating: | IP65 |
| Dimension: | Ø360 |
| Box Qty: | 1 Pcs |

120° BEAM ANGLE



5 YEAR WARRANTY



1-10V DIMMABLE

IP65 RATING



UFO-Highbay-120°

50w VT-9065-W

SKU: 5609 - 3000K Warm White

3800157626507

SKU: 5610 - 4000K Day White


3800157626514

SKU: 5611 - 6400K White


3800157626521

| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 4000lm |
| LED Type: | SMD |
| CRI: | >70 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| Body Type: | Die Cast Aluminium |
| IP Rating: | IP44 |
| Dimension: | 220x114mm |
| Box Qty: | 8 Pcs |

120° BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





UFO-Highbay-90°
50w VT-9055

SKU: 5560 - 6400K White 3800157621977



| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 4000lm |
| LED Type: | SMD |
| CRI: | >70 |
| PF: | >0.9 |
| Beam Angle: | 90° |
| Body Type: | Die Cast Aluminium |
| IP Rating: | IP44 |
| Dimension: | 220x114mm |
| Box Qty: | 8 Pcs |


90° BEAM ANGLE



LED Highbays
100w VT-9-109


SKU: 590 - 6000K White 3800157643153

100° BEAM ANGLE



3 YEAR WARRANTY

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 9000lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9>0.9 |
| Beam Angle: | 100° |
| Body Type: | Aluminium |
| IP Rating: | IP54 |
| Dimension: | 530x103.5x73.5mm |
| Box Qty: | 10 Pcs |





LED Strip Lights


Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

Applications

Outdoor applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.



Strip-2835-Sensor

2.4w VT-8082

SKU: 2573 - 2700K Warm White 3800157639330
SKU: 2574 - 4000K Day White 3800157639347

| | |
|------------------|---------------------|
| Watts: | 2.4w |
| Voltage: | DC:6V |
| lm/M: | 200lm |
| Roll: | 1 Meter |
| Sensor Type: | Motion Sensor |
| Detection Range: | 2-5 M |
| Battery Type: | 4xAAA(Not Included) |
| Box Qty: | 50 Pcs |



Blister Pack



Bed Lights-PIR Sensor

3w VT-8067

SKU: 2548 - 3000K Warm White 3800157628433
SKU: 2549 - 4500K Day White 3800157628440

| | |
|------------------|-----------------------|
| Watts: | 3w |
| Voltage: | DC:12V |
| LED/M: | 30 |
| Strips length: | 1.2 m x1 |
| Sensor Distance: | 2-5m |
| Delay time: | 30sec, 130sec, 380sec |
| Box Qty: | 25 Pcs |



Blister Pack



Bed Lights-PIR Sensor

6w VT-8068

SKU: 2550 - 3000K Warm White 3800157628457
SKU: 2551 - 4500K Day White 3800157628464

| | |
|------------------|-----------------------|
| Watts: | 6w |
| Voltage: | DC:12V |
| LED/M: | 30 |
| Strips length: | 1.2 m x2 |
| Sensor Distance: | 2-5 m |
| Delay time: | 30sec, 130sec, 380sec |
| Box Qty: | 18 Pcs |

Striplights 5050 60

9W VT-5050 60-S3M

SKU: 2607 - 6400K White 3800157653411
SKU: 2606 - 3000K Warm White 3800157653404
SKU: 2605 - RGB 3800157653398



| | |
|------------|----------------------|
| LED Type: | SMD |
| Watt/M: | 9W |
| Current/M: | 0.9A |
| Voltage: | AC:100-240V, 50/60Hz |
| LED Qty | 60 |

| | |
|-------------|---------|
| lm/M: | 1000lm |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 10mm |
| Box Qty: | 20 Pcs |



Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804
 SKU: 2546 - 6000K White 3800157626811
 SKU: 2544 - RGB 3800157625975



BS PLUG



POWER SUPPLY



| | |
|------------|---------------------|
| LED Type: | SMD |
| Watt/M: | 10w |
| Current/M: | 1.5A |
| Voltage: | AC:100-265V,50/60Hz |
| LED Qty | 60 |

| | |
|-------------|---------|
| lm/M: | 1000lm |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 8mm |
| Box Qty: | 20 Pcs |

Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144



EU PLUG



POWER SUPPLY



| | |
|------------|---------------------|
| LED Type: | SMD |
| Watt/M: | 10w |
| Current/M: | 1.5A |
| Voltage: | AC:100-265V,50/60Hz |
| LED Qty | 60 |

| | |
|-------------|---------|
| lm/M: | 1000lm |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 8mm |
| Box Qty: | 20 Pcs |

Strip-2835 60 LEDs

4w VT-2835 60

SKU: 2559 - 3000K Warm White 3800157637244
 SKU: 2560 - 4000K Day White 3800157637251
 SKU: 2561 - 6400K White 3800157637268




| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 4w |
| Current/M: | 0.3A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| lm/M: | 300lm |
| lm/LED: | 5-8lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 6mm |
| Box Qty: | 400 Meters |

Striplights 2835 120 Double PCB

7.2W VT-2835 120-IP65

SKU: 2627 - 6000K White 3800157654692
 SKU: 2625 - 3000K Warm White 3800157654678
 SKU: 2626 - 4000K Day White 3800157654685



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 7.2W |
| Current/M: | 0.6A |
| Voltage: | DC:24V |
| LED Qty | 120 |

| | |
|-------------|------------|
| lm/M: | 600lm |
| lm/LED: | 5-6lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 10mm |
| Box Qty: | 400 Meters |

Striplights 2835 120 Double PCB

7.2W VT-2835 120-IP20

SKU: 2624 - 6000K White 3800157654661
 SKU: 2622 - 3000K Warm White 3800157654647
 SKU: 2623 - 4000K Day White 3800157654654



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 7.2W |
| Current/M: | 0.6A |
| Voltage: | DC:24V |
| LED Qty | 120 |

| | |
|-------------|------------|
| lm/M: | 600lm |
| lm/LED: | 5-6lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 800 Meters |



LED Strip-2835 126 LEDs

8w VT-2835 126-24V

SKU: 2593 | 3000K Warm White 3800157653121
 SKU: 2594 | 4000K Day White 3800157653138
 SKU: 2595 | 6400K White 3800157653145



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 8w |
| Current/M: | 0.33A |
| Voltage: | DC:24V |
| LED Qty | 126 |

| | |
|-------------|------------|
| lm/M: | 1200lm |
| lm/LED: | 28-30lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED Strip-2835 168 LEDs

11w VT-2835 168-24V

SKU: 2596 | 3000K Warm White 3800157653152
 SKU: 2597 | 4000K Day White 3800157653169
 SKU: 2598 | 6400K White 3800157653176



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 11w |
| Current/M: | 0.45A |
| Voltage: | DC:24V |
| LED Qty | 168 |

| | |
|-------------|------------|
| lm/M: | 1650lm |
| lm/LED: | 28-30lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED Strip-2835 238 LEDs

17w VT-2835 238-24V

SKU: 2599 | 3000K Warm White 3800157653183
 SKU: 2600 | 4000K Day White 3800157653190
 SKU: 2601 | 6400K White 3800157653206



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 17w |
| Current/M: | 0.7A |
| Voltage: | DC:24V |
| LED Qty | 238 |

| | |
|-------------|------------|
| lm/M: | 2550lm |
| lm/LED: | 28-30lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED strips-2835 204 LEDs

18w VT-2835 204

SKU: 2461 - 3000K Warm White 3800157612234
 SKU: 2462 - 4500K Day White 3800157612241
 SKU: 2463 - 6000K White 3800157612258

5M
ROLL

 IP20
RATING

LED Type: SMD
 Watt/M: 18w
 Current/M: 1.5A
 Voltage: DC:12V
 LED Qty 204

lm/M: 1700lm
 lm/LED: 9-11lm
 Beam Angle: 120°
 IP Rating: IP20
 Width: 10mm
 Box Qty: 400 Meters



LED strips-2835 240 LEDs-High Lumen

18w VT-2835 240-H

SKU: 2164 - 3000K Warm White 3800157610117
 SKU: 2165 - 4500K Day White 3800157610124
 SKU: 2166 - 6000K White 3800157610131

5M
ROLL3000
LUMENS PER METER

 IP20
RATING
150
Lumen/W

LED Type: SMD
 Watt/M: 18w
 Current/M: 1.5A
 Voltage: DC:12V
 LED Qty 240

lm/M: 3000lm
 lm/LED: 20-22lm
 Beam Angle: 120°
 IP Rating: IP20
 Width: 10mm
 Box Qty: 400 Meters



LED strips-5730 120 LEDs-High Lumen

18w VT-5730 120

SKU: 2162 - 3000K Warm White 3800157610094
 SKU: 2163 - 4500K Day White 3800157610100
 SKU: 2161 - 6000K White 3800157610087

5M
ROLL3000
LUMENS PER METER

 IP20
RATING
150
Lumen/W

LED Type: SMD
 Watt/M: 18w
 Current/M: 1.5A
 Voltage: DC:12V
 LED Qty 120

lm/M: 3000lm
 lm/LED: 20-22lm
 Beam Angle: 120°
 IP Rating: IP20
 Width: 8mm
 Box Qty: 400 Meters



Striplights 2110 700

21W VT-2110 700

SKU: 2604 - 6400K White 3800157653367
 SKU: 2602 - 3000K Warm White 3800157653343
 SKU: 2603 - 4000K Day White 3800157653350

NEW

5M
ROLL

 REAL COLOR SERIES
 CRI
 >95

 IP20
RATING
700 LED
PER METER

LED Type: SMD
 Watt/M: 21W
 Current/M: 0.875A
 Voltage: DC:24V
 LED Qty 700

lm/M: 2000lm
 lm/LED: 8-10lm
 Beam Angle: 120°
 IP Rating: IP20
 Width: 12mm
 Box Qty: 400 Meters



Strip-2216 360 LEDs
30w VT-2216 360

SKU: 2580 - 3000K Warm White 3800157642033
SKU: 2581 - 4000K Day White 3800157642040
SKU: 2582 - 6000K White 3800157642057



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 30w |
| Current/M: | 1.25A |
| Voltage: | DC:24V |
| LED Qty | 360 |

| | |
|-------------|------------|
| lm/M: | 2400lm |
| lm/LED: | 6-7lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 250 Meters |

LED strips-3014 204 LEDs
18w VT-3014 204

SKU: 2404 - 3000K Warm White 3800230628060
SKU: 2405 - 4500K Day White 3800157600309
SKU: 2403 - 6000K White 3800230628053



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 18w |
| Current/M: | 1.5A |
| Voltage: | DC:12V |
| LED Qty | 204 |

| | |
|-------------|------------|
| lm/M: | 1700lm |
| lm/LED: | 9-11lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |

LED strips-3528 60 LEDs
3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White 3800230621160
SKU: 2041 - 4500K Day White 3800230621184
SKU: 2005 - 6000K White 3800230621153
SKU: 2015 - Red 3800230621269
SKU: 2013 - Blue 3800230621252
SKU: 2011 - Green 3800230621221
SKU: 2009 - Yellow 3800230621214



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 3.6w |
| Current/M: | 0.3A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| lm/M: | 400lm |
| lm/LED: | 5-6lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 8mm |
| Box Qty: | 400 Meters |

LED strips-3528 60 LEDs
3.6w VT-3528 60-IP65

SKU: 2032 - 3000K Warm White 3800230621177
SKU: 2043 - 4500K Day White 3800230621191
SKU: 2031 - 6000K White 3800230621146
SKU: 2036 - Red 3800230621276
SKU: 2035 - Blue 3800230621245
SKU: 2034 - Green 3800230621238



| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 3.6w |
| Current/M: | 0.3A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| lm/M: | 400lm |
| lm/LED: | 5-6lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 8mm |
| Box Qty: | 400 Meters |

LED strips-3528 120 LEDs

7.2W VT-3528 120-IP20

SKU: 2025 - 3000K Warm White 3800230621306
 SKU: 2042 - 4500K Day White 3800230621320
 SKU: 2002 - 6000K White 3800230621283

5M
ROLL
 IP20
RATING

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 7.2w |
| Current/M: | 0.6A |
| Voltage: | DC:12V |
| LED Qty | 120 |

| | |
|-------------|------------|
| lm/M: | 600lm |
| lm/LED: | 5-6lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 8mm |
| Box Qty: | 400 Meters |



LED strips-3528 120 LEDs

7.2W VT-3528 120-IP65

SKU: 2038 - 3000K Warm White 3800230621313
 SKU: 2044 - 4500K Day White 3800230621337
 SKU: 2037 - 6000K White 3800230621290

5M
ROLL
 IP65
RATING

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 7.2w |
| Current/M: | 0.6A |
| Voltage: | DC:12V |
| LED Qty | 120 |

| | |
|-------------|------------|
| lm/M: | 600lm |
| lm/LED: | 5-6lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 8mm |
| Box Qty: | 400 Meters |



LED strips-5050 30 LEDs

4.8W VT-5050 30-IP20

SKU: 2135 - 3000K Warm White 3800230621405
 SKU: 2133 - 6000K White 3800230621382
 SKU: 2124 - RGB 3800230621535

5M
ROLL
 IP20
RATING

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 4.8w |
| Current/M: | 0.4A |
| Voltage: | DC:12V |
| LED Qty | 30 |

| | |
|-------------|------------|
| lm/M: | 500lm |
| lm/LED: | 14 -16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED strips-5050 30 LEDs

4.8W VT-5050 30-IP65

SKU: 2145 - 3000K Warm White 3800230621412
 SKU: 2460 - 4500K Day White 3800157612166
 SKU: 2144 - 6000K White 3800230621399
 SKU: 2118 - RGB 3800230621528

5M
ROLL
 IP65
RATING

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 4.8w |
| Current/M: | 0.4A |
| Voltage: | DC:12V |
| LED Qty | 30 |

| | |
|-------------|------------|
| lm/M: | 500lm |
| lm/LED: | 14 -16lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED strips-5050 60 LEDs

10.8w VT-5050 60-IP20

SKU: 2122 - 3000K Warm White 3800230621504
 SKU: 2143 - 4500K Day White 3800230621467
 SKU: 2126 - 6000K White 3800230621481
 SKU: 2120 - RGB 3800230621542
 SKU: 2128 - Red 3800230624468
 SKU: 2137 - Blue 3800230621429
 SKU: 2138 - Green 3800230621443
 SKU: 2156 - Yellow 3800230628824
 SKU: 2547 - 2200K Warm White 3800157627313

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 10.8w |
| Current/M: | 0.9A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| Im/M: | 1000lm |
| Im/LED: | 14 -16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



Striplights 5050 60

10.8w VT-5050 60-3M

SKU: 2609 - 6400K White 3800157653435
 SKU: 2608 - 3000K Warm White 3800157653428

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 10.8W |
| Current/M: | 0.9A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| Im/M: | 1000lm |
| Im/LED: | 14 -16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |




LED strips-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White 3800230621511
 SKU: 2150 - 4500K Day White 3800230621474
 SKU: 2148 - 6000K White 3800230621498
 SKU: 2155 - RGB 3800230621559

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 10.8w |
| Current/M: | 0.9A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| Im/M: | 1000lm |
| Im/LED: | 14 -16lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED strips-5050 60 LEDs

10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White 3800230629623
 SKU: 2552 - RGB+Day White 3800157630306
 SKU: 2553 - RGB+Warm White 3800157630313

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 10.8w |
| Current/M: | 1.2A |
| Voltage: | DC:12V |
| LED Qty | 60 |

| | |
|-------------|------------|
| Im/M: | 900lm |
| Im/LED: | 15lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 400 Meters |



LED strips-5050 60 LEDs

9w **VT-5050 60-24V-5M**

SKU: 2431 - 3000K Warm White 3800230621573
 SKU: 2459 - 4500K Day White 3800157612036
 SKU: 2430 - 6000K White 3800230621566
 SKU: 2591 - RGB 3800157653008

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 9w |
| Current/M: | 0.3A |
| Voltage: | DC:24V |
| LED Qty | 60 |

| | |
|-------------|------------|
| lm/M: | 600lm |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 200 Meters |

5M
ROLL

IP20
 RATING


LED strips-5050 60 LEDs

9w **VT-5050 60-24V-10M**

SKU: 2592 - RGB 3800157653015

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 9w |
| Current/M: | 0.3A |
| Voltage: | DC:24V |
| LED Qty | 60 |

| | |
|-------------|------------|
| lm/M: | 600lm |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 10mm |
| Box Qty: | 200 Meters |

10M
ROLL

IP20
 RATING


Tape-5050 60 LEDs

9w **VT-5050 60-24V-IP65**

SKU: 2562 - 3000K Warm White 3800157637534
 SKU: 2563 - 4000K Day White 3800157637541
 SKU: 2564 - 6400K White 3800157637558

| | |
|------------|--------|
| LED Type: | SMD |
| Watt/M: | 9w |
| Current/M: | 0.375A |
| Voltage: | DC:24V |
| LED Qty | 60 |

| | |
|-------------|------------|
| lm/M: | 500lm |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 10mm |
| Box Qty: | 200 Meters |

5M
ROLL

IP65
 RATING


Neon Flex IP68

6.5W VT-554



10M ROLL



IP68 RATING

- SKU: 2614 - 6400K White
- SKU: 2612 - 3000K Warm White
- SKU: 2613 - 4000K Day White
- SKU: 2618 - Red
- SKU: 2615 - Blue
- SKU: 2616 - Green
- SKU: 2617 - Yellow

- 3800157654562
- 3800157654548
- 3800157654555
- 3800157654609
- 3800157654579
- 3800157654586
- 3800157654593

**Cuttable after every 5CM .
No End cap required.**



| | | | |
|-------------|---------------|------------|------------------|
| Voltage: | DC:24V | Current/M: | 0.27A |
| Lumen lm/M: | 260lm | LED/M: | 126 |
| Power W/M: | 6.5W | CRI: | >80 |
| Beam Angle: | 120° | Size: | 8mm |
| | | Box Qty: | 50 Meters |

Neon Flex Silicon Cover

8W VT-560



5M ROLL



IP65 RATING

- SKU: 2621 - 6000K White
- SKU: 2619 - 3000K Warm White
- SKU: 2620 - 4000K Day White

- 3800157654630
- 3800157654616
- 3800157654623




| | | | |
|-------------|---------------|------------|-------------------|
| Voltage: | DC:24V | Current/M: | 0.34A |
| Lumen lm/M: | 530lm | LED/M: | 238 |
| Power W/M: | 8W | CRI: | >90 |
| Beam Angle: | 120° | Size: | 6mm |
| | | Box Qty: | 200 Meters |



Surface Aluminium Profile

| | |
|------------|-------------------------|
| Model No: | VT-8117 |
| SKU: | 2610 |
| Dimension: | 11.8x12.5x2000mm |
| EAN: | 3800157654524 |
| Box Qty: | 75 Pcs |



Concealed Aluminium Profile

| | |
|------------|----------------------|
| Model No: | VT-8120 |
| SKU: | 2611 |
| Dimension: | 17.8x2000mm |
| EAN: | 3800157654531 |
| Box Qty: | 75 Pcs |

Neon Flex-White

8w

VT-555W

2512 - 6000K White

3800157605656

10M
ROLLIP65
RATING

| | |
|---------------|--------|
| Voltage: | DC:24V |
| Lumen lm/M: | 320 |
| FPC Width MM: | 7.5 |
| Power W/M: | 8w |

| | |
|-------------|------------|
| Jacket Dia: | 9 x16.5 mm |
| Beam Angle: | 160° |
| Box Qty: | 5 Packets |



Neon Flex-Warm White

8w

VT-555WW


2513 - 3000K Warm White

3800157605663

10M
ROLLIP65
RATING

| | |
|---------------|--------|
| Voltage: | DC:24V |
| Lumen lm/M: | 320 |
| FPC Width MM: | 7.5 |
| Power W/M: | 8w |

| | |
|-------------|------------|
| Jacket Dia: | 9 x16.5 mm |
| Beam Angle: | 160° |
| Box Qty: | 5 Packets |



Neon Flex-Day White

8w

VT-555DW

2514 - 4500K Day White

3800157605670

10M
ROLLIP65
RATING

| | |
|---------------|--------|
| Voltage: | DC:24V |
| Lumen lm/M: | 320 |
| FPC Width MM: | 7.5 |
| Power W/M: | 8w |

| | |
|-------------|------------|
| Jacket Dia: | 9 x16.5 mm |
| Beam Angle: | 160° |
| Box Qty: | 5 Packets |



Neon Flex-Blue

8w

VT-555B

2515 - Blue

3800157605687

10M
ROLLIP65
RATING

| | |
|---------------|--------|
| Voltage: | DC:24V |
| Lumen lm/M: | 320 |
| FPC Width MM: | 7.5 |
| Power W/M: | 8w |

| | |
|-------------|------------|
| Jacket Dia: | 9 x16.5 mm |
| Beam Angle: | 160° |
| Box Qty: | 5 Packets |



Neon Flex-Red

8w

VT-555R

2516 - Red

3800157605694

10M
ROLLIP65
RATING

| | |
|---------------|--------|
| Voltage: | DC:24V |
| Lumen lm/M: | 320 |
| FPC Width MM: | 7.5 |
| Power W/M: | 8w |

| | |
|-------------|------------|
| Jacket Dia: | 9 x16.5 mm |
| Beam Angle: | 160° |
| Box Qty: | 5 Packets |



Neon Flex-Green


8W **VT-555G**
 2517 - Green 3800157605700

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Neon Flex-Yellow


8W **VT-555Y**
 2518 - Yellow 3800157605717

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Neon Flex-Pink

8W **VT-555P**
 2529 - Pink 3800157619523

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Neon Flex-Violet


8W **VT-555V**
 2531 - Violet 3800157619547

10M ROLL

IP65 RATING

Voltage: **DC:24V**
 Lumen lm/M: **320**
 FPC Width MM: **7.5**
 Power W/M: **8w**

Jacket Dia: **9 x16.5 mm**
 Beam Angle: **160°**
 Box Qty: **5 Packets**



Backlite Silicon Neon Flex

13w **VT-559**
 2570 - 5000K White 3800157637657
 2568 - 3000K Warm White 3800157637633
 2569 - 4000K Day White 3800157637640

10M ROLL

IP65 RATING

LED Type: **SMD**
 Watt/M: **13w**
 Voltage: **DC:24V**
 lm/M: **1000**
 CRI: **>80**

Beam Angle: **120°**
 IP Rating: **IP65**
 Width: **8mm**
 Box Qty: **200 Meters**





Aluminium Profiles-5CM

SKU : 2527

EAN : 3800157608404

Box Qty: 2200Pcs



Neon Power Cord

SKU : 3331

EAN : 3800157616829

Box Qty: 500 Pcs



Neon Connector

SKU : 3333

EAN : 3800157607889

Box Qty: 3000 Pcs



Neon End Safe Cap

SKU : 3334

EAN : 3800157607896

Box Qty: 2 Pcs



Plastic Profile-1M

SKU : 2571

EAN : 3800157637664

Box Qty: 50 Pcs



Plug-Pin

SKU : 2565

EAN : 3800157637565

Box Qty: 1000Pcs



Fixing Clip

SKU : 2566

EAN : 3800157637572

Box Qty: 1000Pcs



End Cup

SKU : 2567

EAN : 3800157637589

Box Qty: 1000Pcs

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



| SKU | Description: | EAN : | BOX Qty: |
|------|--|---------------|----------|
| 2351 | LED Strip Set SMD3528 60 LEDs 4500K IP20 | 3800230621634 | 48 Pcs |
| 2350 | LED Strip Set SMD5050 30 LEDs RGB IP20 | 3800230621641 | 48 Pcs |
| 2352 | LED Strip Set SMD5050 30 LEDs RGB IP65 | 3800230621658 | 50 Pcs |
| 2353 | LED Strip Set SMD5050 60 LEDs RGB IP20 | 3800230621665 | 50 Pcs |
| 2354 | LED Strip Set SMD5050 60 LEDs RGB IP65 | 3800230621672 | 48 Pcs |
| 2355 | LED Strip Set SMD5050 60 LEDs White IP20 | 3800230621689 | 48 Pcs |
| 2356 | LED Strip Set SMD5050 60 LEDs White IP65 | 3800230621696 | 48 Pcs |

Strip Connectors



| SKU | Description: | EAN : | BOX Qty: |
|------|---|---------------|----------|
| 2587 | Flexible Connector - LED Strip 5050 RGB+White | 3800157644655 | 2500 Pcs |
| 2588 | Flexible Connector - 5050 RGB+White With Pin | 3800157644662 | 2000 Pcs |
| 2589 | Connector - LED Strip 5050 RGB+White | 3800157644679 | 3000 Pcs |
| 3500 | Flexible Connector - LED Strip 3528 | 3800230622051 | 100 Pcs |
| 3501 | Flexible Connector - LED Strip 5050 | 3800230622068 | 100 Pcs |
| 3502 | Flexible Connector - LED Strip 5050 RGB | 3800230622075 | 100 Pcs |
| 3503 | Connector - LED Strip 3528 | 3800230622082 | 100 Pcs |
| 3504 | Connector - LED Strip 5050 | 3800230622099 | 1000 Pcs |
| 3505 | Connector - LED Strip 5050 RGB | 3800230622105 | 1000 Pcs |
| 3507 | Flexible Connector - LED Strip 3528 DC Female | 3800230622112 | 100 Pcs |
| 3508 | Flexible Connector - LED Strip 5050 DC Female | 3800157608466 | 100 Pcs |
| 3509 | Connector - LED Strip 3528 Cross Type | 3800157608473 | 100 Pcs |
| 3510 | Connector - LED Strip 5050 Cross Type | 3800157608480 | 200 Pcs |
| 3511 | Connector - LED Strip 5050 L Type | 3800157608497 | 250 Pcs |
| 3512 | Connector - LED Strip DC Female | 3800230622112 | 100 Pcs |


2
PCS PACK

Bar 4014 144 LEDs

18w VT-4014 144-2Pc

- SKU: 2535 - 3000K Warm White 3800157625883
- SKU: 2536 - 4000K Day White 3800157625890
- SKU: 2537 - 6400K White 3800157625906

| | |
|-------------|---------|
| Current: | 1.5A |
| Voltage: | DC:12V |
| Lumens/LED: | 20-24lm |
| LM/M: | 1700lm |
| Size: | 1M |
| LED Type: | SMD |
| IP Rating: | IP20 |
| Box Qty: | 125 Pcs |




10
PCS PACK

Bar 4014 144 LEDs

18w VT-4014 144-10Pc

- SKU: 2538 - 3000K Warm White 3800157625913
- SKU: 2539 - 4000K Day White 3800157625920
- SKU: 2540 - 6400K White 3800157625937

| | |
|-------------|---------|
| Current: | 1.5A |
| Voltage: | DC:12V |
| Lumens/LED: | 20-24lm |
| LM/M: | 1700lm |
| Size: | 1M |
| LED Type: | SMD |
| IP Rating: | IP20 |
| Box Qty: | 50 Pcs |




Bar 4014 144 LEDs

18w VT-4014 144-P

- SKU: 2541 - 3000K Warm White 3800157625944
- SKU: 2542 - 4500K Day White 3800157625951
- SKU: 2543 - 6400K White 3800157625968

| | |
|-------------|---------|
| Current: | 1.5A |
| Voltage: | DC:12V |
| Lumens/LED: | 20-24lm |
| LM/M: | 1700lm |
| Size: | 1M |
| LED Type: | SMD |
| IP Rating: | IP20 |
| Box Qty: | 100 Pcs |





PROFILES AND ACCESSORIES

V-TAC's range of strip lights and aluminum profiles were developed with the sole purpose of adding a constantly stylish way of lighting. Coupled with our diverse range of accessories and controllers, these stylish lights can be installed in a variety of ways and applications.




Lighting Flexibility



Elegant Lighting



Easy to Install



with 30 mm wide,
Perfect for double
row LED Strip

Aluminium Profiles-Milky

Model No: **VT-8118**


SKU: **3371**

Dimension: **2000x30x20mm**

Color of Fixture: **Milky**

EAN: **3800157648431**

Box Qty. **50 Pcs**



Aluminium Profiles-Milky

Model No: **VT-8119**



SKU: **3372**

Dimension: **2000x30x20mm**

Color of Fixture: **Milky**



EAN: **3800157648448**

Box Qty. **60 Pcs**



Aluminium Profiles-Milky

| | |
|-------------------|----------------|
| Model No: | VT-9327 |
| SKU: | 3370 |
| Dimension: | x2000x16mmx7mm |
| Color of Fixture: | Milky |
| EAN: | 3800157645553 |
| Box Qty. | 200 Pcs |





Aluminium Profiles-Milky

| | |
|-------------------|---------------|
| Model No: | VT-8106 |
| SKU: | 3350 |
| Dimension: | 2000x24.7x7mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636780 |

Aluminium Profiles-White Housing



| | |
|-------------------|---------------|
| Model No: | VT-8106-W |
| SKU: | 3368 |
| Dimension: | 2000x24.7x7mm |
| Color of Fixture: | White |
| EAN: | 3800157640183 |

Box Qty. 180 Pcs



Aluminium Profiles-Milky

| | |
|-------------------|----------------|
| Model No: | VT-8107 |
| SKU: | 3351 |
| Dimension: | 2000x23x15.5mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636797 |
| Box Qty. | 120 Pcs |




Aluminium Profiles-Milky

| | |
|-------------------|----------------|
| Model No: | VT-8108 |
| SKU: | 3352 |
| Dimension: | 2000x23.5x10mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636803 |

Aluminium Profiles-White Housing

| | |
|-------------------|----------------|
| Model No: | VT-8108-W |
| SKU: | 3367 |
| Dimension: | 2000x23.5x10mm |
| Color of Fixture: | White |
| EAN: | 3800157640176 |

Box Qty. 120 Pcs





Aluminium Profiles-Milky

| | |
|-------------------|------------------|
| Model No: | VT-8109 |
| SKU: | 3353 |
| Dimension: | 2000x15.8x15.8mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636810 |

Aluminium Profiles-White Housing

| | |
|-------------------|------------------|
| Model No: | VT-8109-W |
| SKU: | 3369 |
| Dimension: | 2000x15.8x15.8mm |
| Color of Fixture: | White |
| EAN: | 3800157640190 |

Box Qty. 160 Pcs





Box Qty. 120 Pcs

Aluminium Profiles-Milky

| | |
|-------------------|------------------|
| Model No: | VT-8110 |
| SKU: | 3354 |
| Dimension: | 2000x17.2x15.5mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636827 |

Aluminium Profiles-White Housing

| | |
|-------------------|------------------|
| Model No: | VT-8110-W |
| SKU: | 3366 |
| Dimension: | 2000x17.2x15.5mm |
| Color of Fixture: | White |
| EAN: | 3800157640169 |





Box Qty. 180 Pcs

Aluminium Profiles-Milky

| | |
|-------------------|---------------|
| Model No: | VT-8113 |
| SKU: | 3355 |
| Dimension: | 2000x17.4x7mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636834 |

Aluminium Profiles-White Housing

| | |
|-------------------|---------------|
| Model No: | VT-8113-W |
| SKU: | 3365 |
| Dimension: | 2000x17.4x7mm |
| Color of Fixture: | White |
| EAN: | 3800157640152 |





Box Qty. 120 Pcs

Aluminium Profiles-Milky

| | |
|-------------------|---------------|
| Model No: | VT-8114 |
| SKU: | 3356 |
| Dimension: | 2000x19x19mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636841 |

Aluminium Profiles-White Housing


| | |
|-------------------|---------------|
| Model No: | VT-8114-W |
| SKU: | 3364 |
| Dimension: | 2000x19x19mm |
| Color of Fixture: | White |
| EAN: | 3800157640145 |



Aluminium Profiles-Milky

| | |
|-------------------|------------------|
| Model No: | VT-8115 |
| SKU: | 3357 |
| Dimension: | 2000x24.5x12.2mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636858 |



Box Qty. 120 Pcs



Aluminium Profiles-Milky



| | |
|-------------------|------------------|
| Model No: | VT-8116 |
| SKU: | 3358 |
| Dimension: | 2000x17.4x12.1mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636865 |

Box Qty. 120 Pcs




Aluminium Profiles-Milky-Set

| | |
|-------------------|---------------|
| Model No: | VT-8101 |
| SKU: | 3359 |
| Dimension: | 2000mm |
| Color of Fixture: | Milky |
| EAN: | 3800157636995 |
| Box Qty. | 30 Pcs |




Aluminium Profiles-Milky-Set

| | |
|-------------------|---------------|
| Model No: | VT-8102 |
| SKU: | 3360 |
| Dimension: | 2000mm |
| Color of Fixture: | Milky |
| EAN: | 3800157637008 |
| Box Qty. | 50 pcs |




Aluminium Profiles-Milky-Set

| | |
|-------------------|---------------|
| Model No: | VT-8103 |
| SKU: | 3361 |
| Dimension: | 2000mm |
| Color of Fixture: | Milky |
| EAN: | 3800157637015 |
| Box Qty. | 40 Pcs |




Aluminium Profiles-Milky-Set

| | |
|-------------------|---------------|
| Model No: | VT-8104 |
| SKU: | 3362 |
| Dimension: | 2000mm |
| Color of Fixture: | Milky |
| EAN: | 3800157637022 |
| Box Qty. | 30 Pcs |



Aluminium Profiles-Milky-Set

| | |
|-------------------|---------------|
| Model No: | VT-8105 |
| SKU: | 3363 |
| Dimension: | 2000mm |
| Color of Fixture: | Milky |
| EAN: | 3800157637039 |
| Box Qty. | 30 Pcs |



Aluminium Profile-Matt

Model No: VT-7103-M


SKU: 9986

Dimension: 26.5x9x1000mm

Color of Fixture: Matt

EAN: 3800230622174

Box Qty. 90 Pcs



2
PCS PACK

Aluminium Profile-2 Meters

Model No: VT-7104


SKU: 9956

Dimension: 19x19x2000mm

Color of Fixture: Milky

EAN: 3800157635509

Box Qty. 40 Pcs





Strip-Controller-Dimmer

| | |
|--------------------|---------------|
| Model: | VT-2402 |
| SKU: | 3300 |
| Max Current /Watt: | 8A 96/192W |
| Input Voltage: | DC:12/24V |
| EAN: | 3800230622198 |
| Box Qty. | 50 Pcs |



Strip-Controller-Radio

| | |
|--------------------|---------------|
| Model: | VT-2404 |
| SKU: | 3303 |
| Max Current /Watt: | 12A, 144W |
| Input Voltage: | DC:12/24V |
| EAN: | 3800230622204 |
| Box Qty. | 100 Pcs |



Strip-Controller-DMX 512

| | |
|--------------------|------------------|
| Model: | VT-DM X 512 |
| SKU: | 3307 |
| Max Current /Watt: | 4A x3 144/288W |
| Input Voltage: | DC:12V |
| EAN: | 3800230622266 |
| Box Qty. | 50 Pcs |



Strip-Controller-Radio

| | |
|--------------------|------------------|
| Model: | VT-2405 |
| SKU: | 3312 |
| Max Current /Watt: | 4A x3 144/288W |
| Input Voltage: | DC:12/24V |
| EAN: | 3800230622273 |
| Box Qty. | 20 Pcs |



Strip-Controller-Radio

| | |
|--------------------|---------------|
| Model: | VT-2406 |
| SKU: | 3318 |
| Max Current /Watt: | 500W |
| Input Voltage: | DC:12/24V |
| EAN: | 3800230622235 |
| Box Qty. | 50 Pcs |



Strip-Controller-RF

| | |
|--------------------|---------------|
| Model: | 3320 |
| SKU: | 3320 |
| Max Current /Watt: | N/A |
| Input Voltage: | DC:12V |
| EAN: | 3800230628022 |
| Box Qty. | 500 Pcs |



Strip-Controller-Infrared

| | |
|--------------------|---------------|
| Model: | VT-2472 |
| SKU: | 3625 |
| Max Current /Watt: | 72/144w |
| Input Voltage: | DC:12/24V |
| EAN: | 3800230629630 |
| Box Qty. | 100 Pcs |



Strip-Amplifier-5050

| | |
|----------------|---------------|
| Model: | 3018 |
| SKU: | 3018 |
| Input Voltage: | DC:12V |
| EAN: | 3800230622242 |
| Box Qty. | 1000 Pcs |



Strip-Controller

| | |
|----------------|---------------|
| Model: | 3319 |
| SKU: | 3319 |
| Input Voltage: | DC:12V |
| EAN: | 3800230628015 |
| Box Qty. | 500 Pcs |



Strip-Controller-Wifi

| | |
|----------------|---------------|
| Model: | 3321 |
| SKU: | 3321 |
| Input Voltage: | DC:12V |
| EAN: | 3800230628039 |
| Box Qty. | 50 Pcs |



Strip-Controller-Wifi RGB

| | |
|----------------|---------------|
| Model: | 3322 |
| SKU: | 3322 |
| Input Voltage: | DC:12V |
| EAN: | 3800230628046 |
| Box Qty. | 50 Pcs |



Strip-Controller-5050

| | |
|----------------|---------------|
| Model: | 3326 |
| SKU: | 3326 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800230629630 |
| Box Qty. | 100 Pcs |



Strip-Amplifier

| | |
|----------------|---------------|
| Model: | VT-2408 |
| SKU: | 3327 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157601047 |
| Box Qty. | 100 Pcs |



Strip-Amplifier

| | |
|----------------|---------------|
| Model: | VT-2407 |
| SKU: | 3309 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157620819 |
| Box Qty. | 100Pcs |



Bed Light-Sensor

| | |
|-------------------|---------------|
| Model: | VT-8069 |
| SKU: | 2554 |
| Input voltage: | DC:12V |
| Sensing Distance: | 2-5m |
| DeLay Time: | 3s-6min |
| EAN: | 3800157632690 |
| Box Qty. | 400Pcs |




Bed Light-Touch Sensor

| | |
|----------------|---------------|
| Model: | VT-8071 |
| SKU: | 2556 |
| Input voltage: | DC:12V |
| EAN: | 3800157632713 |
| Box Qty. | 100Pcs |



Bed Light-Hand Wave Sensor

| | |
|----------------|---------------|
| Model: | VT-8072 |
| SKU: | 2557 |
| Input voltage: | DC:12V |
| EAN: | 3800157632720 |
| Box Qty. | 100Pcs |



Strip-Controller-Dimmer

| | |
|----------------|---------------|
| Model: | VT-2411 |
| SKU: | 3341 |
| Input voltage: | DC:12V |
| EAN: | 3800157636148 |
| Box Qty. | 500Pcs |



Bed Light-Connector Terminal

| | |
|----------|---------------|
| Model: | VT-8070 |
| SKU: | 2555 |
| EAN: | 3800157632706 |
| Box Qty. | 400Pcs |



Strip-Controller-Dimmer

| | |
|--------------------|---------------|
| Model: | VT-2410 |
| SKU: | 3663 |
| Max Current /Watt: | 6A 216W/432W |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157619509 |
| Box Qty. | 100 Pcs |



LED Sync Controller- Dimmer

| | |
|----------------|---------------|
| Model: | VT-2414 |
| SKU: | 3337 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157634601 |
| Box Qty. | 50Pcs |



LED Sync Controller- RGBW/WW

| | |
|----------------|---------------|
| Model: | VT-2424 |
| SKU: | 3338 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157634618 |
| Box Qty. | 60Pcs |



LED Sync Controller- RGB

| | |
|----------------|---------------|
| Model: | VT-2420 |
| SKU: | 3339 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157634625 |
| Box Qty. | 60Pcs |



LED Sync Controller- RGB

| | |
|----------------|---------------|
| Model: | |
| SKU: | 3340 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157634632 |
| Box Qty. | 100Pcs |

Strip Dimmer- Touch Remote Control



3 single color channels, <6A/channel
DC 12V:<216W/DC 24V:<432W

| | |
|----------------|---------------|
| Model: | VT-5115 |
| SKU: | 2590 |
| Input Voltage: | DC:12/24V |
| EAN: | 3800157649445 |
| Box Qty. | 50 Pcs |

Modules-3 SMD-IP67

0.72w VT-50503



| | |
|--------------------|-------------|
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 66lm |
| LED Type: | SMD |
| CRI: | >75 |
| Beam Angle: | 160° |
| Dimension: | 67x15x8.5mm |
| IP Rating: | IP67 |
| Box Qty. | 2000 Pcs |

| | |
|-------------------------|---------------|
| SKU: 5116 - 6000K White | 3800157610209 |
| SKU: 5117 - Red | 3800157610216 |
| SKU: 5118 - Blue | 3800157610223 |
| SKU: 5119 - Green | 3800157610230 |



Modules-3 SMD-IP67

1W **VT-28353**



| | |
|--------------------|-------------|
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 100lm |
| LED Type: | SMD |
| CRI: | >75 |
| Beam Angle: | 120° |
| Dimension: | 53x12x4.6mm |
| IP Rating: | IP67 |
| Box Qty. | 200 Pcs |

SKU: 5120 - 6000K White 3800157610247
 SKU: 5121 -Red 3800157610254
 SKU: 5123 - Green 3800157610261
 3800157610278

Modules-3 SMD-IP67

1.5W **VT-28356**



| | |
|--------------------|------------|
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 120-150lm |
| LED Type: | SMD |
| CRI: | >75 |
| Beam Angle: | 120° |
| Dimension: | 87x15x10mm |
| IP Rating: | IP67 |
| Box Qty. | 2000 Pcs |

SKU: 5124 - 3000K Warm White 3800157621687
 SKU: 5127 - Blue 3800157621694
 SKU: 5128 - Green 3800157621700
 3800157621717
 3800157621724

Modules-4 SMD-IP68

1.44w **VT-28358**



| | |
|--------------------|-------------|
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 120-135lm |
| LED Type: | SMD |
| CRI: | >75 |
| Beam Angle: | 160° |
| Dimension: | 37x37x6.8mm |
| IP Rating: | IP68 |
| Box Qty. | 100Pcs |

SKU: 5129 - 3000K Warm White 3800157621731
 SKU: 5130 - 6000K White 3800157621748
 SKU: 5131 -Red 3800157621755
 SKU: 5132 - Blue 3800157621762
 SKU: 5133 - Green 3800157621779

Modules-3 SMD-IP67

0.72w **VT-50506**



| | |
|--------------------|---------------|
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 20lm |
| LED Type: | SMD |
| CRI: | >75 |
| Beam Angle: | 120° |
| Dimension: | 68x19.5x5.7mm |
| IP Rating: | IP67 |
| Box Qty. | 100 Pcs |

SKU: 5134 - RGB 3800157621786

Modules-SMD-IP68

0.24w VT-50501



| | |
|--------------------|---------|
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 20lm |
| LED Type: | SMD |
| CRI: | >75 |
| Beam Angle: | 120° |
| Dimension: | 12x22mm |
| IP Rating: | IP68 |
| Box Qty. | 320 Pcs |


| | |
|------------------------------|---------------|
| SKU: 5135 - 3000K Warm white | 3800157621793 |
| SKU: 5136 - 6000K White | 3800157621809 |
| SKU: 5141 - 4000K Day white | 3800157653336 |
| SKU: 5137 - Red | 3800157621816 |
| SKU: 5139 - Blue | 3800157621830 |
| SKU: 5140 - Green | 3800157621847 |
| SKU: 5138 - Yellow | 3800157621823 |



Power Supply


For LED Strip Lights

NEW




Metal Power Supply
VT-20030

| | | | |
|-------------------|------------------|------------|---------------|
| SKU : | 3255 | Output: | DC:12V |
| Watts: | 30W | Unit Size: | 130x50x31mm |
| Current Capacity: | 2.5A | EAN: | 3800157635318 |
| Input Power: | AC:220-240V,50Hz | Box Qty. | 36 Pcs |




Slim Power Supply
VT-20062

| | | | |
|-------------------|--------------------|------------|---------------|
| SKU : | 3246 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 130x50x31mm |
| Current Capacity: | 5A | EAN: | 3800157628549 |
| Input Power: | AC:85-265V,50/60Hz | Box Qty. | 36 Pcs |



Slim Power Supply
VT-24061

| | | | |
|-------------------|--------------------|------------|---------------|
| SKU : | 3261 | Output: | DC:24V |
| Watts: | 60w | Unit Size: | 130x50x31mm |
| Current Capacity: | 2.5A | EAN: | 3800157640367 |
| Input Power: | AC:85-265V,50/60Hz | Box Qty. | 36 Pcs |



Slim Power Supply
VT-20077

With short circuit protection, over load protection, stable output voltage

| | | | |
|-------------------|--------------------|------------|---------------|
| SKU : | 3247 | Output: | DC:12V |
| Watts: | 75w | Unit Size: | 130x50x31mm |
| Current Capacity: | 6A | EAN: | 3800157628556 |
| Input Power: | AC:85-265V,50/60Hz | Box Qty. | 60 Pcs |



**Slim Power Supply
VT-20122**

SKU : **3243**

Watts: **120w**

Current Capacity: **10A**

Input Power: **AC:85-265V,50/60Hz**

Built in EMI Filter

Output: **DC:12V**

Unit Size: **190x50x31mm**

EAN: **3800157628525**

Box Qty. **80 Pcs**



24V

**Slim Power Supply
VT-24120**

SKU : **3262**

Watts: **120w**

Current Capacity: **5A**

Input Power: **AC:85-265V,50/60Hz**

Built in EMI Filter

Output: **DC:24V**

Unit Size: **190x50x31mm**

EAN: **3800157640374**

Box Qty. **80 Pcs**



**Slim Power Supply
VT-20152**

SKU : **3244**

Watts: **150w**

Current Capacity: **12.5A**

Input Power: **AC:85-265V,50/60Hz**

High efficiency, low temperature


Output: **DC:12V**

Unit Size: **200x62x31mm**

EAN: **3800157628532**

Box Qty. **60 Pcs**

NEW



24V

**Metal Power Supply
VT-22250**

SKU : **3273**

Watts: **250W**

Current Capacity: **10A**


Input Power: **AC:200-265V, 50Hz**

Output: **DC:24V**

Unit Size: **208x82x32mm**

EAN: **3800157654432**

Box Qty. **30 Pcs**



**Slim Power Supply
VT-20352**

SKU : **3259**

Watts: **350w**

Current Capacity: **30A**

Input Power: **AC:200-240V,50/60 Hz**

Output: **DC:12V**

Unit Size: **208x82x32mm**

EAN: **3800157636766**

Box Qty. **30 Pcs**



24V

**Slim Power Supply
VT-24350**

SKU : **3263**

Watts: **350w**

Current Capacity: **15A**

Input Power: **AC:200-240V,50/60 Hz**


Output: **DC:24V**

Unit Size: **208x82x32mm**

EAN: **3800157640381**

Box Qty. **30 Pcs**

NEW



24V

5 YEAR WARRANTY

NOISE WITHOUT FAN

**Metal Power Supply
VT-21361**

SKU : **3275**

Watts: **360W**

Current Capacity: **15A**

Input Power: **AC:200-240V,50Hz**

Output: **DC:24V**

Unit Size: **208x82x32mm**

EAN: **3800157654456**

Box Qty. **24 Pcs**

NEW



24V

5 YEAR WARRANTY

NOISE WITHOUT FAN

**Metal Power Supply
VT-21360**

SKU : **3274**

Watts: **360W**

Current Capacity: **30A**

Input Power: **AC:200-240V,50Hz**

Output: **DC:12V**

Unit Size: **208x82x32mm**

EAN: **3800157654449**

Box Qty. **24 Pcs**



**Power Supply-Metal
VT-20026**

100% load tested

| | |
|-------------------|---------------------------|
| SKU : | 3228 |
| Watts: | 25w |
| Current Capacity: | 2.1A |
| Input Power: | AC:85-265V,50/60Hz |


| | |
|------------|----------------------|
| Output: | DC:12V |
| Unit Size: | 140x33x27mm |
| EAN: | 3800157622929 |
| Box Qty. | 100 Pcs |



**Power Supply-Metal
VT-20350**

| | |
|-------------------|----------------------------|
| SKU : | 3057 |
| Watts: | 350w |
| Current Capacity: | 30A |
| Input Power: | AC:110-220V,50/60Hz |

| | |
|------------|----------------------|
| Output: | DC:12V |
| Unit Size: | 215x115x50mm |
| EAN: | 3800230621795 |
| Box Qty. | 20 Pcs |



**Power Supply-Metal
VT-20153**

| | |
|-------------------|---------------------------|
| SKU : | 3253 |
| Watts: | 150w |
| Current Capacity: | 6.5A |
| Input Power: | AC:85-265V,50/60Hz |

| | |
|------------|----------------------|
| Output: | DC:24V |
| Unit Size: | 253x72x45mm |
| EAN: | 3800157635233 |
| Box Qty. | 50 Pcs |



**LED Power Supply-TRIAC Dimmable
VT-20101D**

| | |
|-------------------|-----------------------------|
| SKU : | 3256 |
| Watts: | 100w |
| Current Capacity: | 8.5A |
| Input Power: | AC:200-240V,50/60 Hz |

| | |
|------------|----------------------|
| Output: | DC:12V |
| Unit Size: | 199x98x42mm |
| EAN: | 3800157635523 |
| Box Qty. | 50 Pcs |



**LED Power Supply-TRIAC Dimmable
VT-20154D**

| | |
|-------------------|-----------------------------|
| SKU : | 3257 |
| Watts: | 150w |
| Current Capacity: | 12.5A |
| Input Power: | AC:200-240V,50/60 Hz |

| | |
|------------|----------------------|
| Output: | DC:12V |
| Unit Size: | 199x98x42mm |
| EAN: | 3800157635530 |
| Box Qty. | 50 Pcs |



**LED Power Supply-TRIAC Dimmable
VT-20155D**

| | |
|-------------------|-----------------------------|
| SKU : | 3258 |
| Watts: | 150w |
| Current Capacity: | 6.25A |
| Input Power: | AC:200-240V,50/60 Hz |


| | |
|------------|----------------------|
| Output: | DC:24V |
| Unit Size: | 199x98x42mm |
| EAN: | 3800157635547 |
| Box Qty. | 50 Pcs |



**LED Power Supply-Rainproof-IP45
VT-21060**

| | |
|-------------------|-------------------------|
| SKU : | 3070 |
| Watts: | 60w |
| Current Capacity: | 5A |
| Input Power: | AC:200-240V,50Hz |


| | |
|------------|----------------------|
| Output: | DC:12V |
| Unit Size: | 155x105x50mm |
| EAN: | 3800230621801 |
| Box Qty. | 30 Pcs |



**LED Power Supply-Rainproof-IP45
VT-21151**

| | |
|-------------------|-----------------------------|
| SKU : | 3231 |
| Watts: | 150w |
| Current Capacity: | 12.5A |
| Input Power: | AC: 100-264V,50/60Hz |

| | |
|------------|----------------------|
| Output: | DC:12V |
| Unit Size: | 207x74x42mm |
| EAN: | 3800157627979 |
| Box Qty. | 40 Pcs |



IP45 RATING

**LED Power Supply-Rainproof-IP45
VT-21251**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3232 | Output: | DC:12V |
| Watts: | 250w | Unit Size: | 218x95x50mm |
| Current Capacity: | 20A | EAN: | 3800157627986 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 25 Pcs |



IP45 RATING

**LED Power Supply-Rainproof-IP45
VT-21401**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3233 | Output: | DC:12V |
| Watts: | 400w | Unit Size: | 223x118x50mm |
| Current Capacity: | 33A | EAN: | 3800157627993 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 20 Pcs |




IP45 RATING

24V

**LED Power Supply-Rainproof-IP45
VT-26400**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3265 | Output: | DC:24V |
| Watts: | 400w | Unit Size: | 223x118x50mm |
| Current Capacity: | 16.6A | EAN: | 3800157640404 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 20 Pcs |



IP65 RATING

**Power Supply-Waterproof-IP65
VT-22101**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3236 | Output: | DC:12V |
| Watts: | 100w | Unit Size: | 201x30.5x20mm |
| Current Capacity: | 8.0A | EAN: | 3800157605991 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 20 Pcs |




IP65 RATING

24V

**Power Supply-Waterproof-IP65
VT-22101-24**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3101 | Output: | DC:24V |
| Watts: | 100w | Unit Size: | 201x30.5x20mm |
| Current Capacity: | 4.2A | EAN: | 3800157605991 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 20 Pcs |



IP67 RATING

**Power Supply-Waterproof-IP67
VT-21030**


| | | | |
|-------------------|----------------------------|------------|----------------------|
| SKU : | 3271 | Output: | DC:12V |
| Watts: | 30w | Unit Size: | 150x40x30mm |
| Current Capacity: | 2.5A | EAN: | 3800157649186 |
| Input Power: | AC:100-240V,50/60Hz | Box Qty. | 60 Pcs |



IP67 RATING

**Power Supply-Waterproof-IP67
VT-22061**


| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3234 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 166x43x33mm |
| Current Capacity: | 5A | EAN: | 3800157628006 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 40 Pcs |




IP67 RATING

**Power Supply-Waterproof-IP67
VT-22075**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3235 | Output: | DC:12V |
| Watts: | 75w | Unit Size: | 166x43x33mm |
| Current Capacity: | 6A | EAN: | 3800157628013 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 40 Pcs |






IP67 RATING

**Power Supply-Waterproof-IP67
VT-22153**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3248 | Output: | DC:12V |
| Watts: | 150w | Unit Size: | 192x52x37mm |
| Current Capacity: | 12.5A | EAN: | 3800157629362 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 15 Pcs |





IP67 RATING



5 YEAR WARRANTY

**Power Supply-Waterproof-IP67
VT-22155**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3250 | Output: | DC:12V |
| Watts: | 150w | Unit Size: | 192x52x37mm |
| Current Capacity: | 12.5A | EAN: | 3800157630436 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 20 Pcs |






IP67 RATING




5 YEAR WARRANTY


**Power Supply-Waterproof-IP67
VT-22105**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3251 | Output: | DC:12V |
| Watts: | 100w | Unit Size: | 192x52x37mm |
| Current Capacity: | 8.3A | EAN: | 3800157630443 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 25 Pcs |





IP67 RATING



5 YEAR WARRANTY

**Power Supply-Waterproof-IP67
VT-22065**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3252 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 166x43x33mm |
| Current Capacity: | 5A | EAN: | 3800157630450 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 40 Pcs |



**Power Supply-Plastic-IP44
VT-23019**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3237 | Output: | DC:12V |
| Watts: | 18w | Unit Size: | 73x27x43mm |
| Current Capacity: | 1.5A | EAN: | 3800157628037 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 120 Pcs |




**Power Supply-Plastic-IP44
VT-23031**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3238 | Output: | DC:12V |
| Watts: | 30w | Unit Size: | 119x52x32mm |
| Current Capacity: | 2.5A | EAN: | 3800157628044 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 50 Pcs |




**Power Supply-Plastic-IP44
VT-23061**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3239 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 119x52x32mm |
| Current Capacity: | 5A | EAN: | 3800157628051 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 50 Pcs |



**Power Supply-Plastic-IP44
VT-23043**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3249 | Output: | DC:12V |
| Watts: | 42w | Unit Size: | 119x52x32mm |
| Current Capacity: | 3.5A | EAN: | 3800157629379 |
| Input Power: | AC:100-265V 50/60 Hz | Box Qty. | 50 Pcs |



**Power Supply-Plastic-IP44
VT-25060**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3264 | Output: | DC:24V |
| Watts: | 60w | Unit Size: | 119x52x32mm |
| Current Capacity: | 2.5A | EAN: | 3800157640398 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 50 Pcs |



**Power Supply-Plastic
VT-23060**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3035 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 130x90x45mm |
| Current Capacity: | 5A | EAN: | 3800157601085 |
| Input Power: | AC:100-265V 50/60 Hz | Box Qty. | 50 Pcs |



**Power Supply-Plastic-IP44
VT-23060-W**

| | | | |
|-------------------|--------------------|------------|----------------------|
| SKU : | 3269 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 119x52x32mm |
| Current Capacity: | 5A | EAN: | 3800157642668 |
| Input Power: | AC:100-264V | Box Qty. | 50 Pcs |



**Power Supply-Plastic-IP44
VT-23061-W**

| | | | |
|-------------------|--------------------|------------|----------------------|
| SKU : | 3270 | Output: | DC:12V |
| Watts: | 60w | Unit Size: | 119x52x32mm |
| Current Capacity: | 5A | EAN: | 3800157642675 |
| Input Power: | AC:100-264V | Box Qty. | 50 Pcs |



**Plastic Power Supply
VT-22078**

| | | | |
|-------------------|--------------------|------------|----------------------|
| SKU : | 3272 | Output: | DC:24V |
| Watts: | 78W | Unit Size: | 119x52x32mm |
| Current Capacity: | 3.25A | EAN: | 3800157654425 |
| Input Power: | AC:100-264V | Box Qty. | 50 Pcs |



**Power Supply-Plastic-IP44
VT-23079**

| | | | |
|-------------------|-----------------------------|------------|----------------------|
| SKU : | 3240 | Output: | DC:12V |
| Watts: | 78w | Unit Size: | 119x52x32mm |
| Current Capacity: | 6.5A | EAN: | 3800157628068 |
| Input Power: | AC: 100-264V,50/60Hz | Box Qty. | 50 Pcs |



LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.




Tracklights-Smart Color Changing
15w VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

| | |
|--------------------|---------------------|
| Sensor Compatible: | |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 650 |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.5 |



| | |
|-------------------|--------------|
| Beam Angle: | 18°-48° |
| Color of Fixture: | White |
| Body Type: | Aluminium |
| Life span: | 30,000 Hours |
| Dimension: | 215x141x60mm |
| Box Qty: | 20 Pcs |




Tracklights-Smart Color Changing
15w VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

| | |
|--------------------|---------------------|
| Sensor Compatible: | |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 500 |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.5 |



| | |
|-------------------|--------------|
| Beam Angle: | 18°-48° |
| Color of Fixture: | Black |
| Body Type: | Aluminium |
| Life span: | 30,000 Hours |
| Dimension: | 215x141x60mm |
| Box Qty: | 20 Pcs |




Tracklights-Smart Color Changing
35w VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

| | |
|--------------------|---------------------|
| Sensor Compatible: | |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 2350 |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.9 |



| | |
|-------------------|--------------|
| Beam Angle: | 16°-53° |
| Color of Fixture: | White |
| Body Type: | Aluminium |
| Life span: | 30,000 Hours |
| Dimension: | 215x183x93mm |
| Box Qty: | 20 Pcs |




Tracklights-Smart Color Changing
35w VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

| | |
|--------------------|---------------------|
| Sensor Compatible: | |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1950 |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.9 |



| | |
|-------------------|--------------|
| Beam Angle: | 16°-53° |
| Color of Fixture: | Black |
| Body Type: | Aluminium |
| Life span: | 30,000 Hours |
| Dimension: | 215x183x93mm |
| Box Qty: | 20 Pcs |





Tracklights-Color Changing

18w VT-4718-W


SKU: 1410 - 3 IN 1 3800157629324

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°-60°

Triac Dimmable

| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 20° ~ 60° (Adjustable) |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 1450lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | Ø93x93.5x230mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |



5 YEAR
WARRANTY*



Tracklights-Color Changing

18w VT-4718-B


SKU: 1411 - 3 IN 1 3800157629331

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°-60°

Triac Dimmable

| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 20° ~ 60° (Adjustable) |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 1450lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | Ø93x93.5x230mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |



5 YEAR
WARRANTY*



Tracklights-Color Changing

35w VT-4745-W


SKU: 1412 - 3 IN 1 3800157629348

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°-60°

Triac Dimmable

| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 20° ~ 60° (Adjustable) |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 3000lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | Ø100x196x262mm |
| PF: | >0.9 | Box Qty: | 8 Pcs |



5 YEAR
WARRANTY*



Tracklights-Color Changing

35w VT-4745-B


SKU: 1413 - 3 IN 1 3800157629355

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°-60°

Triac Dimmable

| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 20° ~ 60° (Adjustable) |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 3000lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | Ø100x196x262mm |
| PF: | >0.9 | Box Qty: | 8 Pcs |



5 YEAR
WARRANTY*




Tracklights-Black-White Body
10w VT-4512

SKU: 1332 - 3000K Warm White 3800157620604
SKU: 1333 - 4000K Day White 3800157620611
SKU: 1334 - 6000K White 3800157620628

5 YEAR WARRANTY

| | | | |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black+White |
| Luminous Flux: | 800lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >80 | Dimension: | 209x65x163mm |
| PF: | >0.9 | Box Qty: | 40 Pcs |




Tracklights-Black-White Body
25w VT-4528

SKU: 1335 - 3000K Warm White 3800157620635
SKU: 1336 - 4000K Day White 3800157620642
SKU: 1337 - 6000K White 3800157620659

5 YEAR WARRANTY

| | | | |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black+White |
| Luminous Flux: | 2100lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >80 | Dimension: | 209x85x187mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |




Tracklights-Black-White Body
35w VT-4537

SKU: 1338 - 3000K Warm White 3800157620666
SKU: 1339 - 4000K Day White 3800157620673
SKU: 1340 - 6000K White 3800157620680

5 YEAR WARRANTY

| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black+White |
| Luminous Flux: | 2850lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >80 | Dimension: | 224x100x215mm |
| PF: | >0.9 | Box Qty: | 10 Pcs |




Tracklights-White Body
15w VT-4615W

SKU: 1300 - 6400K White 3800157619875



5 YEAR WARRANTY

| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 1350lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | Ø180x97x155mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |







Tracklights-Black Body 15w VT-4615B

SKU: 1303 - 6400K White

3800157619905

| | | | |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 1350lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | 180x97x155mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |




5 YEAR
WARRANTY*


Tracklights-White Body 30w VT-4635W

SKU: 1294 - 6400K White

3800157619813

| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 2700lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | 180x140x215mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |




5 YEAR
WARRANTY*


Tracklights-Black Body 30w VT-4635B

SKU: 1297 - 6400K White

3800157619844

| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 2700lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 30,000 Hours |
| CRI: | >95 | Dimension: | 180x140x215mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |


5 YEAR
WARRANTY*


Tracklights-Black Body 33w VT-4535

SKU: 1233 - 3000K Warm White

3800157603720



SKU: 1234 - 4000K Day White

3800157603737

SKU: 1235 - 5000K White

3800157603744

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 25° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 1800lm | Body Type: | Die Cast Aluminium |
| LED Type: | COB | Life span: | 20,000 Hours |
| CRI: | >95 | Dimension: | 112x165x205mm |
| PF: | >0.9 | Box Qty: | 8 Pcs |





Tracklights-Black Body
45W VT-4545



SKU: 1236 - 3000K Warm White 3800157603751
 SKU: 1237 - 4000K Day White 3800157603768
 SKU: 1238 - 5000K White 3800157603775



| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 25° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 2300lm | Body Type: | Die Cast Aluminium |
| LED Type: | COB | Life span: | 20,000 Hours |
| CRI: | >95 | Dimension: | 123x165x218mm |
| PF: | >0.9 | Box Qty: | 8 Pcs |





Tracklights-Black Body
40W VT-4540T



SKU: 1192 - 5000K Day White 3800230629555

| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 22° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 2600lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 20,000 Hours |
| CRI: | >70 | Dimension: | 225x185x138mm |
| PF: | >0.9 | Box Qty: | 8 Pcs |





Tracklights-Black Body
33W VT-4534B



SKU: 1232 - 5000K White 3800157602532

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 22° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 2300lm | Body Type: | Die Cast Aluminium |
| LED Type: | COB | Life span: | 20,000 Hours |
| CRI: | >80 | Dimension: | 106x208x206mm |
| PF: | >0.9 | Box Qty: | 8 Pcs |





Tracklights-White Body
35W VT-4536W



SKU: 1255 - 3000K Warm White 3800157607551
 SKU: 1256 - 4500K Day White 3800157607568
 SKU: 1257 - 6000K White 3800157607575

| | | | |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 3500lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 20,000 Hours |
| CRI: | >80 | Dimension: | 92x165x192mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |





Tracklights-Black Body 35w VT-4536B

SKU: 1285 - 3000K Warm White
SKU: 1286 - 4000K Day White
SKU: 1287 - 6000K White

3800157618694
3800157618700
3800157618717



| | | | |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes | Beam Angle: | 24° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 3500lm | Body Type: | Aluminium |
| LED Type: | COB | Life span: | 20,000 Hours |
| CRI: | >80 | Dimension: | 92x165x192mm |
| PF: | >0.9 | Box Qty: | 20 Pcs |



TRACK LIGHT ACCESSORIES

| | | | | | |
|--|--|--|--|--|--|
| <p>Track-Connectors-4I SKU : 3522 EAN : 3800230623232 Box Qty: 50 Pcs</p> | <p>Track-Connectors-4I SKU : 3523 EAN : 3800230623195 Box Qty: 50 Pcs</p> | <p>Track-Connectors-4T SKU : 3524 EAN : 3800230623201 Box Qty: 25 Pcs</p> | <p>Track-Connectors-4T SKU : 3525 EAN : 3800230623249 Box Qty: 25 Pcs</p> | <p>Track-Connectors-4X SKU : 3526 EAN : 3800230623218 Box Qty: 10 Pcs</p> | <p>4 Wired Y Series-Connectors SKU : 3655 EAN : 3800157619103 Box Qty: 100 Pcs</p> |
| <p>4 Wired Y Series-Connectors SKU : 3656 EAN : 3800157619110 Box Qty: 100 Pcs</p> | <p>End Cap-White SKU : 3657 EAN : 3800157619127 Box Qty: 200 Pcs</p> | <p>End Cap-Black SKU : 3658 EAN : 3800157619134 Box Qty: 200 Pcs</p> | <p>4 Wired Y Series-Adaptor SKU : 3659 EAN : 3800157619141 Box Qty: 50 Pcs</p> | <p>4 Wired Y Series-Adaptor SKU : 3660 EAN : 3800157619158 Box Qty: 50 Pcs</p> | <p>Track-Connectors-4X SKU : 3527 EAN : 3800230623256 Box Qty: 10 Pcs</p> |
| <p>Track-Connectors-4L SKU : 3528 EAN : 3800230623225 Box Qty: 25 Pcs</p> | <p>Track-Connectors-4L SKU : 3529 EAN : 3800230623263 Box Qty: 25 Pcs</p> | <p>Flexible Joint-4 Line SKU : 3559 EAN : 3800230628442 Box Qty: 20 Pcs</p> | <p>Flexible Joint-4 Line SKU : 3560 EAN : 3800230628459 Box Qty: 20 Pcs</p> | <p>Hanging Trackline Kit-1 Meter SKU : 3565 EAN : 3800157600019 Box Qty: 100 Pcs</p> | <p>Hanging Trackline Kit-1 Meter SKU : 3566 EAN : 3800157600026 Box Qty: 100 Pcs</p> |
| <p>4 Core Track-1 Meter SKU : 9944 EAN : 3800230623133 Box Qty: 10 Pcs</p> | <p>4 Core Track-1 Meter SKU : 9945 EAN : 3800230623164 Box Qty: 10 Pcs</p> | <p>4 Core Track-1.5 Meter SKU : 9952 EAN : 3800230623140 Box Qty: 10 Pcs</p> | <p>4 Core Track-1.5 Meter SKU : 9953 EAN : 3800230623171 Box Qty: 10 Pcs</p> | <p>4 Core Track-2 Meter SKU : 9954 EAN : 3800230623157 Box Qty: 10 Pcs</p> | <p>4 Core Track-2 Meter SKU : 9955 EAN : 3800230623188 Box Qty: 10 Pcs</p> |



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications


Residences, showrooms, hotels & boutiques etc.



UGR < 19

Adjustable Angle
0-27°


Hotel Downlight-COB
6w VT-2907
SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|-----------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø65x82mm |
| Cutting Size: | Ø55mm |
| Box Qty: | 24 Pcs |


Hotel Downlight-COB
10w VT-2911
SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 650lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|-----------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø85x96mm |
| Cutting Size: | Ø75mm |
| Box Qty: | 16 Pcs |


Hotel Downlight-COB
15w VT-2916
SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1000lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|------------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø105x113mm |
| Cutting Size: | Ø95mm |
| Box Qty: | 12 Pcs |

Hotel Downlight-COB
35w VT-2936
SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2300lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|------------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø160x176mm |
| Cutting Size: | Ø150mm |
| Box Qty: | 8 Pcs |



Side Light

SKU: 1485 - 3000K Warm White 3800157642675

3W VT-2903

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 30° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180lm | Color of Fixture: | Black |
| LED Type: | COB-CREE | Dimension: | 80x80x25mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF | >0.6 | Box Qty: | 40 Pcs |



Side Light

SKU: 1486 - 3000K Warm White 3800157644327

3W VT-2913

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 30° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180lm | Color of Fixture: | White |
| LED Type: | COB-CREE | Dimension: | 90x60x30mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF | >0.6 | Box Qty: | 40 Pcs |



Side Light

SKU: 1487 - 3000K Warm White 3800157644334

3W VT-2943

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 30° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180lm | Color of Fixture: | White |
| LED Type: | COB-CREE | Dimension: | 120x120x45mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF | >0.6 | Box Qty: | 20 Pcs |



Side Light

SKU: 1488 - 3000K Warm White 3800157644341

3+6W VT-2953

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180+500lm | Color of Fixture: | White |
| LED Type: | CREE Chip | Dimension: | 300x50x35mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF | >0.6 | Box Qty: | 30 Pcs |



Side Light


SKU: 1489 - 3000K Warm White 3800157644358

3+6W VT-2963

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180+500lm | Color of Fixture: | White |
| LED Type: | COB-CREE | Dimension: | 140x30mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF | >0.6 | Box Qty: | 30 Pcs |



120
Lumen/W




Reflector Series - High Lumen
10W VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
SKU: 1271 - 4000K Day White 3800157611930
SKU: 1272 - 6400K White 3800157611947

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-277V,50/60Hz | Body Type: | PKW |
| Luminous Flux: | 1200lm | Color of Fixture: | White |
| LED Type: | COB | Shape: | Round |
| CRI: | >80 | Dimension: | Ø135x71mm |
| PF: | >0.5 | Cutting Size: | Ø120mm |
| | | Box Qty: | 27 Pcs |



120
Lumen/W




Reflector Series - High Lumen
20W VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
SKU: 1274 - 4000K Day White 3800157611961
SKU: 1275 - 6400K White 3800157611978

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-277V,50/60Hz | Body Type: | PKW |
| Luminous Flux: | 2400lm | Color of Fixture: | White |
| LED Type: | COB | Shape: | Round |
| CRI: | >80 | Dimension: | Ø180x83mm |
| PF: | >0.5 | Cutting Size: | Ø167mm |
| | | Box Qty: | 18 Pcs |



120
Lumen/W




Reflector Series - High Lumen
30W VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
SKU: 1277 - 4000K Day White 3800157611992
SKU: 1278 - 6400K White 3800157612005

| | | | |
|--------------------|---------------------|-------------------|------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-277V,50/60Hz | Body Type: | PKW |
| Luminous Flux: | 3600lm | Color of Fixture: | White |
| LED Type: | COB | Shape: | Round |
| CRI: | >80 | Dimension: | Ø220x103mm |
| PF: | >0.9 | Cutting Size: | Ø207mm |
| | | Box Qty: | 12 Pcs |




120
Lumen/W



Reflector Series - High Lumen
40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
SKU: 1279 - 4500K Day White 3800157612012
SKU: 1280 - 6400K White 3800157612029

| | | | |
|--------------------|---------------------|-------------------|------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-270V,50/60Hz | Body Type: | PKW |
| Luminous Flux: | 4800lm | Color of Fixture: | PKW |
| LED Type: | COB | Shape: | Round |
| CRI: | >80 | Dimension: | Ø220x103mm |
| PF: | >0.9 | Cutting Size: | Ø207mm |
| | | Box Qty: | 12 Pcs |



Reflector Series
10W VT-2610


SKU: 1100 - 6000K White 3800230622372

| | | | |
|--------------------|------------------|-------------------|-----------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:220-240V,50Hz | Body Type: | PKW |
| Luminous Flux: | 730lm | Color of Fixture: | PKW |
| LED Type: | COB | Shape: | Round |
| CRI: | >80 | Dimension: | Ø135x71mm |
| PF: | >0.5 | Cutting Size: | Ø105mm |
| | | Box Qty: | 27 Pcs |



Zoom Series - Round
33W VT-2933

SKU: 1304 - 3000K Warm White 3800157619912
SKU: 1305 - 4500K Day White 3800157619929




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 2650lm |
| LED Type: | COB |
| CRI: | >80 |
| PF | >0.9 |

| | |
|-------------------|-------------------|
| Beam Angle: | 24° |
| Body Type: | Die Cast Aluminum |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø165x140mm |
| Cutting Size: | Ø115mm |
| Box Qty: | 20 Pcs |



Step Light With Sensor
3W VT-8035

SKU: 5570 - 4000K Day White 3800157617291




| | |
|--------------------|----------------------|
| Sensor Compatible: | Sensor Included |
| Voltage/Frequency: | AC:100-240V, 50/60Hz |
| Luminous Flux: | 100lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|-------------------|
| Beam Angle: | 45° |
| Body Type: | Die cast Aluminum |
| Color of Fixture: | White |
| Shape: | Square |
| Dimension: | 85x85x42mm |
| Cutting Size: | 85x85mm |
| Box Qty: | 100 Pcs |



Steplight-Square
3W VT-1143

SKU: 1284 - 4000K Day White 3800157617307




| | |
|--------------------|--------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:85-265V,50/60Hz |
| Luminous Flux: | 100lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|--------------------|
| Beam Angle: | 83° |
| Body Type: | Die Cast Aluminium |
| Color of Fixture: | White |
| Shape: | Square |
| Dimension: | 84x84x43mm |
| Cutting Size: | 72x72mm |
| Box Qty: | 100 Pcs |



Steplight-Square
3W VT-1109

SKU: 1209 - 3000K Warm White 3800157600255
SKU: 1210 - 4200K Day White 3800157600262




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 120lm |
| LED Type: | COB |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|------------|
| Beam Angle: | 15° |
| Body Type: | Aluminium |
| Color of Fixture: | White |
| Shape: | Square |
| Dimension: | 80x80x51mm |
| Cutting Size: | Ø62mm |
| Box Qty: | 100 Pcs |



Steplight-Round
3W VT-1109RD

SKU: 1207 - 3000K Warm White 3800157600231
SKU: 1208 - 4200K Day White 3800157600248



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 120lm |
| LED Type: | COB |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 15° |
| Body Type: | Aluminium |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø80x51mm |
| Cutting Size: | Ø62mm |
| Box Qty: | 100 Pcs |

Steplight-Rectangle
6W VT-856-B

SKU: 8348 - 3000K Warm White 3800157633383
SKU: 8349 - 4000K Day White 3800157633390



| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 240lm | Color of Fixture: | Black |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >70 | Dimension: | 210x65x60mm |
| PF: | >0.6 | Cutting Size: | 195x46mm |
| | | Box Qty: | 50 Pcs |

Steplight-Rectangle
6W VT-856-G

SKU: 8350 - 3000K Warm White 3800157633406
SKU: 8351 - 4000K Day White 3800157633413



| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 240lm | Color of Fixture: | Grey |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >70 | Dimension: | 210x65x60mm |
| PF: | >0.6 | Cutting Size: | 195x46mm |
| | | Box Qty: | 50 Pcs |

Steplight-Rectangle
6W VT-856-W

SKU: 8352 - 3000K Warm White 3800157633420
SKU: 8353 - 4000K Day White 3800157633437



| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 240lm | Color of Fixture: | White |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >70 | Dimension: | 210x65x60mm |
| PF: | >0.6 | Cutting Size: | 195x46mm |
| | | Box Qty: | 50 Pcs |

Step Light-Rectangle-IP65
3W VT-1162-W



SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543




| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 55° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | PC |
| Luminous Flux: | 110lm | Color of Fixture: | White |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >80 | Dimension: | 230x80x28mm |
| PF: | >0.5 | Cutting Size: | N/A |
| | | Box Qty: | 50 Pcs |

Step Light-Rectangle-IP65
3W VT-1162-B

SKU: 1329 - 3000K Warm White 3800157620574
SKU: 1328 - 4000K Day White 3800157620567



| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 55° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | PC |
| Luminous Flux: | 110lm | Color of Fixture: | Black |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >80 | Dimension: | 230x80x28mm |
| PF: | >0.5 | Cutting Size: | N/A |
| | | Box Qty: | 50 Pcs |



Step Light-Rectangle-IP65
3W VT-1162-G

SKU: 1331 - 3000K Warm White 3800157620598
SKU: 1330 - 4000K Day White 3800157620581



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **110lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**

Color of Fixture: **Grey**

Shape: **Rectangle**

Dimension: **230x80x28mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Round-IP65
2W VT-1142-W

SKU: 1315 - 3000K Warm White 3800157620437
SKU: 1314 - 4000K Day White 3800157620420



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **White**

Shape: **Round**

Dimension: **150x27mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Round-IP65
2W VT-1142-B

SKU: 1317 - 3000K Warm White 3800157620451
SKU: 1316 - 4000K Day White 3800157620444



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **Black**

Shape: **Round**

Dimension: **150x27mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Round-IP65
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475
SKU: 1318 - 4000K Day White 3800157620468



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **Grey**

Shape: **Round**

Dimension: **150x27mm**

Cutting Size: **N/A**

Box Qty: **50 Pcs**



Step Light-Square-IP65
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482



IP65
RATING

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **55°**

Body Type: **PC**


Color of Fixture: **White**

Shape: **Square**

Dimension: **124x124x27mm**

Cutting Size: **N/A**


Box Qty: **50 Pcs**






Step Light-Square-IP65
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Square |
| Dimension: | 124x124x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Square-IP65
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Square |
| Dimension: | 124x124x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light - IP65
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Square |
| Dimension: | 151x72x154mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light - IP65
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Square |
| Dimension: | 151x72x154mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light - IP65
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | White |
| Shape: | Square |
| Dimension: | 151x72x154mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light-Round-IP65
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Round |
| Dimension: | Ø166x94mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light-Round-IP65
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Round |
| Dimension: | Ø166x94mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light-Round-IP65
3W VT-1182-W

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø166x94mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |





LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)


Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

NEW

STARY COVER

EASY TOGGLE SWITCH




3000K 4000K 6400K

EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON

31 COLOR
CHANGING
Smart Domelight-CCT Changeable by
Switch

12w VT-8412-S

SKU: 7602 - 3IN1 3800157652179




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 720lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic |
| Shape: | Round |
| Dimension: | Ø255x55mm |
| Box Qty: | 5 Pcs |

Smart Domelight-CCT Changeable by
Switch

18w VT-8418-S

SKU: 7604 - 3IN1 3800157652193




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 1080lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic |
| Shape: | Round |
| Dimension: | Ø310x55mm |
| Box Qty: | 5 Pcs |

Smart Domelight-CCT Changeable by
Switch

24w VT-8424-S

SKU: 7606 - 3IN1 3800157652216




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 1440lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic |
| Shape: | Round |
| Dimension: | Ø350x55mm |
| Box Qty: | 5 Pcs |

Smart Domelight-CCT Changeable by
Switch

36w VT-8436-S

SKU: 7608 - 3IN1 3800157652230



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 2160lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic |
| Shape: | Round |
| Dimension: | Ø480x65mm |
| Box Qty: | 5 Pcs |

NEW

MILKY COVER



EASY TOGGLE SWITCH



3000K 4000K 6400K


**EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON**

31 COLOR CHANGING

Smart Domelight-CCT Changeable by Switch

12w VT-8412-M

SKU: 7603 - 3IN1 3800157652186




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø255x55mm**
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

18w VT-8418-M

SKU: 7605 - 3IN1 3800157652209




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **1080lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø310x55mm**
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

24w VT-8424-M

SKU: 7607 - 3IN1 3800157652223




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø350x55mm**
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

36w VT-8436-M

SKU: 7609 - 3IN1 3800157652247



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **2160lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø480x65mm**
Box Qty: **5 Pcs**

NEW

HUGE SIZE Ø83 CM




Domelight-Remote Control-CCT Changeable

72w VT-8472

SKU: 1495 - 3IN1

3800157648783



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 5040lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|---------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic+Metal |
| Shape: | Round |
| Dimension: | Ø670x75mm |
| Box Qty: | 5 Pcs |




CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

80w VT-8480

SKU: 1496 - 3IN1

3800157648790



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 5600lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|---------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic+Metal |
| Shape: | Round |
| Dimension: | Ø830x85mm |
| Box Qty: | 2 Pcs |



CCT CHANGING
With Remote Control

NEW


DIAMOND COVER



Domelight-Remote Control-CCT Changeable

40w VT-8404

SKU: 1493 - 3IN1 3800157648769



| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:175-265V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 2800lm | Body Type: | Plastic+Metal |
| IP Rating: | IP20 | Shape: | Diamond Cover |
| CRI: | >80 | Dimension: | Ø388.5x70mm |
| PF: | >0.9 | Box Qty: | 5 Pcs |




CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60w VT-8557

SKU: 1492 - 3IN1 3800157648752



| | | | |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:175-265V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 4200lm | Body Type: | Plastic+Metal |
| IP Rating: | IP20 | Shape: | Diamond Cover |
| CRI: | >80 | Dimension: | Ø496.6x70mm |
| PF: | >0.9 | Box Qty: | 5 Pcs |



CCT CHANGING
With Remote Control

NEW

STARY COVER




Domelight-Remote Control-CCT Changeable

40w VT-8405

SKU: 1494 - 3IN1

3800157648776



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 2800lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|---------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic+Metal |
| Shape: | Round |
| Dimension: | Ø393x70mm |
| Box Qty: | 5 Pcs |


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60w VT-8556

SKU: 1491 - 3IN1


3800157648745



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 4200lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|---------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic+Metal |
| Shape: | Round |
| Dimension: | Ø493.9x70mm |
| Box Qty: | 5 Pcs |

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

48w VT-8448

SKU: 7600 - 3IN1

3800157649490



| | | | |
|--------------------|---------------------|-------------------|------------|
| Sensor Compatible: | Yes | Beam Angle: | 150° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 2400lm | Body Type: | PMMA+Metal |
| IP Rating: | IP20 | Shape: | Round |
| CRI: | >80 | Dimension: | Ø492x100mm |
| PF: | >0.9 | Box Qty: | 6 Pcs |




Domelight-Remote Control-CCT Changeable

65w VT-8473

SKU: 7601 - 3IN1

3800157649506

| | | | |
|--------------------|---------------------|-------------------|------------|
| Sensor Compatible: | Yes | Beam Angle: | 150° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 3500lm | Body Type: | PMMA+Metal |
| IP Rating: | IP20 | Shape: | Round |
| CRI: | >80 | Dimension: | Ø480x75mm |
| PF: | >0.9 | Box Qty: | 6 Pcs |



Smart Domelight-Speaker-CCT Changeable

36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



| | |
|--------------------|---------------------|
| Sensor Compatible: | N/A |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3400lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|-----------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC |
| Shape: | Round |
| Dimension: | Ø500x65mm |
| Box Qty: | 8 Pcs |



Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1

3800157637701



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 4200lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|-------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Iron+PMMA |
| Shape: | Round |
| Dimension: | Ø572.5x70mm |
| Box Qty: | 6 Pcs |



CCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474-3IN1

3800157643559



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 2800lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:467x70mm |
| Box Qty: | 10 Pcs |




Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473-3IN1


3800157643542



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 4900lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|----------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:500mm |
| Box Qty: | 8 Pcs |






Domelight-Remote Control-CCT Changeable

40w VT-8402

SKU:1476-3IN1

3800157643573



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 2200lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|------------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:400x60mm |
| Box Qty: | 10 Pcs |


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

65w VT-8502

SKU:1475-3IN1

3800157643566



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3500lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|------------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:500x70mm |
| Box Qty: | 6 Pcs |

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460-3IN1

3800157643580



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 3200lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|------------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:400x60mm |
| Box Qty: | 10 Pcs |



**DIMMABLE
WITH REMOTE**




**CCT CHANGING
With Remote Control**

Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461-3IN1

3800157643597



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 4900lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|------------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:500x65mm |
| Box Qty: | 10 Pcs |




**DIMMABLE
WITH REMOTE**



**CCT CHANGING
With Remote Control**



CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 4900lm |
| IP Rating: | IP20 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|------------|
| Beam Angle: | 180° |
| Color of Fixture: | White |
| Body Type: | PC+Metal |
| Shape: | Round |
| Dimension: | D:510x90mm |
| Box Qty: | 6 Pcs |

Ceiling Lights - Square

15w VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477
SKU: 5567 - 4000K Day White 3800157610360
SKU: 1391 - 6400K White 3800157626484



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 1250lm |
| IP Rating: | IP44 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|--------------|
| Beam Angle: | 110° |
| Color of Fixture: | White |
| Body Type: | PC |
| Shape: | Square |
| Dimension: | 200x200x47.5 |
| Box Qty: | 20 Pcs |



Ceiling Lights - Round

15w VT-8033RD


SKU: 1388 - 3000K Warm White 3800157626453
SKU: 5566 - 4000K Day White 3800157610353
SKU: 1389 - 6400K White 3800157626460



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 1250lm |
| IP Rating: | IP44 |
| CRI: | >80 |
| PF: | >0.6 |

| | |
|-------------------|-------------|
| Beam Angle: | 110° |
| Color of Fixture: | White |
| Body Type: | PC |
| Shape: | Round |
| Dimension: | Ø200x47.5mm |
| Box Qty: | 20 Pcs |



Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280
 SKU: 1396 - 4200K Day White 3800157628297
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 2000lm |
| IP Rating: | IP44 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|--------------|
| Beam Angle: | 110° |
| Color of Fixture: | White |
| Body Type: | PC |
| Shape: | Square |
| Dimension: | 300x300x50mm |
| Box Qty: | 10 Pcs |



Ceiling Lights - Round

25W VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259
 SKU: 1393 - 4200K Day White 3800157628266
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 2000lm |
| IP Rating: | IP44 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|-----------|
| Beam Angle: | 110° |
| Color of Fixture: | White |
| Body Type: | PC |
| Shape: | Round |
| Dimension: | Ø300x50mm |
| Box Qty: | 10 Pcs |



Dome Series - Rectangle Oval

8W VT-8038-B


SKU: 1308 - 3000K Warm White 3800157620260
 SKU: 1309 - 4500K Day White 3800157620277
 SKU: 1310 - 6000K White 3800157620284

IP54 RATING



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 560lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 120° |
| Color of Fixture: | Black |
| Body Type: | PC |
| Shape: | Rectangle |
| Dimension: | 190x100x55mm |
| Box Qty: | 20 Pcs |



Dome Series - Rectangle Oval

8W VT-8038-W


SKU: 1311 - 3000K Warm White 3800157620291
 SKU: 1312 - 4000K Day White 3800157620307
 SKU: 1313 - 6000K White 3800157620314

IP54 RATING



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 560lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | PC |
| Shape: | Rectangle |
| Dimension: | 190x100x55mm |
| Box Qty: | 20 Pcs |




Bling Star

12W VT-8062



SKU: 1375 - 6400K White 3800157626316

| | | | |
|--------------------|------------------|-------------------|-----------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:220-240V,50Hz | Color of Fixture: | White |
| Luminous Flux: | 840lm | Body Type: | Iron+PMMA |
| IP Rating: | IP20 | Shape: | Round |
| CRI: | >80 | Dimension: | Ø260x92mm |
| PF: | >0.5 | Box Qty: | 10 Pcs |



Dome Series - Oval


8W VT-8014-OV-B



SKU: 1267 - 3000K Warm White 3800157611893
 SKU: 1266 - 4000K Day White 3800157611886
 SKU: 1268 - 6400K White 3800157611909



| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:200-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 560lm | Body Type: | Plastic CLAD Aluminium |
| IP Rating: | IP54 | Shape: | Oval |
| CRI: | >70 | Dimension: | Ø126x76mm |
| PF: | >0.5 | Box Qty: | 10 Pcs |



Dome Series - Oval


8W VT-8014-OV-W



SKU: 1264 - 3000K Warm White 3800157611862
 SKU: 1263 - 4000K Day White 3800157611855
 SKU: 1265 - 6400K White 3800157611879



| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:200-240V,50/60Hz | Color of Fixture: | White |
| Luminous Flux: | 560lm | Body Type: | Plastic CLAD Aluminium |
| IP Rating: | IP54 | Shape: | Oval |
| CRI: | >70 | Dimension: | Ø126x76mm |
| PF: | >0.5 | Box Qty: | 10 Pcs |



Dome Series - Oval


12W VT-8016-B



SKU: 5056 - 4500K Day White 3800157603980



| | | | |
|--------------------|---------------------|-------------------|------------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Color of Fixture: | Black |
| Luminous Flux: | 840lm | Body Type: | Plastic CLAD Aluminium |
| IP Rating: | IP54 | Shape: | Oval |
| CRI: | >70 | Dimension: | Ø245x96mm |
| PF: | >0.5 | Box Qty: | 10 Pcs |



Dome Series - Oval

12W VT-8016-W




SKU: 5053 - 6400K White

3800157603324



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 840lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|------------------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Oval |
| Dimension: | Ø245x96mm |
| Box Qty: | 10 Pcs |



Dome Series - Round

8W VT-8014-RD-W




SKU: 4999 - 3000K Warm White
SKU: 1259 - 4000K Day White
SKU: 4997 - 6400K White

3800157602556
3800157611817
3800157602259



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 560lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|------------------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Round |
| Dimension: | Ø180x82mm |
| Box Qty: | 10 Pcs |



Dome Series - Round

8W VT-8014-RD-B




SKU: 1261 - 3000K Warm White
SKU: 1260 - 4000K Day White
SKU: 1262 - 6400K White

3800157611831
3800157611824
3800157611848



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 560lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|------------------------|
| Beam Angle: | 120° |
| Color of Fixture: | Black |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Round |
| Dimension: | Ø180x82mm |
| Box Qty: | 10 Pcs |



Dome Series - Round

12W VT-8015-B




SKU: 1349 - 3000K Warm White
SKU: 5052 - 4000K Day White
SKU: 5051 - 6400K White

3800157624046
3800157603317
3800157603300



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 840lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|------------------------|
| Beam Angle: | 120° |
| Color of Fixture: | Black |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Round |
| Dimension: | Ø220x105mm |
| Box Qty: | 10 Pcs |



Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549
SKU: 5050 - 4000K Day White 3800157603294



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 840lm |
| IP Rating: | IP54 |
| CRI: | >70 |
| PF: | >0.5 |

| | |
|-------------------|------------------------|
| Beam Angle: | 120° |
| Color of Fixture: | White |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Round |
| Dimension: | Ø220x105mm |
| Box Qty: | 10 Pcs |



Dome Series - Oval


12W VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053
SKU: 4973 - 4000K Day White 3800230629050
SKU: 1269 - 6400K White 3800157611916



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 840lm |
| IP Rating: | IP54 |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|------------------------|
| Beam Angle: | 120° |
| Color of Fixture: | Black |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Oval |
| Dimension: | Ø242x96mm |
| Box Qty: | 10 Pcs |



Dome Series - Oval


12W VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060
SKU: 1352 - 4000K Day White 3800157624077
SKU: 1353 - 6000K White 3800157624084



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 840lm |
| IP Rating: | IP54 |
| CRI: | >80 |
| PF: | >0.9 |


| | |
|-------------------|------------------------|
| Beam Angle: | 110° |
| Color of Fixture: | White |
| Body Type: | Plastic CLAD Aluminium |
| Shape: | Oval |
| Dimension: | Ø242x96mm |
| Box Qty: | 10 Pcs |



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816



| | |
|------------------|---------------------|
| Sensor Type: | Microwave |
| Color: | White |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max. 60W(E27) |

| | |
|---------------------|---------------------------------|
| Detection Distance: | 1-8m(radius) adjustable |
| Body Type: | PC |
| IP Rating: | IP44 |
| Dimension: | Ø296x96mm |
| Time Delay: | Min. 10sec±3sec,Max. 12min±1min |
| Box Qty: | 5 Pcs |



Changeable bezel options:




30-60-90 MIN
Fire Rated



Fire Rated Downlight With White Bezel
10w VT-7710

SKU: 1424 - 3 IN 1 3800157633109

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Lumens: | 850lm |
| LED Type: | COB |
| Body Type: | Aluminium |
| Beam Angle: | 38° |
| Life Span: | 30,000 Hours |
| Unit Size: | Ø83x57mm |
| IP Rating: | IP65 |
| Box Qty: | 40 Pcs |



**30-60-90 MIN
Fire Rated**



Fire Rated Fitting-GU10

SKU: 8916 EAN: 3800157654944

| | |
|-------------------|-----------|
| Model: | VT-703-WH |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fixture: | White |
| IP Rating: | IP20 |
| Dimension: | Ø90x106mm |
| Cutting Size: | Ø75mm |
| Box Qty: | 60 Pcs |



**30-60-90 MIN
Fire Rated**



Fire Rated Fitting-GU10

SKU: 8917 EAN: 3800157654951

| | |
|-------------------|--------------|
| Model: | VT-703-N |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fixture: | Satin Nickel |
| IP Rating: | IP20 |
| Dimension: | Ø90x106mm |
| Cutting Size: | Ø75mm |
| Box Qty: | 60 Pcs |





**30-60-90 MIN
Fire Rated**



Fire Rated Fitting-GU10

SKU: 8918 EAN: 3800157654968

| | |
|------------------|-----------|
| Model: | VT-703-C |
| Base: | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | Chrome |
| IP Rating: | IP20 |
| Dimension: | Ø90x106mm |
| Cutting Size: | Ø75mm |
| Box Qty: | 60 Pcs |



**Twist
& Lock**



**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3131 EAN: 3800157634793

| | |
|------------------|-------------------------|
| Model: | VT-7011-W |
| Base: | GU10 |
| Material: | Steel+Die Cast Aluminum |
| Shape: | Round |
| Color of Fxture: | White |
| IP Rating: | IP20 |
| Dimension: | Ø80x105mm |
| Cutting Size: | Ø65mm |
| Box Qty: | 50 Pcs |



**Twist
& Lock**



**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3132 EAN: 3800157634809

| | |
|------------------|-------------------------|
| Model: | VT-7011-SN |
| Base: | GU10 |
| Material: | Steel+Die Cast Aluminum |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| IP Rating: | IP20 |
| Dimension: | Ø80x105mm |
| Cutting Size: | Ø65mm |
| Box Qty: | 50 Pcs |



**Twist
& Lock**



**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3133 EAN: 3800157634816

| | |
|------------------|-------------------------|
| Model: | VT-7011 |
| Base: | GU10 |
| Material: | Steel+Die Cast Aluminum |
| Shape: | Round |
| Color of Fxture: | Chrome |
| IP Rating: | IP20 |
| Dimension: | Ø80x105mm |
| Cutting Size: | Ø65mm |
| Box Qty: | 50 Pcs |



**Twist
& Lock**




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3680 EAN: 3800157626859

| | |
|------------------|--------------|
| Model: | VT-701-SN |
| Base: | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| IP Rating: | IP20 |
| Dimension: | Ø80mmx115mm |
| Cutting Size: | 65mm |
| Box Qty: | 50 Pcs |




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3681 EAN: 3800157626866

| | |
|------------------|-------------|
| Model: | VT-701-W |
| Base: | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | White |
| IP Rating: | IP20 |
| Dimension: | Ø80mmx115mm |
| Cutting Size: | 65mm |
| Box Qty: | 50 Pcs |






**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3682 EAN: 3800157626873

| | |
|------------------|-------------|
| Model: | VT-701-CH |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | Chrome |
| IP Rating: | IP20 |
| Dimension: | Ø80mmx115mm |
| Cutting Size: | 65mm |
| Box Qty: | 50 Pcs |




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3683 EAN: 3800157626880

| | |
|------------------|--------------|
| Model: | VT-702-SN |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | Satin Nickel |
| IP Rating: | IP65 |
| Dimension: | Ø86mmx115mm |
| Cutting Size: | 65mm |
| Box Qty: | 40 Pcs |



**IP65
RATING**



**30-60-90 MIN
Fire Rated**


Fire Rated Fitting-GU10

SKU: 3684 EAN: 3800157626897

| | |
|------------------|-------------|
| Model: | VT-702-W |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | White |
| IP Rating: | IP65 |
| Dimension: | Ø86mmx115mm |
| Cutting Size: | 65mm |
| Box Qty: | 40 Pcs |



**IP65
RATING**



**30-60-90 MIN
Fire Rated**


Fire Rated Fitting-GU10

SKU: 3685 EAN: 3800157626903

| | |
|------------------|-------------|
| Model: | VT-702-CH |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | Chrome |
| IP Rating: | IP65 |
| Dimension: | Ø86mmx115mm |
| Cutting Size: | 65mm |
| Box Qty: | 40 Pcs |



**IP65
RATING**




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3687 EAN: 3800157626927

| | |
|------------------|-------------|
| Model: | VT-703-W |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | White |
| IP Rating: | IP20 |
| Dimension: | Ø82mmx130mm |
| Cutting Size: | 68mm |
| Box Qty: | 40 Pcs |




**30-60-90 MIN
Fire Rated**

Fire Rated Fitting-GU10

SKU: 3688 EAN: 3800157626934

| | |
|------------------|-------------|
| Model: | VT-703-CH |
| Base | GU10 |
| Material: | Steel |
| Shape: | Round |
| Color of Fxture: | Chrome |
| IP Rating: | IP20 |
| Dimension: | Ø82mmx130mm |
| Cutting Size: | 68mm |
| Box Qty: | 40 Pcs |





Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.


NEW

Infrared Sensor
Max.200W(AC:220-240V)/100W(AC:110-130V) LED

VT-8091-W
SKU: 6606 3800157655194



| | | | |
|---------------------|---|----------------|-------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:110-240V,50/60Hz | Dimension: | Ø76x20.2mm |
| Detection Distance: | Max.8m (<24°C) | Time Delay: | 10sec±3sec to 7min±2min(adjustable) |
| Rated Load: | Max.200W(AC:220-240V)/100W(AC:110-130V) LED | Box Qty: | 100 Pcs |




NEW

Infrared Sensor
Max.200W(AC:220-240V)/100W(AC:110-130V) LED

VT-8091-B
SKU: 6607 3800157655200



| | | | |
|---------------------|---|----------------|-------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | Black | Body Type: | PC |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:110-240V,50/60Hz | Dimension: | Ø76x20.2mm |
| Detection Distance: | Max.8m (<24°C) | Time Delay: | 10sec±3sec to 7min±2min(adjustable) |
| Rated Load: | Max.200W(AC:220-240V)/100W(AC:110-130V) | Box Qty: | 100 Pcs |




NEW

Infrared Sensor
Max. 400W (LED)

VT-8092-W
SKU: 6608 3800157655217



| | | | |
|---------------------|---------------------|----------------|--------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | Ø50x62mm |
| Detection Distance: | Max.8m (<24°C) | Time Delay: | 10sec±3sec to 15min±2min(adjustable) |
| Rated Load: | Max. 400W (LED) | Box Qty: | 100 Pcs |




NEW

Infrared Sensor
Max. 400W (LED)

VT-8092-B
SKU: 6609 3800157655224



| | | | |
|---------------------|---------------------|----------------|--------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | Black | Body Type: | PC |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | Ø50x62mm |
| Detection Distance: | Max.8m (<24°C) | Time Delay: | 10sec±3sec to 15min±2min(adjustable) |
| Rated Load: | Max. 400W (LED) | Box Qty: | 100 Pcs |



NEW


Infrared Sensor
Max. 600W (LED)

VT-8093-W

SKU: 6611 3800157655248



| | | | |
|---------------------|---------------------|----------------|--------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 180°/360° | IP Rating: | IP65 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 76x92x62.5mm |
| Detection Distance: | Max.12m (<24°C) | Time Delay: | 10sec±3sec to 15min±2min(adjustable) |
| Rated Load: | Max. 600W (LED) | Box Qty: | |



NEW


Infrared Sensor
Max. 600W (LED)

VT-8093-B

SKU: 6610 3800157655231



| | | | |
|---------------------|---------------------|----------------|--------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | Black | Body Type: | PC |
| Detection Range: | 180°/360° | IP Rating: | IP65 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 76x92x62.5mm |
| Detection Distance: | Max.12m (<24°C) | Time Delay: | 10sec±3sec to 15min±2min(adjustable) |
| Rated Load: | Max. 600W (LED) | Box Qty: | |



NEW


Infrared Sensor
Max. 600W (LED)

VT-8094-W

SKU: 6613 3800157655262



| | | | |
|---------------------|---------------------|----------------|--------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 240° | IP Rating: | IP65 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 125.2x71.4x72.7mm |
| Detection Distance: | Max.10m (<24°C) | Time Delay: | 10sec±3sec to 15min±2min(adjustable) |
| Rated Load: | Max. 600W (LED) | Box Qty: | 50 Pcs |



NEW


Infrared Sensor
Max. 600W (LED)

VT-8094-B

SKU: 6612 3800157655255



| | | | |
|---------------------|---------------------|----------------|--------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX (adjustable) |
| Colour: | Black | Body Type: | PC |
| Detection Range: | 240° | IP Rating: | IP65 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 125.2x71.4x72.7mm |
| Detection Distance: | Max.10m (<24°C) | Time Delay: | 10sec±3sec to 15min±2min(adjustable) |
| Rated Load: | Max. 600W (LED) | Box Qty: | 50 Pcs |



SPECIAL DESIGN

Adjustable For Corner




Infrared Sensor
Max 1000W(LED)

VT-8027-W
SKU: 5086 3800157609173

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 1000W(LED) |
| Detection Distance: | Max. 8m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP20 |
| Dimension: | 115x25mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |




Infrared Sensor
Max 1000W(LED)

VT-8027-B
SKU: 5087 3800157609180

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | Black |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 1000W(LED) |
| Detection Distance: | Max. 8m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP20 |
| Dimension: | 115x25mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |




Infrared Sensor-Moving Head-IP44
Max 400W(LED)

VT-8028-W
SKU: 5088 3800157609197

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 400W(LED) |
| Detection Distance: | Max. 12m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP44 |
| Dimension: | 445X345X19mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |



Infrared Sensor-Moving Head-IP44
Max 400W(LED)

VT-8028-B
SKU: 5089 3800157609203

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | Black |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 400W(LED) |
| Detection Distance: | Max. 12m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP44 |
| Dimension: | 445X345X19mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |




Infrared Sensor
Max 300W(LED)

VT-8029
SKU: 5090 3800157609210

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 300W(LED) |
| Detection Distance: | Max. 6m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP20 |
| Dimension: | 76x75.6mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |






Infrared Sensor-Moving Head Max 400W(LED)

VT-8030

SKU: 5091 3800157609227

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 400W(LED) |
| Detection Distance: | Max. 8m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP20 |
| Dimension: | 98x73x82mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |



Infrared Sensor-IP44 Max 300W(LED)

VT-8003-W

SKU: 4967 3800230625823

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 300W(LED) |
| Detection Distance: | Max. 12m(<24°C) |

| | |
|----------------|---------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP44 |
| Dimension: | 86.4x60.4x98mm |
| Time Delay: | Min. 10sec±3sec, Max. 7min±2min |
| Box Qty: | 50 Pcs |



Infrared Sensor-IP44 Max 300W(LED)

VT-8003-B

SKU: 5077 3800157606875

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | Black |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 300W(LED) |
| Detection Distance: | Max. 12m(<24°C) |

| | |
|----------------|---------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP44 |
| Dimension: | 86.4x60.4x98mm |
| Time Delay: | Min. 10sec±3sec, Max. 7min±2min |
| Box Qty: | 50 Pcs |



Infrared Sensor Max 300W(LED)

VT-8004

SKU: 4968 3800230625830

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 300W(LED) |
| Detection Distance: | Max. 12m(<24°C) |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | PC |
| IP Rating: | IP20 |
| Dimension: | Ø88x55mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 50 Pcs |




Infrared Sensor-E27 Max 60W

VT-8005

SKU: 4982 3800157600071

| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 360° |
| Voltage: | AC:110-240V,50/60Hz |
| Rated Load: | Max 60W |
| Detection Distance: | Max. 6m(<24°C) |

| | |
|----------------|---------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | Plastic |
| IP Rating: | IP20 |
| Dimension: | 55.5x116.5mm |
| Time Delay: | Min. 10sec±3sec, Max. 5min±1min |
| Box Qty: | 50 Pcs |



Infrared Sensor-IP44
Max 300W(LED)X20

VT-8048
SKU: 1354 3800157624794



Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

| | | | |
|---------------------|---------------------|----------------|---------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX(adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 180° | IP Rating: | IP44 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 86.4x86.4x60.4mm |
| Detection Distance: | Max. 12m(<24°C) | Time Delay: | Min. 10sec±3sec, Max. 7min±2min |
| Rated Load: | Max 300W(LED)X20 | Box Qty: | 50 Pcs |



Infrared Sensor
Max 300W(LED)


VT-8049
SKU: 1355 3800157624800



Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

| | | | |
|---------------------|---------------------|----------------|----------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX(adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 88x55mm |
| Detection Distance: | Max. 12m(<24°C) | Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Rated Load: | Max 300W(LED) | Box Qty: | 50 Pcs |



Infrared Sensor
Max 300W(LED)


VT-8051
SKU: 1356 3800157624817



Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

| | | | |
|---------------------|---------------------|----------------|----------------------------------|
| Sensor Type: | Infrared | Ambient Light: | <3-2000LUX(adjustable) |
| Colour: | White | Body Type: | PC |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 76x75.6mm |
| Detection Distance: | Max. 6m(<24°C) | Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Rated Load: | Max 300W(LED) | Box Qty: | 50 Pcs |



Day Light Sensor - 1-10V

VT-8059
SKU: 1369 3800157625982



| | |
|------------------|-----------|
| Colour: | White |
| Detection Range: | 360° |
| Dimming Range: | 1% - 100% |
| Voltage: | DC:1-10V |
| Body Type: | PC |
| IP Rating: | IP20 |
| Box Qty: | 100 Pcs |

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% illumination level, and turns to 1% level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

Infrared Sensor 1000w(LED)

VT-8083-B

SKU: 15011 3800157641265



| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | Black |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | 1000w(LED) |
| Detection Distance: | Max.20m(<24°C) |



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC

IP Rating: IP65

Dimension: 86.5x172.5x56mm

Time Delay: Min.10sec±3sec, Max. 30min±2min

Box Qty: 50 Pcs



Infrared Sensor 1000w(LED)

VT-8083-W

SKU: 1500 3800157641258



| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | 1000w(LED) |
| Detection Distance: | Max.20m(<24°C) |



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC

IP Rating: IP65

Dimension: 86.5x172.5x56mm

Time Delay: Min.10sec±3sec, Max. 30min±2min

Box Qty: 50 Pcs



Microwave Sensor 300w(LED)

VT-8084-B

SKU: 15031 3800157641289



| | |
|---------------------|---------------------|
| Sensor Type: | Microwave |
| Colour: | Black |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | 300w(LED) |
| Detection Distance: | 5-15m |



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC+Glass

IP Rating: IP65

Dimension: 95x50x95mm

Time Delay: Min.10sec±3sec, Max. 12min±1min

Box Qty: 50 Pcs



Microwave Sensor 300w(LED)

VT-8084-W

SKU: 15021 3800157641272



| | |
|---------------------|---------------------|
| Sensor Type: | Microwave |
| Colour: | White |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | 300w(LED) |
| Detection Distance: | 5-15m |



Ambient Light: <3-2000LUX (adjustable)


Body Type: PC+Glass

IP Rating: IP65

Dimension: 95x50x95mm

Time Delay: Min.10sec±3sec, Max. 12min±1min

Box Qty: 50 Pcs



Infrared-Hand Gesture Detection
Max 200W(LED)

VT-8025
SKU: 5084 3800157608046




On/Off via Moving Hand



| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 30° |
| Voltage: | AC:110-240V,50/60Hz |
| Rated Load: | Max 200W(LED) |
| Detection Distance: | 5cm/6cm(<24°C) |

| | |
|----------------|------------------|
| Ambient Light: | |
| Body Type: | Plastic |
| IP Rating: | IP20 |
| Dimension: | 35.5x78.2x20.6mm |
| Box Qty: | 100 Pcs |



Infrared-Door Detection
Max 200W(LED)

VT-8026
SKU: 5085 3800157608053




On/Off via the opening and closing of the door



| | |
|---------------------|---------------------|
| Sensor Type: | Infrared |
| Colour: | White |
| Detection Range: | 30° |
| Voltage: | AC:110-240V,50/60Hz |
| Rated Load: | Max 200W(LED) |
| Detection Distance: | 5cm/6cm(<24°C) |

| | |
|----------------|------------------|
| Ambient Light: | |
| Body Type: | Plastic |
| IP Rating: | IP20 |
| Dimension: | 35.5x78.2x18.7mm |
| Box Qty: | 100 Pcs |



Microwave Sensor-IP65
Max 200W(LED)

VT-8036-W
SKU: 5571 3800157620246



| | |
|---------------------|---------------------|
| Sensor Type: | Microwave |
| Colour: | White |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 200W(LED) |
| Detection Distance: | 5m/10m |

| | |
|----------------|----------------------------------|
| Ambient Light: | <25-2000LUX |
| Body Type: | Plastic |
| IP Rating: | IP65 |
| Dimension: | 115x35x25mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 100 Pcs |



Microwave Sensor-IP65
Max 200W(LED)

VT-8036-B
SKU: 5572 3800157620253



| | |
|---------------------|---------------------|
| Sensor Type: | Microwave |
| Colour: | Black |
| Detection Range: | 180° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 200W(LED) |
| Detection Distance: | 5m/10m |

| | |
|----------------|----------------------------------|
| Ambient Light: | <25-2000LUX |
| Body Type: | Plastic |
| IP Rating: | IP65 |
| Dimension: | 115x35x25mm |
| Time Delay: | Min. 10sec±3sec, Max. 15min±2min |
| Box Qty: | 100 Pcs |




Microwave Sensor
Max 300W(LED)

VT-8018
SKU: 5078 3800157606882



| | |
|---------------------|-------------------------|
| Sensor Type: | Microwave |
| Colour: | White |
| Detection Range: | 180° / 360° |
| Voltage: | AC:220-240V,50/60Hz |
| Rated Load: | Max 300W(LED) |
| Detection Distance: | 1-8m(radius) adjustable |

| | |
|----------------|----------------------------------|
| Ambient Light: | <3-2000LUX(adjustable) |
| Body Type: | Plastic |
| IP Rating: | IP20 |
| Dimension: | 37x25x61.5mm |
| Time Delay: | Min. 10sec±3sec, Max. 12min±1min |
| Box Qty: | 100 Pcs |






Photocell Sensor-IP44

VT-8019

SKU: 5081 3800157608015

| | | | |
|---------------------|------------------|----------------|-----------------------------|
| Sensor Type: | Photocell | Ambient Light: | <5-15LUX(adjustable) |
| Colour: | White | Body Type: | Plastic |
| Detection Range: | 360° | IP Rating: | IP44 |
| Voltage: | AC:220-240V,50Hz | Dimension: | 35.5x46x44.1mm |
| Rated Load: | | Time Delay: | 5 sec to 8 min (adjustable) |
| Detection Distance: | | Box Qty: | 100 Pcs |



Infrared Sensor


Max 200W(LED)

VT-8022

SKU: 5082 3800157608022



| | | | |
|---------------------|---------------------|----------------|------------------------------------|
| Sensor Type: | Infrared | Ambient Light: | 10LUX/2000LUX(choice) |
| Colour: | White | Body Type: | Plastic |
| Detection Range: | 120°/360° | IP Rating: | IP65 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 36.8x25.5x55.4mm |
| Rated Load: | Max 200W(LED) | Time Delay: | 5s,30s,1min,3min,5min,8min(choice) |
| Detection Distance: | 3/6m(<24°C) | Box Qty: | 100 Pcs |



Microwave Sensor


Max 300W(LED)

VT-8077

SKU: 1446 3800157634755



| | | | |
|---------------------|-------------------------|----------------|---------------------------------|
| Sensor Type: | Microwave | Ambient Light: | 0<3-2000LUX(Adjustable) |
| Colour: | White | Body Type: | Plastic |
| Detection Range: | 360° | IP Rating: | IP20 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 80.7x42.1x43.8mm |
| Rated Load: | Max 300W(LED) | Time Delay: | Min. 10sec±3sec, Max.12min±1min |
| Detection Distance: | 1-8m(radius) Adjustable | Box Qty: | 100 Pcs |



Microwave Sensor


Max 300W(LED)

VT-8023

SKU: 5083 3800157608039



| | | | |
|---------------------|---------------------|----------------|-------------------------------|
| Sensor Type: | Microwave | Ambient Light: | <3-2000LUX(adjustable) |
| Colour: | White | Body Type: | Plastic |
| Detection Range: | 180° | IP Rating: | IP20 |
| Voltage: | AC:220-240V,50/60Hz | Dimension: | 80x80x32mm |
| Rated Load: | Max 300W(LED) | Time Delay: | 10 sec to 12 min (adjustable) |
| Detection Distance: | 5m-15m(adjustable) | Box Qty: | 100 Pcs |





LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Product Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⊕ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- 🔩 Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✅ Reliable Emergency backup of 3 hours


Exit Light - Surface

2W VT-519-12

SKU: 8312 - 6000K White 3800157630764



| | |
|--------------------|---------------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 160lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP20 |
| Material : | PC |
| Exit Lamp Type: | Surface/Ceiling Mounted |
| Viewing Distance: | 22 Meters From Both Sides |



| | |
|---------------------------|-----------------------------------|
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-cd 4.8V,600mAh |
| Recharging Time: | 12 Hours |
| Test Button: | Green Light Indicator Test Button |
| Stickers: | 4 Stickers |
| Legends: | 4 Way Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 10 Pcs |


Exit Light-Surface Hanging

2W VT-520-12

SKU: 8313 - 6000K White 3800157630771



| | |
|--------------------|---------------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 160lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP20 |
| Material : | PC |
| Exit Lamp Type: | Surface/Ceiling Mounted |
| Viewing Distance: | 22 Meters From Both Sides |



| | |
|---------------------------|-----------------------------------|
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-Cd 4.8V,600mAh |
| Recharging Time: | 12 Hours |
| Test Button: | Green Light Indicator Test Button |
| Stickers: | 4 Stickers |
| Legends: | 4 Way Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 10 Pcs |


Exit Light-Hanging

2W VT-521-12

SKU: 8314 - 6000K White 3800157630788



| | |
|--------------------|---------------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 160lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP20 |
| Material : | PC |
| Exit Lamp Type: | Recessed Hanging |
| Viewing Distance: | 22 Meters From Both Sides |



| | |
|---------------------------|-----------------------------------|
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-Cd 4.8V,600mAh |
| Recharging Time: | 12 Hours |
| Test Button: | Green Light Indicator Test Button |
| Stickers: | 4 Stickers |
| Legends: | 4 Way Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 10 Pcs |


Exit Light-Recessed

2W VT-522-12

SKU: 8315 - 6000K White 3800157630795



| | |
|--------------------|---------------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 160lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP20 |
| Material : | PC |
| Exit Lamp Type: | Recessed Fixed |
| Viewing Distance: | 22 Meters From Both Sides |



| | |
|---------------------------|-----------------------------------|
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-Cd 4.8V,600mAh |
| Recharging Time: | 12 hours |
| Test Button: | Green Light Indicator Test Button |
| Stickers: | 4 Stickers |
| Legends: | 4 Way Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 10 Pcs |

Emergency -Bulkhead

3.8w VT-511

SKU: 8249 - 6000K White 3800157635554



12Hrs
CHARGING TIME



| | |
|--------------------|---------------------|
| Lamp Type: | 20 SMD LEDs |
| Lumens: | 110lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP20 |
| Material : | ABS+PC |
| Exit Lamp Type: | Bulkhead |
| Viewing Distance: | 22 Meters |

| | |
|---------------------------|---------------------------|
| Emergency Operation Time: | >3 Hours |
| Battery: | 4V2.0AH Lead Acid battery |
| Recharging Time: | 12 hours |
| Mode Of Operation: | Maintained/Non Maintained |
| Box Qty: | 10 Pcs |


Exit Light - Bulkhead

3w VT-523-12

SKU: 8311 - 6000K White 3800157630757



12Hrs
CHARGING TIME



| | |
|--------------------|---------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 140lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP65 |
| Material : | PC Cover |

| | |
|---------------------------|-------------------------|
| Exit Lamp Type: | Wall - Bulkhead |
| Viewing Distance: | 22 Meters From One side |
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-Cd 3.6v,1500mAh |
| Recharging Time: | 12 Hours |

| | |
|--------------------|-----------------------------------|
| Test Button: | Green Light Indicator Test Button |
| Stickers: | 4 Stickers |
| Legends: | 4 Ways Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 12 Pcs |


Emergency -Bulkhead

3w VT-533

SKU:8437 - 6400K White 3800157641296



24Hrs
CHARGING TIME



| | |
|--------------------|---------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 140lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP20 |
| Material : | PC |

| | |
|---------------------------|-------------------------|
| Exit Lamp Type: | Wall - Bulkhead |
| Viewing Distance: | 22 Meters From One side |
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-cd 3.6V, 1200mAh |
| Recharging Time: | 24 Hours |

| | |
|--------------------|-------------------------|
| Stickers: | 4 Stickers |
| Legends: | 4 Ways Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 10 Pcs |

NEW

Exit Light - Bulkhead

3w VT-543

SKU: 83111 - 6400K White 3800157650137



12Hrs
CHARGING TIME



| | |
|--------------------|---------------------|
| Lamp Type: | 16 SMD LEDs |
| Lumens: | 140lm |
| Input Voltage: | AC:220-240V,50/60Hz |
| Protection Rating: | IP65 |
| Material : | PC Cover |

| | |
|---------------------------|-------------------------|
| Exit Lamp Type: | Wall - Bulkhead |
| Viewing Distance: | 22 Meters From One side |
| Emergency Operation Time: | >3 Hours |
| Battery: | Ni-Cd 3.6v,1200mAh |
| Recharging Time: | 12 Hours |


| | |
|--------------------|------------------------------|
| Test Button: | Green Light Indicator Button |
| Stickers: | 4 Stickers |
| Legends: | 4 Ways Legend Available |
| Mode Of Operation: | Maintained |
| Box Qty: | 12 Pcs |



Exit Light - Bulkhead

4w VT-524-12

SKU: 8382 - 6000K White 3800157635493



| | | | | | |
|--------------------|---------------------|---------------------------|-------------------------|--------------------|-----------------------------------|
| Lamp Type: | 30 SMD LEDs | Exit Lamp Type: | Wall - Bulkhead | Test Button: | Green Light Indicator Test Button |
| Lumens: | 190lm | Viewing Distance: | 22 Meters From One side | Stickers: | 4 Stickers |
| Input Voltage: | AC:220-240V,50/60Hz | Emergency Operation Time: | >3 Hours | Legends: | 4 Ways Legend Available |
| Protection Rating: | IP65 | Battery: | Ni-Cd 4.8V,900mAh | Mode Of Operation: | Maintained |
| Material : | PC | Recharging Time: | 12 hours | Box Qty: | 12 Pcs |


Emergency-Downlight

3w VT-503

SKU: 8274 - 5500K White 3800157627269



| | |
|---------------------------|--------------------------------------|
| Material: | Poly Carbonate & Aluminium |
| Mounted: | Ceiling Recessed |
| Life Time Of Battery: | 2 Years |
| Light Output (Emergency): | 140lm |
| Lamp Protection: | Over Charge And Discharge Protection |
| Led Indicator: | Green Light Indicator Test Button |
| Charging Current: | 90mA |
| Convert Voltage: | AC:155V |
| Discharging Current: | 300mA |
| Discharge Duration: | 3 Hours |
| Spec Of Battery: | 3.6V 1800mAh Ni-cd Battery |
| Packing: | 38.5x22x25mm |
| IP Rating: | IP20 |
| Mode Of Operation: | Non Maintained |
| Box Qty: | 20 Pcs |



Emergency-Twin Spotlight

6w VT-526-IP65

SKU: 80981 - 6000K White 3800157623148



| | | | |
|--------------------|-------------------------|---------------------------|-----------------------------------|
| Lamp Type: | 2x6 SMD LEDs | Emergency Operation Time: | >3 Hours |
| Lumens: | 300lm | Battery: | Ni-Cd 3.6V,300mAh |
| Input Voltage: | AC:220-240V,50/60Hz | Recharging Time: | 24 Hours(intial charge 36 hours) |
| Protection Rating: | IP65 | Test Button: | Green Light Indicator Test Button |
| Material : | PC | Stickers: | 4 Stickers |
| Exit Lamp Type: | Wall Mounted | Legends: | 2 Ways Legend Available |
| Viewing Distance: | 22 Meters From One side | Mode Of Operation: | Non Maintained |
| | | Box Qty: | 5 Pcs |



LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.

Floor Lamp-Touch Dimming 80w

Silver **VT-8400D-S**

SKU: 8521 4000K Day White 3800157638104

White **VT-8400D-W**

SKU: 8522 4000K Day White 3800157638111

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **UP:4200/Down:3800**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°**

Color: **Silver**


Body Type: **Aluminium Alloy+PC**

Dimension: **310x52x1950mm**

Box Qty: **1 Pc**



**UP-DOWN
LIGHTS**








Floor Lamp-Knob Dimming-Round corner
80w

| | |
|---------------------------|-------------------|
| Silver | VT-8500D-S |
| SKU: 8523 4000K Day White | 3800157638128 |
| White | VT-8500D-W |
| SKU: 8524 4000K Day White | 3800157638135 |

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | UP:5200/Down:3600 |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 110°/90° |
| Color: | Silver |
| Body Type: | Aluminium Alloy+PC |
| Dimension: | 280x35x1950mm |
| Box Qty: | 1 Pc |



Floor Lamp-Knob Dimming-Square corner 80w

Silver **VT-8600D-S**

SKU: 8525 4000K Day White 3800157638142

White **VT-8600D-W**

SKU: 8526 4000K Day White 3800157638159

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **UP:5200/Down:3600**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°/90°**

Color: **Silver**

Body Type: **Aluminium Alloy+PC**


Dimension: **280x35x1950mm**

Box Qty: **1 Pc**



KNOB
DIMMING

UP-DOWN
LIGHTS





WIRELESS CHARGING

ANDROID & IPHONE

BRIGHTNESS ADJUSTABLE

ENERGY CONSERVATION

EYE PROTECTION

TIMER POWER OFF

USB OUTPUT

LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7705-B

Black: SKU: 8604 - 3IN1 3800157650571
White: SKU: 8605 - 3IN1 3800157650588

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 142x124x476mm

Box Qty: 10 Pcs



WIRELESS CHARGING

ANDROID & IPHONE

BRIGHTNESS ADJUSTABLE

ENERGY CONSERVATION

EYE PROTECTION

TIMER POWER OFF

USB OUTPUT

LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7505-B

Black: SKU: 8602 - 3IN1 3800157650557
White: SKU: 8603 - 3IN1 3800157650564

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 440x120x40mm

Box Qty: 10 Pcs



WIRELESS CHARGING



ANDROID & IPHONE



BRIGHTNESS ADJUSTABLE



ENERGY CONSERVATION



EYE PROTECTION



TIMER POWER OFF



USB OUTPUT



LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7405-B

Black: SKU: 8600 - 3IN1 3800157650533
White: SKU: 8601 - 3IN1 3800157650540

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5W, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 440x120x40mm

Box Qty: 10 Pcs



Table Lamps

17W VT-7312-B

Black: SKU: 40311 - 3000K Warm White 3800157648455
White: SKU: 40321 - 3000K Warm White 3800157648462

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1300lm

CRI: >80

Body Type: Silicone+Aluminium

Dimension: 210x350mm

Box Qty: 20 Pcs

Desk Lamps

7W VT-7507

White: SKU: 8673 - 3000K Warm White 3800157652612



| | | | |
|--------------------|-------------------|------------|---------------|
| Voltage/Frequency: | AC:220-240V, 50Hz | Body Type: | ABS+Metal |
| Luminous Flux: | 400lm | Dimension: | 150x150x580mm |
| CRI: | >80 | Box Qty: | 6 Pcs |



Clip Lamps

7W VT-7407

White: SKU: 8672 - 3000K Warm White 3800157652605



| | | | |
|--------------------|-------------------|------------|--------------|
| Voltage/Frequency: | AC:220-240V, 50Hz | Body Type: | ABS+Metal |
| Luminous Flux: | 400lm | Dimension: | 64x300x300mm |
| CRI: | >80 | Box Qty: | 8 Pcs |




Desk Lamps

3.6w VT-7403

White: SKU: 8671 - 3000K Warm White 3800157652599



| | | | |
|--------------------|-------------------|------------|---------------|
| Voltage/Frequency: | AC:220-240V, 50Hz | Body Type: | ABS+Metal |
| Luminous Flux: | 260lm | Dimension: | 280x100x350mm |
| CRI: | >80 | Box Qty: | 8 Pcs |



Mirror Lamps

5W VT-7905

White: SKU: 8670 - 3000K Warm White 3800157652582



RECHARGEABLE



| | | | |
|--------------------|-------------------|------------|------------|
| Voltage/Frequency: | AC:220-240V, 50Hz | Body Type: | ABS+Glass |
| Luminous Flux: | 200lm | Dimension: | Ø196x310mm |
| CRI: | >80 | Box Qty: | 10 Pcs |



Table Lamps-Slim

6.5w VT-1037

SKU: 8520 3 IN 1
3800157637718TOUCH
DIMMING

RECHARGEABLE

| | |
|--------------------|-----------|
| Voltage/Frequency: | DC:12V,1A |
| Luminous Flux: | 110lm |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |

| | |
|------------|------------------|
| Color: | White |
| Body Type: | PC-Rubber Finish |
| Dimension: | 562x65x21mm |
| Box Qty: | 10 Pcs |

- Flexible LED Table Lamp bends 0-180 degrees on both sides.
- Touch power switch and dimmer
- Color temperature Switch



Table Lamps-Wireless Charging

16w VT-1027 SKU: 8519 - 3 IN 1
3800157637527

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 1000lux |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |

| | |
|------------|---------------|
| Color: | White |
| Body Type: | ABS+Aluminium |
| Dimension: | 240x396x180mm |
| Box Qty: | 12 Pcs |

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:1.2V/1.5A
- 2s to reach full brightness Head



Table Lamps-White+Silver

4w VT-1014-S

SKU: 7098 - 3 IN 1 3800157616980

| | |
|--------------------|----------|
| Voltage/Frequency: | DC:5V,1A |
| Luminous Flux: | 120lm |
| CRI: | >80 |
| PF: | >0.45 |



Rechargeable

| | |
|-------------|------------------|
| Beam Angle: | 120° |
| Color: | White+Silver |
| Body Type: | ABS+PC+Aluminium |
| Dimension: | 200x50x263mm |
| Box Qty: | 25 Pcs |




Table Lamps-White+Gold

4w VT-1014-G

SKU: 7099 - 3 IN 1 3800157616997

| | |
|--------------------|----------|
| Voltage/Frequency: | DC:5V,1A |
| Luminous Flux: | 120lm |
| CRI: | >80 |
| PF: | >0.45 |



Rechargeable

| | |
|-------------|------------------|
| Beam Angle: | 120° |
| Color: | White+Gold |
| Body Type: | ABS+PC+Aluminium |
| Dimension: | 200x50x263mm |
| Box Qty: | 25 Pcs |




Table Lamps-Black

4w VT-1014-B


SKU: 8500 - 3 IN 1 3800157617215

| | |
|--------------------|----------|
| Voltage/Frequency: | DC:5V,1A |
| Luminous Flux: | 120lm |
| CRI: | >80 |
| PF: | >0.45 |



Rechargeable

| | |
|-------------|------------------|
| Beam Angle: | 120° |
| Color: | Black |
| Body Type: | ABS+PC+Aluminium |
| Dimension: | 200x50x263mm |
| Box Qty: | 25 Pcs |



NEW

Table Lamps-Rechargeable

4w VT-7515

SKU: 8930 - 3000K Warm White
3800157655309

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 210lm |
| CRI: | >80 |
| Beam Angle: | 90° |
| Color: | White |
| Body Type: | Plastic+Metal |
| Dimension: | 150x150x241mm |
| Box Qty: | 6 Pcs |



- Adapter Input: 5V,1A
- Cable Length: 1.2M
- Charging Time: 5-6 Hours
- Working Time: 3-4 Hours
- Touch Dimming Level: 100%-60%-10%



Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

| | |
|------------|---------------|
| Body Type: | Glass+Metal |
| Holder: | E27 |
| Color: | Green |
| Dimension: | 260x180x360mm |
| Box Qty: | 6 Pcs |

5 YEAR WARRANTY*




Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

| | |
|------------|---------------|
| Body Type: | Glass+Metal |
| Holder: | E27 |
| Color: | Blue |
| Dimension: | 260x180x360mm |
| Box Qty: | 6 Pcs |

5 YEAR WARRANTY*




Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

| | |
|------------|---------------|
| Body Type: | Glass+Metal |
| Holder: | E27 |
| Color: | Yellow |
| Dimension: | 260x180x360mm |
| Box Qty: | 6 Pcs |

5 YEAR WARRANTY*





Table Lamps+Speaker

2*3W VT-6211

| | |
|--------------------|-----------------|
| Voltage/Frequency: | DC:5V |
| Working Time: | 2-3 Hours |
| Battery Type: | Lithium 1800mAh |
| Charging Time: | 3 Hours |
| Dimension: | Ø92x218mm |
| Box Qty: | 12 Pcs |

- LED wireless speaker with Bluetooth technology
- Output of 2x3W
- Dancing RGB colorful lights
- Soft rubber finish with touch buttons
- USB & TF card slot
- Bluit in 3.5mm Aux input
- Rechargeable Lithium battery
- Battery capacity 1800 mAh



SKU: 8571 | Red Body
3800157645140



SKU: 8569 | Blue Body
3800157645157



SKU: 8570 | Black Body
3800157645164

Hanging Lamp

7W VT-1036

- SKU Purple: 8504 - 4000K Day White 3800157620376
- SKU White: 8505 - 4000K Day White 3800157620383
- SKU Blue: 8506 - 4000K Day White 3800157620390

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 360lm |
| CRI: | >80 |
| PF: | >0.45 |
| Beam Angle: | 90° |
| Body Type: | PC+Metal |
| Dimension: | Ø150x151x1241mm |
| Box Qty: | 9 Pcs |




Floor Lamp-E27

60W VT-7451

SKU: 8564 Black 3800157644167
SKU: 8565 Ivory 3800157644174





| | |
|--------------------|----------------------|
| Voltage/Frequency: | AC: 220-240V,50/60Hz |
| Body Type: | Marble+Metal |
| Dimension: | 1920x1960mm |
| Box Qty: | 1 Pc |



Floor Lamp-E27

60W VT-7500

SKU Black: 7055 3800157610698









| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Body Type: | ABS+Metal |
| Dimension: | 250x250x1800mm |
| Box Qty: | 4 Pcs |



LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features

-  ZERO Electricity Cost
-  Solar Powered
-  PIR Detective
-  Outdoor
-  Light on/off automatically
-  Cordless


Applications

Suitable for Outdoor and Indoor Lighting



Solar Wall Light-IP65
1.5W VT-767-2-W

SKU: 8276 - 4000K Day White 3800157627931




| | |
|------------------|---------------------------------|
| Battery: | 3.7V Lithium Battery 1200mAh |
| Lumens: | 220lm |
| No. of LED: | 14pcs (Front 12pcs, Back 2 pcs) |
| Detecting Angle: | 120° |
| Sensing Range: | 2 - 6 mtrs |

| | |
|----------------|---------------------------|
| Charging Time: | 6-7 hrs Sunlight Charging |
| IP Rating: | IP65 |
| Material: | ABS+PC |
| Dimension: | 144.5x96x79mm |
| Working Time: | Min 8 hrs and Max 24 hrs |
| Box Qty: | 20Pcs |



Solar Wall Light-IP65
1.5W VT-767-2-B

SKU: 8277 - 4000K Day White 3800157627948




| | |
|------------------|---------------------------------|
| Battery: | 3.7V Lithium Battery 1200mAh |
| Lumens: | 220lm |
| No. of LED: | 14pcs (Front 12pcs, Back 2 pcs) |
| Detecting Angle: | 120° |
| Sensing Range: | 2 - 6 mtrs |

| | |
|----------------|---------------------------|
| Charging Time: | 6-7 hrs Sunlight Charging |
| IP Rating: | IP65 |
| Material: | ABS+PC |
| Dimension: | 144.5x96x79mm |
| Working Time: | Min 8 hrs and Max 24 hrs |
| Box Qty: | 20Pcs |



Solar Wall Light-IP65
3W VT-768

SKU: 7523 - Day+Warm White 3800157619363




| | |
|------------------|---------------------------------|
| Battery: | 3.7V Lithium Battery 2000mAh |
| Lumens: | 400lm |
| No. of LED: | 30pcs (Front 28pcs, Back 2 pcs) |
| Detecting Angle: | 120° |
| Sensing Range: | 2 - 6 mtrs |

| | |
|----------------|----------------------------|
| Charging Time: | 6-7 hrs Sunlight Charging |
| IP Rating: | IP65 |
| Material: | ABS+PC |
| Dimension: | 140x212x109.2mm |
| Working Time: | Min 5-8 hrs and Max 24 hrs |
| Box Qty: | 12Pcs |



Solar Wall Light-IP65
7W VT-767-7-W

SKU: 8278 - 4000K Day White 3800157627955




| | |
|------------------|---------------------------------|
| Battery: | 3.7V Lithium Battery 4000mAh |
| Lumens: | 800lm |
| No. of LED: | 60pcs (Front 56pcs, Back 4 pcs) |
| Detecting Angle: | 120° |
| Sensing Range: | 2 - 6 mtrs |

| | |
|----------------|--|
| Charging Time: | 6-7 hrs Sunlight Charging |
| IP Rating: | IP65 |
| Material: | ABS+PC |
| Dimension: | 270x221x109.2mm |
| Working Time: | Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights |
| Box Qty: | 20Pcs |

Solar Wall Light-IP65

7W VT-767-7-B

SKU: 8279 - 4000K Day White 3800157627962

Solar
LightsMOTION
PIR
SENSORUV
PROTECTIONIP65
RATING

| | |
|------------------|---------------------------------|
| Battery: | 3.7V Lithium Battery 4000mAh |
| Lumens: | 800lm |
| No. of LED: | 60pcs (Front 56pcs, Back 4 pcs) |
| Detecting Angle: | 120° |
| Sensing Range: | 2 - 6 mtrs |

| | |
|----------------|--|
| Charging Time: | 6-7 hrs Sunlight Charging |
| IP Rating: | IP65 |
| Material: | ABS+PC |
| Dimension: | 270x221x109.2mm |
| Working Time: | Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights |
| Box Qty: | 20Pcs |

Wireless Smart Lights Switches



Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.



NEW



Switch-One Gang
VT-5131 White
 SKU: 8460 3800157644914

| | |
|------------------|-----------------------------|
| Input Power: | 2-3V(CR2032 Button Battery) |
| Switch Lifetime: | 30,000 times |
| Body Type: | PC |
| Dimensions: | 86x86x11mm |
| Box Qty: | 144 |
| Remote Distance | Outdoor >600m Indoor >40m |

NEW



Switch-Two Gang
VT-5132 White
 SKU: 8461 3800157644921

| | |
|------------------|-----------------------------|
| Input Power: | 2-3V(CR2032 Button Battery) |
| Switch Lifetime: | 30,000 times |
| Body Type: | PC |
| Dimensions: | 86x86x11mm |
| Box Qty: | 144 |
| Remote Distance | Outdoor >600m Indoor >40m |

NEW



Switch-Three Gang
VT-5133 White
 SKU: 8462 3800157644938

| | |
|------------------|-----------------------------|
| Input Power: | 2-3V(CR2032 Button Battery) |
| Switch Lifetime: | 30,000 times |
| Body Type: | PC |
| Dimensions: | 86x86x11mm |
| Box Qty: | 144 |
| Remote Distance | Outdoor >600m Indoor >40m |

NEW



Remote Three Gang
VT-5143
 SKU: 8463 3800157644945

| | |
|------------------|-----------------------------|
| Input Power: | 2-3V(CR2032 Button Battery) |
| Switch Lifetime: | 30,000 times |
| Body Type: | ABS |
| Dimensions: | 62x30x12mm |
| Box Qty: | 364 |
| Remote Distance | Outdoor >160m Indoor >20m |

NEW



Receiver
VT-5129
 SKU: 8458 3800157644891

| | |
|-----------------|-----------------------------|
| Input Power: | AC:180-240V |
| Load Power: | 1000W(Max) |
| Body Type: | PC |
| Dimensions: | 39x23x22 mm |
| Box Qty: | 364 |
| Remote Distance | Outdoor >600m Indoor >40m |

NEW




works with

works with the


Wifi Receiver
VT-5130
 SKU: 8459 3800157644907

| | |
|-----------------|-----------------------------|
| Input Power: | AC:85-265V |
| Load Power: | 1000W(Max) |
| Body Type: | PC |
| Dimensions: | 75x28x28.5 mm |
| Box Qty: | 196 |
| Remote Distance | Outdoor >500m Indoor >40m |



VT-5111-B Black

SKU: 8385 3800157635714




VT-5111-W White

SKU: 8354 3800157634953


Touch Switch 1Gang-1Way

| | |
|--------------------|---------------------|
| Input Power: | AC:180-250V,50/60Hz |
| Operating Temp: | -10-60°C |
| Switch Lifetime: | >100,000 times |
| Relative Humidity: | 10%-93% |
| Load Power: | 5-500W |
| Body Type: | PC+Glass Finish |
| Dimensions: | 86x34x86mm |
| Box Qty: | 100 |



VT-5112-B Black

SKU: 8387 3800157635738




VT-5112-W White

SKU: 8357 3800157634984


Touch Switch 2Gang-1Way

| | |
|--------------------|---------------------|
| Input Power: | AC:180-250V,50/60Hz |
| Operating Temp: | -10-60°C |
| Switch Lifetime: | >100,000 times |
| Relative Humidity: | 10%-93% |
| Load Power: | 5-500W |
| Body Type: | PC+Glass Finish |
| Dimensions: | 86x34x86mm |
| Box Qty: | 100 |



VT-5121-B Black

SKU: 8389 3800157635752



VT-5121-W White


SKU: 8360 3800157635011

Touch Switch 1Gang-2Way

| | |
|--------------------|---------------------|
| Input Power: | AC:180-250V,50/60Hz |
| Operating Temp: | -10-60°C |
| Switch Lifetime: | >100,000 times |
| Relative Humidity: | 10%-93% |
| Load Power: | 5-500W |
| Body Type: | PC+Glass Finish |
| Dimensions: | 86x34x86mm |
| Box Qty: | 100 |




VT-5311-B Black
SKU: 8395 3800157635813




VT-5311-W White
SKU: 8369 3800157635103

Remote Dimmer 1Gang-1Way

| | |
|--------------------|---------------------|
| Input Power: | AC:180-250V,50/60Hz |
| Operating Temp: | -10~60°C |
| Switch Lifetime: | >100,000 times |
| Relative Humidity: | 10%~93% |
| Load Power: | 5-500W |
| Body Type: | PC+Glass Finish |
| Dimensions: | 86x86mm |
| Box Qty: | 100 |



VT-5411-B Black
SKU: 8397 3800157635837



VT-5411-W White
SKU: 8372 3800157635134

Doorbell-Switch 1Gang-1Way

| | |
|--------------------|---------------------|
| Input Power: | AC:180-250V,50/60Hz |
| Operating Temp: | -10~60°C |
| Switch Lifetime: | >100,000 times |
| Relative Humidity: | 10%~93% |
| Load Power: | 5-500W |
| Body Type: | PC+Glass Finish |
| Dimensions: | 86x34x86mm |
| Box Qty: | 100 |



VT-5811-B Black
SKU: 8401 3800157635875



VT-5811-W White
SKU: 8402 3800157635882

Socket EU-2 Way

| | |
|--------------|------------------|
| Input Power: | AC:200-250V,50Hz |
| Body Type: | PC+Glass Finish |
| Box Qty: | 60 |




VT-5711 Black
SKU: 8399 3800157635851



VT-5711-W White
SKU: 8379 3800157635202

Socket EU-Glass Panel

| | |
|--------------|------------------|
| Input Power: | AC:200-250V,50Hz |
| Body Type: | PC+Glass Finish |
| Box Qty: | 80 |



LED Light Control

Curtain Control


TV Control

Vacuum Control

Sockets Control

Smart Home

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.

works with
 amazon alexa

 works with the
Google Assistant



LED Smart Bulb-E14

5W VT-5114

SKU: 2754 RGB+2700k-6400K EAN: 3800157646659



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



| | |
|---------------------|-------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 470lm |
| CRI: | >80 |
| Beam Angle: | 200° |
| Wireless Frequency: | 2.4GHz |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | E14 |
| Body Type: | Thermoplastic |
| Life Span: | 30,000 Hours |
| Dimension: | 37x100mm |
| Box Qty: | 200 pcs |

LED Smart Bulb-E27

5W VT-5124

SKU: 2755 RGB+2700k-6400K EAN: 3800157646666



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



| | |
|---------------------|-------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 470lm |
| CRI: | >80 |
| Beam Angle: | 180° |
| Wireless Frequency: | 2.4GHz |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | E27 |
| Body Type: | Thermoplastic |
| Life Span: | 30,000 Hours |
| Dimension: | Ø45x81mm |
| Box Qty: | 200 pcs |

LED Smart Bulb-E14

5W VT-5154

SKU: 2756 RGB+2700k-6400K EAN: 3800157646673



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



| | |
|---------------------|-------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 470lm |
| CRI: | >80 |
| Beam Angle: | 180° |
| Wireless Frequency: | 2.4GHz |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | E14 |
| Body Type: | Thermoplastic |
| Life Span: | 30,000 Hours |
| Dimension: | Ø45x81mm |
| Box Qty: | 200 pcs |

LED Smart Bulb-B22

10w VT-5110

SKU: 2791 RGB+2700K-6400K EAN: 3800157649544



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexa

works with the
 Google Assistant



| | |
|---------------------|-------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 806lm |
| CRI: | >80 |
| Beam Angle: | 200° |
| Wireless Frequency: | 2.4GHz |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | B22 |
| Body Type: | Thermoplastic |
| Life Span: | 30,000 Hours |
| Dimension: | Ø60x120mm |
| Box Qty: | 100 pcs |



LED Smart Bulb-E27

10W VT-5119

SKU: 2751 RGB+2700k-6400K EAN: 3800157646628

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexaworks with the
 Google Assistant

Voltage/Frequency: AC:220-240v,50Hz

Luminous Flux: 806lm

CRI: >80

Beam Angle: 200°

Wireless Frequency: 2.4GHz

Wireless Standard: IEEE 802.11 b/g/n

Base: E27

Body Type: Thermoplastic

Life Span: 30,000 Hours

Dimension: Ø60x120mm

Box Qty: 100 pcs



LED Smart Bulb-E27

11W VT-5113

SKU: 2752 RGB+2700k-6400K EAN: 3800157646635

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexaworks with the
 Google Assistant

Voltage/Frequency: AC:220-240v,50Hz

Luminous Flux: 1055lm

CRI: >80

Beam Angle: 200°

Wireless Frequency: 2.4GHz

Wireless Standard: IEEE 802.11 b/g/n

Base: E27

Body Type: Thermoplastic

Life Span: 30,000 Hours

Dimension: Ø60x120mm

Box Qty: 100 pcs



LED Smart Bulb-E27

15W VT-5117

SKU: 2753 RGB+2700k-6400K EAN: 3800157646642

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexaworks with the
 Google Assistant

Voltage/Frequency: AC:220-240v,50Hz

Luminous Flux: 1300lm

CRI: >80

Beam Angle: 200°

Wireless Frequency: 2.4GHz

Wireless Standard: IEEE 802.11 b/g/n

Base: E27

Body Type: Thermoplastic

Life Span: 30,000 Hours

Dimension: Ø65x135mm

Box Qty: 100 pcs



LED Smart Bulb-E27

20W VT-5021

SKU: 7470 RGB+WW+W EAN: 3800157639361

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with
 amazon alexaworks with the
 Google Assistant

Voltage/Frequency: AC:170-265v, 50/60Hz

Luminous Flux: 1400lm

CRI: >80

Beam Angle: 200°

Wireless Frequency: 2.4GHz

Wireless Standard: IEEE 802.11 b/g/n

Base: E27

Body Type: Thermoplastic

Life Span: 30,000 Hours

Dimension: Ø95x164mm

Box Qty: 50 pcs

LED Smart Spotlight

4.5W VT-5174

SKU: 2750 3000K-6400K EAN: 3800157646550



- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa

works with the GoogleAssistant



| | |
|---------------------|-------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 300lm |
| CRI: | >80 |
| Beam Angle: | 110° |
| Wireless Frequency: | 2.4Ghz |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | GU10 |
| Body Type: | Plastic |
| Life Span: | 30,000 Hours |
| Dimension: | 50x57mm |
| Box Qty: | 200 pcs |

LED Smart Spotlight

5W VT-5164

SKU: 2757 RGB+2700K-6400K EAN: 3800157646680



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with amazon alexa

works with the GoogleAssistant



| | |
|---------------------|-------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 400lm |
| CRI: | >80 |
| Beam Angle: | 110° |
| Wireless Frequency: | 2.4Ghz |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | GU10 |
| Body Type: | Plastic |
| Life Span: | 30,000 Hours |
| Dimension: | 50x57mm |
| Box Qty: | 200 pcs |

LED Smart Spotlight

4.5w VT-5015

SKU: 8436 - 3 in 1 EAN: 3800157641326




- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with amazon alexa

works with the GoogleAssistant



| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 360lm |
| CRI: | >80 |
| Beam Angle: | 100° |
| Wireless Frequency: | 2.4GHZ |
| Wireless Standard: | IEEE 802.11 b/g/n |
| Base: | GU10 |
| Body Type: | PBT Aluminium |
| Life Span: | 30,000 Hours |
| Dimension: | 70x50mm |
| Box Qty: | 100 pcs |





Wifi-Controller Included

LED Smart Striplight Kit

| | |
|-------------|---------|
| LED Type: | SMD |
| Watt/M: | 10w |
| Current/M: | 1.5A |
| Voltage: | DC:12V |
| lm/M: | 1000 |
| lm/LED: | 14-16lm |
| Beam Angle: | 120° |
| IP Rating: | IP20 |
| Width: | 8mm |
| Box Qty: | 20 pcs |

works with amazon alexa

works with the Google Assistant

10w

VT-5050 60

SKU: 2583 RGB
SKU: 2584 RGB+W

EU PLUG



EAN: 3800157642682
EAN: 3800157642699

10w

VT-5050 60

SKU: 2585 RGB
SKU: 2586 RGB+W

BS PLUG



EAN: 3800157643795
EAN: 3800157643801




NEW

IP65 RATING

5 METER

RGB 3000K-6400K
16 Million COLORS, Various Lighting Modes, Dimmable.

21 IN



works with amazon alexa

works with the Google Assistant

9w

VT-5050 54

SKU: 2628 RGB+3IN1 EAN: 3800157655040

EU PLUG



9w

VT-5050 54

SKU: 2629 RGB+3IN1 EAN: 3800157655057

BS PLUG



LED Smart Striplight Kit-IP65

| | |
|-------------|--------|
| LED Type: | SMD |
| Watt/M: | 9w |
| Current/M: | 0.75A |
| Voltage: | DC:12V |
| lm/M: | 350 |
| Beam Angle: | 120° |
| IP Rating: | IP65 |
| Width: | 10mm |
| Box Qty: | 20 pcs |

Smart Light

40w VT-5141

SKU: 1497 3IN1

EAN: 3800157648806



| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 2800lm |
| Beam Angle: | 120° |
| Wireless Frequency: | 2.4Ghz |
| PF: | >0.9 |
| CRI: | >80 |
| Life Span: | 20,000 Hours |
| Body Type: | Plastic+Metal |
| Dimension: | Ø:467x70mm |
| Box Qty: | 5 pcs |

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with
 amazon alexa

works with the
 Google Assistant

Smart Light

60w VT-5161

SKU: 1498 3IN1

EAN: 3800157648813



| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC:175-265V,50/60Hz |
| Luminous Flux: | 4200lm |
| Beam Angle: | 120° |
| Wireless Frequency: | 2.4Ghz |
| PF: | >0.9 |
| CRI: | >80 |
| Life Span: | 20,000 Hours |
| Body Type: | Plastic+Metal |
| Dimension: | Ø572.5x70mm |
| Box Qty: | 5 pcs |

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with
 amazon alexa

works with the
 Google Assistant

LED Smart Panel

40w **VT-5140**

SKU:8080 3IN1

EAN: 3800157646215



| | |
|---------------------|------------------|
| Voltage/Frequency: | AC:220-240v,50Hz |
| Luminous Flux: | 4800lm |
| Beam Angle: | 120° |
| Wireless Frequency: | 2.4GHz |
| PF: | >0.9 |
| CRI: | >80 |
| Life Span: | 20,000 Hours |
| Body Type: | Aluminium |
| Dimension: | 595x595mm |
| Box Qty: | 5 pcs |

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming



works with
 amazon alexa

works with the
 Google Assistant

NEW

Smart Tower Fan

55W
VT-5566

SKU: 7927

EAN: 3800157655644

EU PLUG55W
VT-5566

SKU:7928

BS PLUG







EAN: 3800157655651

- Power(Watts): 55
- Input Voltage: AC:220-240V,50Hz
- Size(Inches): 46
- Material: ABS
- Speed: 3(Low-Med-High)
- Wind Mode: 3(Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Wireless Frequency: 2.4Ghz
- IP Rating: IP20

works with
 amazon alexa

works with the
 Google Assistant



- 
Real-Time Control
- 
Multi-Brand
- 
Set Timer
- 
Cloud Panel
- 
Power Save
- 
Smart Scene



Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

IR Remote Control

VT-5151

SKU: 8651 EAN: 3800157650021

Box Qty: 100 pcs

- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Infrared Range: ≤ 8meters





- Input: AC100- 240V,50/60 Hz
- Rated current: 2A
- Rated torque: 1.5N.m- 2Nm
- Rated speed: 116rpm
- Working time: S3 50% (No heat protection)
- Degree of protection: IP41
- Receiving frequency: 433.92MHz, 75KHz
- Receive bandwidth: 150KHz
- Receive modulation: OOK/ASK
- Sensitivity: - 107dBm
- Receiving channel: 10

- Quiet, DC motor
- Full automatic setting of the limits
- V-TAC app control
- Works with Amazon Alexa, Google Assistant, IFTTT
- Overload shutdown
- Operating the curtain manually in case of power failure
- Touch control function can be switched on and off.
- Remote control
- Dry contact function



Super Quiet



Smooth Running

WIFI RF Curtain Motor

VT-5666

SKU: 7903 EAN: 3800157651530

Box Qty: 20 pcs

works with
 amazon alexa

works with the
 Google Assistant



Gyro Robot Vacuum Cleaner-EU Plug

VT-5555-W

SKU: 8649 White EU-Plug
SKU: 7911 White BS-Plug
SKU: 8650 Black EU-Plug
SKU: 7912 Black BS-Plug

Box Qty: 4 pcs

EAN: 3800157649780
EAN: 3800157653770
EAN: 3800157649797
EAN: 3800157653787



NEW

WiFi Thermostat
VT-5888


SKU: 7908 EAN: 3800157651622

 works with
amazon alexa

 works with the
Google Assistant

- Power Supply: 95-240 VAC, 50/60Hz
- Fan Relay Amps Resistance: 5A; Inductive: 3A
- Valve Relay Amps Resistance: 3A; Inductive: 1A
- Sensor: NTC 3950, 10K
- Accuracy: +0.5°C
- Set Temp. Range: 5-35°C
- Display Temp. Range: 5-99°C
- Ambient Temp.: 0-45°C
- Ambient Humidity: 5-95%
- RH (Non Condensing)
- Storage Temp.: -5- 45°C
- Power Consumption: <1.5W
- Timing Error: <1%
- Shell Material: PC + ABS(Fireproof)
- Wire Terminals: Wire 2 × 1.5mm² or 1 × 2.5mm²
- Protection Class: IP20





works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5003

SKU: 8417 EAN: 3800157637305

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 50 pcs |



works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5004

SKU: 8418 EAN: 3800157637312

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 50 pcs |



works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5005

SKU: 8419 EAN: 3800157637329

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 50 pcs |



works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5003-B

SKU: 8423 EAN: 3800157637411

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 50 pcs |



works with
amazon alexa


works with the
Google Assistant

Touch Switch-Wifi

VT-5004-B

SKU: 8424 EAN: 3800157637428

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 50 pcs |



works with
amazon alexa

works with the
Google Assistant

Touch Switch-Wifi

VT-5005-B

SKU: 8425 EAN: 3800157637510

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 50 pcs |



Wifi Dimmer Switch-EU

VT-5013-Black

SKU: 8432 EAN: 3800157640954

works with
amazon alexa

works with the
Google Assistant

VT-5013-White

SKU: 8433 EAN: 3800157640961

| | |
|---------------------|--------------|
| Voltage/Frequency: | AC:90-250V |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC/Glass |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP40 |
| Dimension: | 86x86x35mm |
| Box Qty: | 100 pcs |



Wall Socket-Wifi(EU)

VT-5134-Black

SKU: 8797 EAN: 3800157645393

works with
amazon alexa

works with the
Google Assistant

VT-5134-White

SKU: 8798 EAN: 3800157645409

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 3500w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 86x86x45mm |
| Box Qty: | 60 pcs |



**2 5V/2.1A
USB Port**

works with
amazon alexa

works with the
Google Assistant

Wall Socket-Wifi(BS)

VT-5017

SKU: 8446 EAN: 3800157644648

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4Ghz |
| Max Watts: | 2900w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 146x86x32mm |
| Box Qty: | 100 pcs |



works with
amazon alexa

works with the
Google Assistant

Online Switch-Wifi

VT-5008

SKU: 8422 EAN: 3800157637350

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 90x40x25mm |
| Box Qty: | 100 pcs |



works with
amazon alexa

works with the
Google Assistant

Waterproof Socket

VT-5000

SKU: 8414 EAN: 3800157637275

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP54 |
| Dimension: | 86x71x68mm |
| Box Qty: | 50 pcs |



BS Plug SKU: 8427

BS PLUG
AVAILABLE

works with
amazon alexa

works with the
Google Assistant



Plug-Wifi

VT-5001

SKU: 8415 EAN: 3800157637282

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 110x62x36mm |
| Box Qty: | 50 pcs |



works with
 amazon alexa

works with the
 Google Assistant

Plug-Wifi-Italian

VT-5148

SKU: 8470 EAN: 3800157645133

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 110x62x36mm |
| Box Qty: | 50 pcs |



BS Plug SKU: 8428



works with
 amazon alexa

works with the
 Google Assistant

Mini Plug-Wifi

VT-5002

SKU: 8416 EAN: 3800157637299

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 2200w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 63x45x30mm |
| Box Qty: | 100 pcs |



4 5V/5A
USB Port
 1.8M Cable Length

works with
 amazon alexa

works with the
 Google Assistant

Power Strip-Wifi(EU)

VT-5018

SKU: 8447 EAN: 3800157644631

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 3500w |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | 305x58x43mm |
| Box Qty: | 25 pcs |



works with
 amazon alexa

works with the
 Google Assistant

E27 Lamp Holder-Wifi

VT-5007

SKU: 8421 EAN: 3800157637343

| | |
|---------------------|---------------------|
| Voltage/Frequency: | AC: 90-250V,50/60Hz |
| Wireless Frequency: | 2.4GHz |
| Max Watts: | 20w(LED Bulb) |
| Material: | PC |
| On/Off Cycle: | 10,000 Times |
| IP RATING : | IP20 |
| Dimension: | D:67x02mm |
| Box Qty: | 50 pcs |



works with
amazon alexa

works with the
Google Assistant

RF433 Gateway

VT-5144

SKU: 8466 EAN: 3800157645096

- Input Voltage: 90-250V
- Max Current: 13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material: PC
- Power supply: Micro USB 5V/1A
- RF: 433MHz
- Control Mode: VTAC Smartphone App
- Size: 110x25mm
- Box Qty: 100 pcs

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.



works with
amazon alexa

works with the
Google Assistant

Temperature Humidity Scheduler

VT-5145

SKU: 8467 EAN: 3800157645102

- Max. Current: 16A
- Material: PC
- Input: AC: 90-250V, 50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Box Qty: 100 pcs
- Size: 137x45x28mm



works with
amazon alexa

works with the
Google Assistant

Temperature & Humidity Sensor

VT-5146

SKU: 8468 EAN: 3800157645119

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Box Qty: 200 pcs
- Size: 61x26mm(50cm Wire Length)



works with
amazon alexa

works with the
Google Assistant

Waterproof Temperature Probe

VT-5147

SKU: 8469 EAN: 3800157645126

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs
- Size: 70x70x1000mm



Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras - fully compatible with any smart device (mobile phones, tablets, or PCs) through WiFi integration. These cameras offer detection alerts via email -- all available in standard UK & EU plugs for compatibility.

Product Features

- Standard wireless frequencies for WiFi transmission
- Equipped with premium quality image sensors - high definition, high resolution videos at standard frames per second,
- Supports iOS & Android devices
- Real-time alerts sent straight to your mobile for motion detected
- Night Vision
- Two-Way Audio
- Video storage: Micro SD storage or cloud transmission

Applications

Designed to add an extra layer of security in houses, condominiums, restaurants, retail shops, office spaces, and more high-definition video feed in real-time, including two-way audio, full security camera sets, motion



Surveillance Camera

VT-5125

SKU: 8474

EAN: 3800157647878

Box Qty: 80 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Lens - 2.8mm @F1.8
- Material - ABS
- Audio - No
- Sensor Type - 2.0MP1/2.7" CMOS
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω /BNC)
- IR Distance - 20 to 30 meters



Night Vision



Surveillance Camera

VT-5126

SKU: 8475

EAN: 3800157647885

Box Qty: 50 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON),0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output(75Ω /BNC)
- IR Distance - 20 to 30 meters



Night Vision



IP65 RATING



**4CH DVR
VT-5127**

SKU: 8476 EAN: 3800157647892

Box Qty: 10 pcs

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 2.0MP 1/2.7" Low illumination CMOS Sensor
- Lens - 2.8mm@F1.8
- Audio - No
- IP Rating - IP65
- Built with Aluminium
- Signal System - AHD/CVI/TVI/CVBS @1080P
- Minimum illumination - Color:0.01Lux @(F1.2,AGC ON); 0 Lux (IRs on)
- Black & White - 0.001 Lux @ (F1.2,AGC ON), 0 Lux (IRs on)
- Shutter - 1/50(1/60) second~ 1/10,000 second
- Lens - High-definition board lens 2.8mm @F1.8
- Lens type M12
- Day and Night IR-Cut
- Video Output - 1Vp-p Composite Output (75Ω/BNC)
- IR Distance - 20 to 30 meters



**Security Camera
VT-5135**

SKU: 8478 EAN: 3800157647915

Box Qty: 50 pcs



- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 1/2.8" Low illumination CMOS Sensor
- Lens - 3.6mm@F1.8
- Minimum illumination - Color-0.01Lux @(F1.2,AGC ON); 0 Lux with IR
- Black and White - 0.001 Lux @ (F1.2, AGC ON), 0 Lux with IR
- Shutter - 1/50 (1/60) seconds to 1/10,000 seconds
- Designed with Lens Type M12
- Day and night conversion mode - Supports IR-CUT
- Frame rate 1080P@20fps
- Supports Protocols - TCP/IP, HTTP, DHCP, DNS, DDNS,PPPoE, SMTP, NTP
- Communication interface - 1 10/100Mbps adaptive Ethernet port, RJ45 interface
- Infrared distance of 20-30 meters
- Audio - No
- IP Rating - IP65





OTHER CAMERAS

FULL COLOR CAMERA



Security Camera

VT-5136

SKU: 8479

EAN: 3800157647922

Box Qty: 20 pcs

- Input Power - DC:12V
- Resolution - 1920x1080
- Image Sensor - 1/2.7" CMOS 0.001LUX/F1.2(Colorful)
- Video Compression - 32kbps-8mbps
- 2.0 Mega pixel
- Electronic Shutter - 1/25---1/10000 Second
- Day and night conversion mode - Full Color
- 3D DNR (Digital noise reduction)
- H.265 encoding type - Profile_Baseline
- Intelligent Alarm - Motion detection, occlusion alarm, video loss, network cable disconnection, IP address conflict
- Support Protocols - TCP/IP, DHCP, HTTP, DNS, RTP RTSP
- Docking Protocols - ONVIF, Hikvision, Dahua
- Universal feature - One-click recovery, dual stream, heartbeat, mirroring, video masking, anonymous access
- Communication interface - 1 RJ45 10M / 100M adaptive Ethernet port



Wireless NVR Camera-EU

VT-5188

SKU: 8400

EAN: 3800157643757

Box Qty: 4 pcs

EU PLUG



VT-5188-BS

SKU: 8465

EAN: 3800157644969

Box Qty: 4 pcs

BS PLUG



- Transmission distance more than 800 meters in open space with no obstacles
- Built-in security wireless WIFI module with stable signal transmission and strong anti-interference ability
- No need setting WIFI, plug and play
- P2P remote viewing in seconds with high-definition video quality
- Support motion detection alarm
- Support buzzer/Email alarm
- Support Android/IOS devices





Indoor Camera-EU

VT-5122

SKU: 8439 EAN: 3800157644136

Box Qty: 50 pcs

EU PLUG



VT-5122-BS

SKU: 8438 EAN: 3800157644129

Box Qty: 50 pcs

BS PLUG



- DC:5V±5% Input Power
- Auto tracking
- Motion Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 355°/85° Pan/Tilt
- 1920×1080P Resolution
- 2.0M pixel HD cmos Image Sensor
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- Indoor Use only - IP20
- Supports Android & IOS devices



Night Vision



Two Way Audio



Motion Detection



1080P FULLHD



Outdoor Camera-EU

VT-5123

SKU: 8441 EAN: 3800157644150

Box Qty: 30 pcs

EU PLUG



VT-5123-BS

SKU: 8440 EAN: 3800157644143

Box Qty: 30 pcs

BS PLUG



- DC:12V±5% Input Power
- Motion detection
- 2.4~2.4835 Ghz Wireless Frequency
- Alarm motion detection
- Lan port RJ-45
- 1920×1080P Resolution
- 2.0M pixel HD cmos
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD up to 64gb Storage
- IP65(Indoor & Outdoor use)
- Supports Android & IOS devices



IP65 RATING



Night Vision



Two Way Audio



Motion Detection



1080P FULLHD



Doorbell
VT-5412

SKU: 8355 EAN: 3800157634960

Box Qty: 50 pcs

Box Qty: 50 pcs

- Two-way audio
- IR Distance: dual IR cut filter with auto switch, max 5 meters
- Motion detection: alerts users with a push notification
- Remote operation-system settings, account management, stream code setting
- ABS+PC Body Type
- 75×40×143mm
- -10°C ~+50°C Working Temperature
- 1280×720P Resolution
- Rechargeable 18650 Battery 3350mAh or AC 8~24V Power
- HD720P@25FPS Frame Rate
- 166 Degree Field View
- Max 64GB TF Card Storage



Chimes-EU
VT-5415

SKU: 8445 EAN: 3800157644594

Box Qty: 100 pcs



VT-5413

SKU: 8359 EAN: 3800157635004

Box Qty: 100 pcs



- 5 levels of volume
- 55 ringtones
- Voltage: AC100~265V
- Protection Rating: IP54
- Wireless range up to 250 mtrs
- Directly plug into an electrical outlet
- Compatible with V-TAC Doorbell (VT-5412)



55 melodious
Ringtones



Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types



POWER ADAPTORS



USB TRAVEL ADAPTOR

VT-1024-W

SKU: 8791
EAN: 3800157644266

| | |
|----------------|---------------------|
| Input Power: | AC:100-230V,50/60Hz |
| Body Type: | ABS |
| Dimension: | 27×47×70mm |
| Input Current: | 0.25A |

| | |
|-----------------|--------|
| Output Current: | 2A |
| Rated Load: | 10W |
| Box Qty: | 48 pcs |



USB TRAVEL ADAPTOR

VT-1024-B

SKU: 8792
EAN: 3800157644273

| | |
|----------------|---------------------|
| Input Power: | AC:100-230V,50/60Hz |
| Body Type: | ABS |
| Dimension: | 27×47×70mm |
| Input Current: | 0.25A |

| | |
|-----------------|--------|
| Output Current: | 2A |
| Rated Load: | 10W |
| Box Qty: | 48 pcs |




USB QC3.0 TRAVEL ADAPTOR

VT-1026-W

SKU: 8793
EAN: 3800157644280

| | |
|----------------|---------------------|
| Input Power: | AC:100-240V,50/60Hz |
| Body Type: | PC |
| Dimension: | 42×57×24mm |
| Input Current: | 0.2A |

| | |
|-----------------|--------|
| Output Current: | 3.0A |
| Rated Load: | 18W |
| Box Qty: | 48 pcs |



USB QC3.0 TRAVEL ADAPTOR

VT-1026-B

SKU: 8794
EAN: 3800157644297

| | |
|----------------|---------------------|
| Input Power: | AC:100-240V,50/60Hz |
| Body Type: | PC |
| Dimension: | 42×57×24mm |
| Input Current: | 0.2A |

| | |
|-----------------|--------|
| Output Current: | 3.0A |
| Rated Load: | 18W |
| Box Qty: | 48 pcs |



UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU: 8704
EAN: 3800157642163

| | |
|----------------|---------------------|
| Input Power: | AC:110-250V,50/60Hz |
| Body Type: | PC+COPPER |
| Dimension: | 95×50×40mm |
| Input Current: | 10A |

| | |
|-----------------|--------|
| Output Current: | 10A |
| Rated Load: | 2500W |
| Box Qty: | 48 pcs |


UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION

 SKU: 8705
 EAN: 3800157642170

| | | | |
|----------------|---------------------|-----------------|---------|
| Input Power: | AC:110-250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 2500W |
| Dimension: | 70×50×40mm | Box Qty: | 100 pcs |
| Input Current: | 10A | | |


CABLE REEL WITH 4 SOCKET
VT-6002

 SKU: 8781
 EAN: 3800157643528

| | | | |
|--------------|-----------------|----------------|-------|
| Wire Length: | 10M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | Black |
| Dimension: | 20X27X6.5mm | Box Qty: | 5 pcs |


CABLE REEL WITH 4 SOCKET
VT-6003

 SKU: 8782
 EAN: 3800157643535

| | | | |
|--------------|-----------------|----------------|-------|
| Wire Length: | 25M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | Black |
| Dimension: | 24X13X33mm | Box Qty: | 1 pcs |


Extension Cord
VT-3001-3

 SKU: 8778
 EAN: 3800157643498

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 250×200×150mm | Box Qty: | 30 pcs |


Extension Cord
VT-3001-5

 SKU: 8779
 EAN: 3800157643504

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 200X160X90mm | Box Qty: | 30 pcs |


Extension Cord
VT-3001-10

 SKU: 8780
 EAN: 3800157643511

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 10M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 200×110×40mm | Box Qty: | 15 pcs |

1.4M Wire



3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1153-2
SKU: 8799
EAN: 3800157645669

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.4M | Input Current: | 16A |
| Input Power: | AC:230V | Rated Load: | 3680W |
| Body Type: | PC | Color: | White |
| Dimension: | 130X138.30X42mm | Box Qty: | 40 pcs |

1.4M Wire



4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1154-2
SKU: 8800
EAN: 3800157645676

| | | | |
|--------------|--------------|----------------|--------|
| Wire Length: | 1.4M | Input Current: | 16A |
| Input Power: | AC:230V | Rated Load: | 3680W |
| Body Type: | PC | Color: | White |
| Dimension: | 77X77X82.8mm | Box Qty: | 40 pcs |

1.5M Wire

LIGHTED SWITCH



4 HOLES SOCKET WITH SWITCH

VT-1117-4
SKU: 8770
EAN: 3800157643412

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 174x45x40mm | Box Qty: | 40 pcs |

1.5M Wire

LIGHTED SWITCH



4 HOLES SOCKET WITH SWITCH

VT-1117-2
SKU: 8771
EAN: 3800157643429

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | Black |
| Dimension: | 174x45x40mm | Box Qty: | 40 pcs |

1.5M Wire

LIGHTED SWITCH



8 HOLES SOCKET WITH SWITCH

VT-1118-8
SKU: 8772
EAN: 3800157643436

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 186x45x40mm | Box Qty: | 40 pcs |

1.5M Wire

LIGHTED SWITCH



8 HOLES SOCKET WITH SWITCH

VT-1118-2
SKU: 8773
EAN: 3800157643443

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | Black |
| Dimension: | 186x45x40mm | Box Qty: | 40 pcs |

1.5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1124-2

SKU: 8774
EAN: 3800157643450

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 178x45x40mm | Box Qty: | 40 pcs |

5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1124-5

SKU: 8775
EAN: 3800157643467

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 178x45x40mm | Box Qty: | 20 pcs |

1.5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1125-2

SKU: 8776
EAN: 3800157643474

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | Black |
| Dimension: | 178x45x40mm | Box Qty: | 40 pcs |

5M
Wire

2
USB PORT



3WAYS SOCKET WITH 2USB

VT-1125-5

SKU: 8777
EAN: 3800157643481

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | Black |
| Dimension: | 178x45x40mm | Box Qty: | 20 pcs |

1.5M
Wire



3 WAYS SOCKET

VT-1103-2

SKU: 8754
EAN: 3800157643252

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 170x45x40mm | Box Qty: | 40 pcs |

3M
Wire



3 WAYS SOCKET

VT-1103-3

SKU: 8755
EAN: 3800157643269

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 170x45x40mm | Box Qty: | 30 pcs |

1.5M Wire



4 WAYS SOCKET

VT-1104-2

SKU: 8756
EAN: 3800157643276

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 174x45x40mm | Box Qty: | 40 pcs |

3M Wire



4 WAYS SOCKET

VT-1104-3

SKU: 8757
EAN: 3800157643283

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 174x45x40mm | Box Qty: | 30 pcs |

1.5M Wire



5 WAYS SOCKET

VT-1105-2

SKU: 8758
EAN: 3800157643290

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 178x45x40mm | Box Qty: | 40 pcs |

3M Wire



5 WAYS SOCKET

VT-1105-3

SKU: 8759
EAN: 3800157643306

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 178x45x40mm | Box Qty: | 30 pcs |

1.5M Wire



6 WAYS SOCKET

VT-1106-2

SKU: 8760
EAN: 3800157643313

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 182x45x40mm | Box Qty: | 40 pcs |

3M Wire



6 WAYS SOCKET

VT-1106-3

SKU: 8761
EAN: 3800157643320

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 182x45x40mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-2

SKU: 8762
EAN: 3800157643337

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 174×45×40mm | Box Qty: | 40 pcs |

5M
Wire

LIGHTED
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-5

SKU: 8763
EAN: 3800157643344

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 174×45×40mm | Box Qty: | 20 pcs |

1.5M
Wire

LIGHTED
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-2

SKU: 8764
EAN: 3800157643351

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 178×45×40mm | Box Qty: | 40 pcs |

5M
Wire

LIGHTED
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-5

SKU: 8765
EAN: 3800157643368

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 178×45×40mm | Box Qty: | 20 pcs |

1.5M
Wire

LIGHTED
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-2

SKU: 8766
EAN: 3800157643375

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 182×45×40mm | Box Qty: | 40 pcs |

5M
Wire

LIGHTED
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-5

SKU: 8767
EAN: 3800157643382

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 182×45×40mm | Box Qty: | 20 pcs |

1.5M Wire

LIGHTED SWITCH



6WAYS SOCKET WITH SWITCH

VT-1116-2

SKU: 8768
EAN: 3800157643399

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 186x45x40mm | Box Qty: | 40 pcs |

5M Wire

LIGHTED SWITCH



6WAYS SOCKET WITH SWITCH

VT-1116-5

SKU: 8769
EAN: 3800157643405

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3680W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 186x45x40mm | Box Qty: | 20 pcs |

1.4M Wire

LIGHTED SWITCH

2 USB PORT



SURGE PROTECTION



3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1133-2

SKU: 8817
EAN: 3800157648981

| | | | |
|--------------|----------------|----------------|--------|
| Wire Length: | 1.4M | Input Current: | 3x16A |
| Input Power: | AC:230V | Rated Load: | 3500W |
| Body Type: | PC,PVC, COPPER | Color: | Black |
| Dimension: | 225x65x73mm | Box Qty: | 20 pcs |

1.4M Wire

LIGHTED SWITCH

2 USB PORT



4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1144-2

SKU: 8808
EAN: 3800157648882

| | | | |
|--------------|------------------|----------------|--------|
| Wire Length: | 1.4M | Input Current: | 4x16A |
| Input Power: | AC:200-240V,50Hz | Rated Load: | 3680W |
| Body Type: | PC,PVC, COPPER | Color: | White |
| Dimension: | 307x46x42mm | Box Qty: | 20 pcs |

3M Wire

LIGHTED SWITCH

2 USB PORT



5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1115-3

SKU: 8807
EAN: 3800157648875

| | | | |
|--------------|------------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 5x16A |
| Input Power: | AC:200-240V,50Hz | Rated Load: | 3680W |
| Body Type: | PP,PVC, COPPER | Color: | White |
| Dimension: | 365x53x44mm | Box Qty: | 20 pcs |

1.4M Wire

LIGHTED SWITCH

SURGE PROTECTION

OVERLOAD PROTECTION



5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

VT-1135-2

SKU: 8818
EAN: 3800157648998

| | | | |
|--------------|----------------|----------------|--------|
| Wire Length: | 1.4M | Input Current: | 5x16A |
| Input Power: | AC:230V | Rated Load: | 3680W |
| Body Type: | PP,PVC, COPPER | Color: | White |
| Dimension: | 330x55x41mm | Box Qty: | 20 pcs |



2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1006-2

SKU: 8783
EAN: 3800157643986

| | | | |
|----------------|--------------------|-----------------|---------|
| Input Power: | AC:250V, 16A | Output Current: | 2x16A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 2300W |
| Dimension: | 98x46x74.6mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



ADAPTER WITH 3 EURO-SOCKET

VT-1005-2

SKU: 8784
EAN: 3800157643993

| | | | |
|----------------|--------------------|-----------------|------------|
| Input Power: | AC:250V, 16A | Output Current: | 16A+2x2.5A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 93.1x48x75.3mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



4 WAYS ADAPTER WITH EARTHING CONTACT

VT-1004-4

SKU: 8785
EAN: 3800157644006

| | | | |
|----------------|--------------------|-----------------|---------|
| Input Power: | AC:250V, 16A | Output Current: | 4x2.5A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 91.2x49x78.1mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1008-2

SKU: 8786
EAN: 3800157644013

| | | | |
|----------------|--------------------|-----------------|---------|
| Input Power: | AC:250V, 16A | Output Current: | 3x16A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 87.5x45.8x99.5mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



3 WAYS ADAPTER WITH EARTHING CONTACT

VT-1009-3

SKU: 8787
EAN: 3800157644020

| | | | |
|----------------|--------------------|-----------------|---------|
| Input Power: | AC:250V, 16A | Output Current: | 3x16A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 92.8x72.4x86.1mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH

VT-1010-3

SKU: 8788
EAN: 3800157644037

| | | | |
|----------------|--------------------|-----------------|------------|
| Input Power: | AC:250V, 16A | Output Current: | 16A+2x2.5A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 93.1x69.7x76.5mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



3 OUTLET POWER ADAPTER WITH EARTH CONTACT VT-1011-3
 SKU: 8789
 EAN: 3800157644044

| | | | |
|----------------|--------------------|-----------------|---------|
| Input Power: | AC:250V, 16A | Output Current: | 3x16A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 133.6x49.5x76.9mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



3 OUTLET POWER ADAPTER VT-1012-3
 SKU: 8790
 EAN: 3800157644051

| | | | |
|----------------|--------------------|-----------------|---------|
| Input Power: | AC:250V, 16A | Output Current: | 3x16A |
| Body Type: | PP Plastic+ Copper | Rated Load: | 3680W |
| Dimension: | 87.5x84.98x59.4mm | Box Qty: | 100 pcs |
| Input Current: | 16A | | |



2 OUTLET ADAPTER 2.5A VT-1022
 SKU: 8801
 EAN: 3800157645683

| | | | |
|----------------|------------|-----------------|---------|
| Input Power: | AC:230V | Output Current: | 5A |
| Body Type: | PP | Rated Load: | 1100W |
| Dimension: | 44X39X61mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



3 OUTLET ADAPTER 2.5A VT-1023
 SKU: 8802
 EAN: 3800157645690

| | | | |
|----------------|------------|-----------------|---------|
| Input Power: | AC:230V | Output Current: | 7.5A |
| Body Type: | PP | Rated Load: | 1700W |
| Dimension: | 65x47x72mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT VT-1053
 SKU: 8804
 EAN: 3800157645713

| | | | |
|----------------|--------------|-----------------|---------|
| Input Power: | AC:230V | Output Current: | 16A |
| Body Type: | PP | Rated Load: | 3500W |
| Dimension: | 92x47.5x75mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A VT-1042
 SKU: 8805
 EAN: 3800157645720

| | | | |
|----------------|------------|-----------------|---------|
| Input Power: | AC:230V | Output Current: | 16A |
| Body Type: | PP | Rated Load: | 3680W |
| Dimension: | 92x50x75mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



4 OUTLET ADAPTER 2.5A

VT-1054SKU: 8803
EAN: 3800157645706

| | |
|----------------|------------|
| Input Power: | AC:230V |
| Body Type: | PP |
| Dimension: | 83×47×72mm |
| Input Current: | 16A |

| | |
|-----------------|---------|
| Output Current: | 10A |
| Rated Load: | 2300W |
| Box Qty: | 200 pcs |

ADAPTER WITH 2 SOCKET 2.5A,1
SOCKET 16A WITH SWITCH & EARTHING
CONTACT 16A**VT-1063**SKU: 8806
EAN: 3800157645737

| | |
|----------------|------------|
| Input Power: | AC:230V |
| Body Type: | PP |
| Dimension: | 95×70×74mm |
| Input Current: | 16A |

| | |
|-----------------|---------|
| Output Current: | 16A |
| Rated Load: | 3500W |
| Box Qty: | 200 pcs |

ADAPTER WITH EARTHING CONTACT &
CHARGING**VT-1044-W**SKU: 8795
EAN: 3800157644303

| | |
|----------------|---------------------|
| Input Power: | AC:110-230V,50/60Hz |
| Body Type: | ABS |
| Dimension: | 107×54.2×74.2mm |
| Input Current: | 16A |

| | |
|-----------------|----------|
| Output Current: | 16A+2.1A |
| Rated Load: | 3680W |
| Box Qty: | 60 pcs |

ADAPTER WITH EARTHING CONTACT &
CHARGING**VT-1044-B**SKU: 8796
EAN: 3800157644310

| | |
|----------------|---------------------|
| Input Power: | AC:110-230V,50/60Hz |
| Body Type: | ABS |
| Dimension: | 107×54.2×74.2mm |
| Input Current: | 16A |

| | |
|-----------------|----------|
| Output Current: | 16A+2.1A |
| Rated Load: | 3680W |
| Box Qty: | 60 pcs |



1 WAY ADAPTER-16A

VT-1101-1SKU: 8809
EAN: 3800157648899

| | |
|----------------|------------------|
| Input Power: | AC:200-240V,50Hz |
| Body Type: | PP COPPER |
| Dimension: | 80×55×72mm |
| Input Current: | 16A |

| | |
|-----------------|---------|
| Output Current: | 16A |
| Rated Load: | 3680W |
| Box Qty: | 100 pcs |



ADAPTER WITH 2 POLE SWITCH

VT-1064SKU: 8841
EAN: 3800157655279

| | |
|----------------|---------|
| Input Power: | AC:250V |
| Body Type: | PP Body |
| Dimension: | |
| Input Current: | 16A |

| | |
|-----------------|---------|
| Output Current: | 16A |
| Rated Load: | 3500W |
| Box Qty: | 100 pcs |



OUTDOOR SOCKETS



2 WAYS ADAPTER-16A-IP44

VT-1102-2

SKU: 8812
EAN: 3800157648929

| | | | |
|--------------|------------------|----------------|---------|
| Wire Length: | NA | Input Current: | 2×16A |
| Input Power: | AC:200-240V,50Hz | Rated Load: | 3680W |
| Body Type: | PP COPPER | Color: | Green |
| Dimension: | 105×66×106mm | Box Qty: | 100 pcs |

3M Wire



2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

VT-1112-3

SKU: 8811
EAN: 3800157648912

| | | | |
|--------------|-------------------|----------------|-------|
| Wire Length: | 3M | Input Current: | 2×16A |
| Input Power: | AC:230V | Rated Load: | 3500W |
| Body Type: | PP,RUBBER, COPPER | Color: | Green |
| Dimension: | 403×145×113mm | Box Qty: | 8 pcs |

3M Wire



4 WAYS GARDEN SPIKE SOCKET-IP44

VT-1114-3

SKU: 8810
EAN: 3800157648905

| | | | |
|--------------|-------------------|----------------|-------|
| Wire Length: | 3M | Input Current: | 4×16A |
| Input Power: | AC:230V | Rated Load: | 3500W |
| Body Type: | PP,RUBBER, COPPER | Color: | Green |
| Dimension: | 403×145×113mm | Box Qty: | 8 pcs |



WATERPROOF SAFE BOX-IP44

SKU: 8819
EAN: 3800157648950

| | | | |
|----------------|-------------|-----------------|--------|
| Input Power: | AC:230V | Output Current: | NA |
| Body Type: | PP | Rated Load: | NA |
| Dimension: | 212×82×72mm | Box Qty: | 40 pcs |
| Input Current: | 16A | | |

3M Wire



4 WAYS SOCKET-IP44

VT-1124-3

SKU: 8814
EAN: 3800157648943

| | | | |
|--------------|-------------------|----------------|--------------|
| Wire Length: | 3M | Input Current: | 4×16A |
| Input Power: | AC:230V | Rated Load: | 3680W |
| Body Type: | PP,RUBBER, COPPER | Color: | Black+Yellow |
| Dimension: | 230×71×94mm | Box Qty: | 10 pcs |

3M
Wire

LIGHTED
SWITCH



5 WAYS SOCKET WITH LIGHTED SWITCH-
IP44

VT-1125-3

SKU: 8813
EAN: 3800157648936

| | | | |
|--------------|-------------------|----------------|--------------|
| Wire Length: | 3M | Input Current: | 5x16A |
| Input Power: | AC:230V | Rated Load: | 3680W |
| Body Type: | PP,RUBBER, COPPER | Color: | Black+Yellow |
| Dimension: | 403x73x49.5mm | Box Qty: | 10 pcs |

15M
Wire



EXTENSION CORD-1 WAY-16A-IP44

VT-3002-15

SKU: 8816
EAN: 3800157648974

| | | | |
|--------------|----------------|----------------|--------------|
| Wire Length: | 15M | Input Current: | 16A |
| Input Power: | AC:230V | Rated Load: | 3500W |
| Body Type: | PVC, COPPER,PP | Color: | Orange+Black |
| Dimension: | 357x130x130mm | Box Qty: | 8 pcs |

30M
Wire



EXTENSION CORD-1 WAY-16A-IP44

VT-3002-30

SKU: 8815
EAN: 3800157648967

| | | | |
|--------------|----------------|----------------|--------------|
| Wire Length: | 30M | Input Current: | 16A |
| Input Power: | AC:230V | Rated Load: | 3500W |
| Body Type: | PVC, COPPER,PP | Color: | Orange+Black |
| Dimension: | 473x128x150mm | Box Qty: | 4 pcs |

NA
Socket



2 WAYS GARDEN SOCKET IP44

VT-1155-2

SKU: 8820
EAN: 3800157652452

| | | | |
|--------------|------------------|----------------|-----------|
| Wire Length: | NA | Input Current: | 16A |
| Input Power: | AC:220-240V,50Hz | Rated Load: | 3680W |
| Body Type: | Stainless Steel | Color: | Dark Grey |
| Dimension: | 127x300mm | Box Qty: | 6 pcs |

NA
Socket




2 WAYS GARDEN SOCKET WITH LAMP
IP44

VT-1156-2

SKU: 8822
EAN: 3800157652476

| | | | |
|--------------|--------------------|----------------|-----------|
| Wire Length: | NA | Input Current: | 16A |
| Input Power: | AC:220-240V,50Hz | Rated Load: | 3680W |
| Body Type: | Stainless Steel+PC | Color: | Dark Grey |
| Dimension: | 127x455mm | Box Qty: | 4 pcs |

NA
Socket



4 WAYS GARDEN SOCKET IP44

VT-1155-4

SKU: 8821
EAN: 3800157652469

| | | | |
|--------------|------------------|----------------|-----------|
| Wire Length: | NA | Input Current: | 16A |
| Input Power: | AC:220-240V,50Hz | Rated Load: | 3680W |
| Body Type: | Stainless Steel | Color: | Dark Grey |
| Dimension: | 157x395mm | Box Qty: | 4 pcs |



ITALIAN SOCKETS

1.5M Wire



Multipresa, 3 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8706
EAN: 3800157642187

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 115x47x22mm | Box Qty: | 50 pcs |

1.5M Wire



Multipresa, 4 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8707
EAN: 3800157642194

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 135x47x22mm | Box Qty: | 50 pcs |

1.5M Wire



Multipresa, 5 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8708
EAN: 3800157642200

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 155x47x22mm | Box Qty: | 40 pcs |

1.5M Wire



Multipresa, 6 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8709
EAN: 3800157642217

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 170x47x22mm | Box Qty: | 40 pcs |

1.5M
Wire

LIGHTED
SWITCH



3 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8710
EAN: 3800157642224

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 200×55×45mm | Box Qty: | 50 pcs |

1.5M
Wire

LIGHTED
SWITCH



4 POS. CON INTERRUETTORE LUMINOSO
10/16A BIPASSO/SCHUKO

SKU: 8711
EAN: 3800157642231

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 245×55×45mm | Box Qty: | 40 pcs |

1.5M
Wire

LIGHTED
SWITCH



5 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8712
EAN: 3800157642248

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 280×55×45mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



6 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8713
EAN: 3800157642255

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 325×55×45mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



7 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8714
EAN: 3800157642262

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 370×55×45mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH

2
USB PORT



5pos. con interruttore luminoso
10/16A Bipasso/schuko + con 2
connessioni USB

SKU: 8715
EAN: 3800157642279

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 335×55×45mm | Box Qty: | 30 pcs |

1.5M Wire

LIGHTED SWITCH



4 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8748
EAN: 3800157642606

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 160x100x45mm | Box Qty: | 40 pcs |

1.5M Wire

LIGHTED SWITCH



6 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8749
EAN: 3800157642613

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 200x100x45mm | Box Qty: | 30 pcs |

3M Wire



2 prese 2p+t 10/16A Bipasso
1 prese Bipasso/Schuko

SKU: 8733
EAN: 3800157642453

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 100x47x52mm | Box Qty: | 50 pcs |

1.5M Wire

LIGHTED SWITCH



4 prese 2p+t 10/16A Bipasso
2 prese 10/16A Bipasso/Schuko

SKU: 8734
EAN: 3800157642460

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 150x47x45mm | Box Qty: | 25 pcs |

1.5M Wire

LIGHTED SWITCH



6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

SKU: 8735
EAN: 3800157642477

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 195x47x45mm | Box Qty: | 25 pcs |

1.5M Wire

LIGHTED SWITCH



8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

SKU: 8736
EAN: 3800157642484

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 240x47x45mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttore generale luminoso e
4 interruttori indipendenti

SKU: 8737
EAN: 3800157642491

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 225*72*40mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttore generale luminoso e
5 interruttori indipendenti

SKU: 8738
EAN: 3800157642507

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 260*72*40mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttori generale luminoso e
6 interruttore indipendenti

SKU: 8739
EAN: 3800157642514

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 305*70*35mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH

2
USB PORT



2 presa 2p+T10/16A Bipasso + 1 presa
Bipasso/schuko
con protezione sovraccarico / con 2USB

SKU: 8745
EAN: 3800157642576

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 10A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 145*50*40mm | Box Qty: | 40 pcs |

1.5M
Wire

LIGHTED
SWITCH



4 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8740
EAN: 3800157642521

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 160*50*30mm | Box Qty: | 30 pcs |

1.5M
Wire

LIGHTED
SWITCH



5 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8741
EAN: 3800157642538

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 180*47*30mm | Box Qty: | 30 pcs |

**1.5M
Wire**

**LIGHTED
SWITCH**



6 pos. Con interruttore luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8742
EAN: 3800157642545

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 1.5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PP+COPPER | Color: | White |
| Dimension: | 200×50×30mm | Box Qty: | 30 pcs |



**5M
Wire**



2 prese 2P+T 10/16A Bipasso
Con protezione termica ripristinabile

SKU: 8700
EAN: 3800157642125

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2200W |
| Body Type: | ABS+PC+COPPER | Color: | Black |
| Dimension: | 200×160×90mm | Box Qty: | 10 pcs |

**10M
Wire**



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8701
EAN: 3800157642132

| | | | |
|--------------|-----------------|----------------|-------|
| Wire Length: | 10M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2200W |
| Body Type: | ABS+PC+COPPER | Color: | Black |
| Dimension: | 250×200×150mm | Box Qty: | 6 pcs |

**15M
Wire**



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8702
EAN: 3800157642149

| | | | |
|--------------|-----------------|----------------|-------|
| Wire Length: | 15M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2200W |
| Body Type: | ABS+PC+COPPER | Color: | Black |
| Dimension: | 240×190×160mm | Box Qty: | 6 pcs |

**25M
Wire**



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8703
EAN: 3800157642156

| | | | |
|--------------|-----------------|----------------|-------|
| Wire Length: | 25M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2200W |
| Body Type: | ABS+PC+COPPER | Color: | Black |
| Dimension: | 300×240×190mm | Box Qty: | 4 pcs |

15M
Wire



Prolunga, 1 via 10/16A presa italiana/
Schuko con cavo VDE H05VV-F
3G1.5mm² 15m, con spina italiana 16A,
con telaio portacavi

SKU: 8834
EAN: 3800157648868

| | | | |
|----------------|----------------|-----------------|-------|
| Input Power: | AC:230V | Output Current: | |
| Body Type: | PVC, COPPER,PP | Rated Load: | 2500W |
| Dimension: | 357×130×130mm | Box Qty: | 8 pcs |
| Input Current: | 10/16A | | |

30M
Wire



Prolunga, 1 via 10/16A presa italiana/
Schuko con cavo VDE H05VV-F
3G1.5mm² 30m, con spina italiana 16A,
con telaio portacavi

SKU: 8833
EAN: 3800157648851

| | | | |
|----------------|----------------|-----------------|-------|
| Input Power: | AC:230V | Output Current: | 2500W |
| Body Type: | PVC, COPPER,PP | Rated Load: | 4 pcs |
| Dimension: | 473×128×150mm | Box Qty: | |
| Input Current: | 10/16A | | |

3M
Wire



Prolunga lineare
spina 10A,2p+T prese 10A

SKU: 8729
EAN: 3800157642415

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 10A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2300W |
| Body Type: | PC+COPPER | Color: | White |
| Dimension: | 200×110×40mm | Box Qty: | 30 pcs |

5M
Wire



Prolunga lineare
spina 10A,2p+T prese 10A

SKU: 8730
EAN: 3800157642422

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 10A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 2300W |
| Body Type: | PC+COPPER | Color: | White |
| Dimension: | 230×110×60mm | Box Qty: | 30 pcs |

3M
Wire



Prolunga lineare
spina 16A,2p+T prese 10/16Aa

SKU: 8731
EAN: 3800157642439

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 3M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PC+COPPER | Color: | White |
| Dimension: | 200×110×40mm | Box Qty: | 50 pcs |

5M
Wire



Prolunga lineare
spina 16A,2p+T prese 10/16Aa

SKU: 8732
EAN: 3800157642446

| | | | |
|--------------|-----------------|----------------|--------|
| Wire Length: | 5M | Input Current: | 16A |
| Input Power: | AC:250V,50/60Hz | Rated Load: | 3500W |
| Body Type: | PC+COPPER | Color: | White |
| Dimension: | 230×110×60mm | Box Qty: | 30 pcs |



LIGHTED SWITCH



Adattatore spina 16A 2 prese 2P+T 10/16A +
1 presa/Schuko con interruttore

SKU: 8716
EAN: 3800157642286

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 85x75x50mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



Adattatore rotante, Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU: 8744
EAN: 3800157642569

| | | | |
|----------------|-----------------|-----------------|--------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 80x75x48mm | Box Qty: | 60 pcs |
| Input Current: | 10A | | |



Adattatore Spina 10A
4 prese 10/16A Bipasso
Con protezione de sovraccarico

SKU: 8746
EAN: 3800157642583

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 95x70x70mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Adattatore Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU: 8743
EAN: 3800157642552

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 95x50x40mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |

Universal Adapter



UNIVERSAL ADAPTOR
10A 250V~

SKU: 8747
EAN: 3800157642590

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 70x55x50mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko
con
interruttore due porte di ricarica USB
2.1A

SKU: 8830
EAN: 3800157648820

| | | | |
|----------------|------------------|-----------------|---------|
| Input Power: | AC:200-240V,50Hz | Output Current: | |
| Body Type: | PC COPPER | Rated Load: | 1500W |
| Dimension: | 120×84×54mm | Box Qty: | 100 pcs |
| Input Current: | 10/16A | | |



Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A

SKU: 8831
EAN: 3800157648837

| | | | |
|----------------|------------------|-----------------|---------|
| Input Power: | AC:200-240V,50Hz | Output Current: | |
| Body Type: | PC COPPER | Rated Load: | 1500W |
| Dimension: | 70×64×54mm | Box Qty: | 100 pcs |
| Input Current: | 10/16A | | |



Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A

SKU: 8832
EAN: 3800157648844

| | | | |
|----------------|------------------|-----------------|---------|
| Input Power: | AC:200-240V,50Hz | Output Current: | |
| Body Type: | PC PP COPPER | Rated Load: | 3680W |
| Dimension: | 80×55×72mm | Box Qty: | 100 pcs |
| Input Current: | 10/16A | | |



Spina 2p+t 10A

SKU: 8717
EAN: 3800157642293

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 65×32×15mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Spina 2p+t 16A

SKU: 8718
EAN: 3800157642309

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 70×43×20mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



Spina 2p+t 10A

SKU: 8719
EAN: 3800157642316

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 70x40x40mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Adattatore spina 16A
presa 2p+T 10A schuko

SKU: 8720
EAN: 3800157642323

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 75x40x40mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



10A adattatore spina 10 A
3 prese 10 A

SKU: 8721
EAN: 3800157642330

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 60x50x48mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Adattatore spina 16A
3 presa 10A /16A Bipasso

SKU: 8722
EAN: 3800157642347

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 60x47x40mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



Adattatore spina 10A
2presa 10/ 10A schuko

SKU: 8723
EAN: 3800157642354

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 75x50x40mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Adattatore spina 16A
2presa 10/ 16A Bipasso + 1 Bipasso /
schuko

SKU: 8724
EAN: 3800157642361

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 75x50x40mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



Adattatore spina 10A
4 prese 10A

SKU: 8725
EAN: 3800157642378

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 95×60×45mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Spina 2p+t 16A

SKU: 8726
EAN: 3800157642385

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 95×60×45mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |



Spina 2p+t 10A

SKU: 8727
EAN: 3800157642392

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 10A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 65×35×25mm | Box Qty: | 200 pcs |
| Input Current: | 10A | | |



Prese 10A /16A Bipasso
2p+T

SKU: 8728
EAN: 3800157642408

| | | | |
|----------------|-----------------|-----------------|---------|
| Input Power: | AC:250V,50/60Hz | Output Current: | 16A |
| Body Type: | PC+COPPER | Rated Load: | 1500W |
| Dimension: | 65×43×25mm | Box Qty: | 200 pcs |
| Input Current: | 16A | | |





LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

Applications


Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment

NEW
Black

SKU: 8684 - 4000K Day White 3800157654890

White

SKU: 8683 - 4000K Day White 3800157654883



Up-Down Lights

10W VT-815-B



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 800lm |
| IP Rating: | IP54 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.45 |
| Beam Angle: | 120° |
| Body Type: | Aluminum |
| Dimension: | 200x130x100mm |
| Box Qty: | 20 Pcs |


Black

 SKU: 8615 - 3000K Warm White 3800157652278
 SKU: 8616 - 4000K Day White 3800157652285

White

 SKU: 8613 - 3000K Warm White 3800157652254
 SKU: 8614 - 4000K Day White 3800157652261


Up-Down Lights

6W VT-846-B

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 540lm |
| IP Rating: | IP54 |
| CRI: | >80 |

| | |
|-------------|-------------------|
| PF: | >0.6 |
| Beam Angle: | Up150° / Down150° |
| Body Type: | Aluminium |
| Dimension: | 170x40x80mm |
| Box Qty: | 20 Pcs |






Black

SKU: 8619 - 3000K Warm White 3800157652315
 SKU: 8620 - 4000K Day White 3800157652322

White

SKU: 8617 - 3000K Warm White 3800157652292
 SKU: 8618 - 4000K Day White 3800157652308




Up-Down Lights

8W VT-848-B

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 800lm |
| IP Rating: | IP54 |
| CRI: | >80 |

| | |
|-------------|-------------------|
| PF: | >0.6 |
| Beam Angle: | Up150° / Down150° |
| Body Type: | Aluminium |
| Dimension: | 220x48x90mm |
| Box Qty: | 20 Pcs |




Black

SKU: 8563 - 3000K White 3800157643740
 SKU: 8561 - 6400K White 3800157643726

White

SKU: 8562 - 3000K Warm White 3800157643733
 SKU: 8560 - 6400K White 3800157643719




LED Wall Lights

4W VT-844-B

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 150lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.4 |
| Beam Angle: | 41° |
| Body Type: | Nylon |
| Dimension: | 83x123x30mm |
| Box Qty: | 10 Pcs |





LED Wall Lights

7W VT-831-CRD

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 400lm |
| IP Rating: | IP65 |
| CRI: | >80 |




| | |
|-------------|--------------|
| PF: | >0.6 |
| Beam Angle: | 128° |
| Body Type: | PC |
| Dimension: | 133x133mx67m |
| Box Qty: | 20 Pcs |

**Round**

SKU: 8609 - 3000K Warm White 3800157652063

Square

SKU: 8610 - 3000K Warm White 3800157652070



LED Wall Lights

12W VT-827-RD

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 650lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-----------|
| PF: | >0.5 |
| Beam Angle: | 128° |
| Body Type: | PC |
| Dimension: | 169x100mm |
| Box Qty: | 20 Pcs |

**Round**



SKU: 8537 - 3000K Warm White 3800157638869


SKU: 8538 - 4000K Day White 3800157638876

Square

SKU: 8539 - 3000K Warm White 3800157638883

SKU: 8540 - 4000K Day White 3800157638890







LED Wall Lights
7W VT-831-RD

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 550lm |
| IP Rating: | IP65 |
| CRI: | >80 |


| | |
|-------------|--------------|
| PF: | >0.6 |
| Beam Angle: | 128° |
| Body Type: | PC |
| Dimension: | 133x133mx67m |
| Box Qty: | 20 Pcs |



LED Wall Lights
12W VT-828-RD

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 900lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-----------|
| PF: | >0.5 |
| Beam Angle: | 158° |
| Body Type: | PC |
| Dimension: | 169x100mm |
| Box Qty: | 20 Pcs |





Dark Grey

SKU: 8698 - 3000K Warm White 3800157655392

Light Grey

SKU: 8699 - 3000K Warm White 3800157655408



Bollard Lights

12W VT-898-D

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 720lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 24° |
| Body Type: | Concrete |
| Dimension: | 495x180x120mm |
| Box Qty: | 1 Pc |




Black

SKU: 8682 - 4000K Day White 3800157654876

Grey

SKU: 8681 - 4000K Day White 3800157654869



Bollard Lights

7W VT-896-B

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 750lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.5 |
| Beam Angle: | 180° |
| Body Type: | Aluminium |
| Dimension: | 150x95x805mm |
| Box Qty: | 20 Pcs |





White


SKU: 8316 - 3000K Warm White 3800157632270
 SKU: 8317 - 4000K Day White 3800157632287
 SKU: 8318 - 6400K White 3800157632294

Black

SKU: 8322 - 3000K Warm White 3800157632331
 SKU: 8323 - 4000K Day White 3800157632348
 SKU: 8324 - 6400K White 3800157632355

Grey

SKU: 8319 - 3000K Warm White 3800157632300
 SKU: 8320 - 4000K Day White 3800157632317
 SKU: 8321 - 6400K White 3800157632324



Bollard Lights

10w VT-830

| | | | |
|--------------------|---------------------|-------------|-----------|
| Sensor Compatible: | Yes | PF: | >0.5 |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 72° |
| Luminous Flux: | 450lm | Body Type: | Aluminium |
| IP Rating: | IP65 | Dimension: | 108x250mm |
| CRI: | >80 | Box Qty: | 8 Pcs |



White


SKU: 8325 - 3000K Warm White 3800157632362
 SKU: 8326 - 4000K Day White 3800157632379
 SKU: 8327 - 6400K White 3800157632386

Black

SKU: 8331 - 3000K Warm White 3800157632423
 SKU: 8332 - 4000K Day White 3800157632430
 SKU: 8333 - 6400K White 3800157632447

Grey

SKU: 8328 - 3000K Warm White 3800157632393
 SKU: 8329 - 4000K Day White 3800157632409
 SKU: 8330 - 6400K White 3800157632416




Bollard Lights

10w VT-820

| | | | |
|--------------------|---------------------|-------------|-----------|
| Sensor Compatible: | Yes | PF: | >0.5 |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 72° |
| Luminous Flux: | 450lm | Body Type: | Aluminium |
| IP Rating: | IP65 | Dimension: | 108x800mm |
| CRI: | >80 | Box Qty: | 4 Pcs |





White


| | |
|------------------------------|---------------|
| SKU: 8334 - 3000K Warm White | 3800157632454 |
| SKU: 8335 - 4000K Day White | 3800157632461 |
| SKU: 8336 - 6400K White | 3800157632478 |

Black

| | |
|------------------------------|---------------|
| SKU: 8340 - 3000K Warm White | 3800157632515 |
| SKU: 8341 - 4000K Day White | 3800157632522 |
| SKU: 8342 - 6400K White | 3800157632539 |

Grey

| | |
|------------------------------|---------------|
| SKU: 8337 - 3000K Warm White | 3800157632485 |
| SKU: 8338 - 4000K Day White | 3800157632492 |
| SKU: 8339 - 6400K White | 3800157632508 |




Wall Lights

12w VT-822

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 750lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-----------|
| PF: | >0.5 |
| Beam Angle: | 140° |
| Body Type: | PC |
| Dimension: | 130x160mm |
| Box Qty: | 20 Pcs |




White

| | |
|------------------------------|---------------|
| SKU: 8209 - 3000K Warm White | 3800157623261 |
| SKU: 8210 - 4000K Day White | 3800157623278 |

Black

| | |
|------------------------------|---------------|
| SKU: 8211 - 3000K Warm White | 3800157623285 |
| SKU: 8212 - 4000K Day White | 3800157623292 |




Square-IP65

4w VT-704

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 440lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-------------------|
| PF: | >0.5 |
| Beam Angle: | 4*60° |
| Body Type: | Aluminium+Acrylic |
| Dimension: | 150x150x50mm |
| Box Qty: | 20 Pcs |






White

SKU: 8213 - 3000K Warm White 3800157623308
 SKU: 8214 - 4000K Day White 3800157623315

Black


SKU: 8215 - 3000K Warm White 3800157623322
 SKU: 8216 - 4000K Day White 3800157623339



Round-IP65
4W VT-706

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 440lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-------------------|
| PF: | >0.5 |
| Beam Angle: | 4*60° |
| Body Type: | Aluminium+Acrylic |
| Dimension: | 150x50mm |
| Box Qty: | 20 Pcs |




White

SKU: 8551 - 3000K Warm White 3800157640459
 SKU: 8552 - 4000K Day White 3800157640466

Black

SKU: 8553 - 3000K Warm White 3800157640473
 SKU: 8554 - 4000K Day White 3800157640480



Round-IP65
4W VT-834-W

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 440lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|----------|
| PF: | >0.45 |
| Beam Angle: | 4*90° |
| Body Type: | Aluminum |
| Dimension: | Ø112mm |
| Box Qty: | 20 Pcs |






Modern Wall Lights

5w VT-825

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 550lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.5 |
| Beam Angle: | 120° |
| Body Type: | Aluminium |
| Dimension: | 170x170x75mm |
| Box Qty: | 20 Pcs |




Triangle Light

6w VT-826

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 660lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|----------------|
| PF: | >0.5 |
| Beam Angle: | Up15°-Down120° |
| Body Type: | Aluminium |
| Dimension: | 90x200x90mm |
| Box Qty: | 20 Pcs |



White

| | |
|------------------------------|---------------|
| SKU: 8280 - 3000K Warm White | 3800157629744 |
| SKU: 8281 - 4000K Day White | 3800157629751 |

Black

| | |
|------------------------------|---------------|
| SKU: 8282 - 3000K Warm White | 3800157629768 |
| SKU: 8283 - 4000K Day White | 3800157629775 |

Grey

| | |
|------------------------------|---------------|
| SKU: 8284 - 3000K Warm White | 3800157629782 |
| SKU: 8285 - 4000K Day White | 3800157629799 |

White

| | |
|------------------------------|---------------|
| SKU: 8295 - 3000K Warm White | 3800157629898 |
| SKU: 8296 - 4000K Day White | 3800157629904 |

Black

| | |
|------------------------------|---------------|
| SKU: 8297 - 3000K Warm White | 3800157629911 |
| SKU: 8298 - 4000K Day White | 3800157629928 |

Grey


| | |
|------------------------------|---------------|
| SKU: 8299 - 3000K Warm White | 3800157629935 |
| SKU: 8300 - 4000K Day White | 3800157629942 |



Single Head-Rotatable
6W VT-816

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 660lm |
| IP Rating: | IP65 |
| CRI: | >80 |


| | |
|-------------|-------------|
| PF: | >0.5 |
| Beam Angle: | 350° |
| Body Type: | Aluminium |
| Dimension: | 110x54x97mm |
| Box Qty: | 20 Pcs |



Double Head-Rotatable
12W VT-814

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:110-240V,50/60Hz |
| Luminous Flux: | 1320lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.5 |
| Beam Angle: | 350° |
| Body Type: | Aluminium |
| Dimension: | 230x54x97mm |
| Box Qty: | 20 Pcs |



White

SKU: 8292 - 3000K Warm White 3800157629867

Black

SKU: 8293 - 3000K Warm White 3800157629874

Grey

SKU: 8294 - 3000K Warm White 3800157629881

White


SKU: 7079 - 3000K Warm White 3800157616386
SKU: 7088 - 4000K Day White 3800157616881

Black

SKU: 7078 - 3000K Warm White 3800157616379
SKU: 7087 - 4000K Day White 3800157616874

Grey

SKU: 7080 - 3000K Warm White 3800157616393
SKU: 7089 - 4000K Day White 3800157616898



Square-Bridgelux
6w VT-759

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **Adjustable 5°-120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**
Box Qty: **20 Pcs**



White


SKU: 8527 - 3000K Warm White 3800157638616
SKU: 8528 - 4000K Day White 3800157638623

Black

SKU: 8529 - 3000K Warm White 3800157638630
SKU: 8530 - 4000K Day White 3800157638647

Grey

SKU: 8531 - 3000K Warm White 3800157638654
SKU: 8532 - 4000K Day White 3800157638661



Square-Bridgelux
12w VT-759-12

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **Adjustable 5°-120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**
Box Qty: **20 Pcs**





White


SKU: 7082 - 3000K Warm White 3800157616416
 SKU: 7091 - 4000K Day White 3800157616911

Black

SKU: 7081 - 3000K Warm White 3800157616409
 SKU: 7090 - 4000K Day White 3800157616904

Grey


SKU: 7083 - 3000K Warm White 3800157616423
 SKU: 7092 - 4000K Day White 3800157616928



Round-Bridgelux
6W VT-756

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 660lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------------|
| PF: | >0.45 |
| Beam Angle: | Adjustable 5°-120° |
| Body Type: | Aluminium |
| Dimension: | 140x115x100mm |
| Box Qty: | 20 Pcs |



White


SKU: 8305 - 3000K Warm White 3800157629997
 SKU: 8306 - 4000K Day White 3800157630009

Black

SKU: 8303 - 3000K Warm White 3800157629973
 SKU: 8304 - 4000K Day White 3800157629980

Grey

SKU: 8301 - 3000K Warm White 3800157629959
 SKU: 8302 - 4000K Day White 3800157629966



Round Light
6W VT-836

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 660lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.5 |
| Beam Angle: | Up-Down 90° |
| Body Type: | Aluminium |
| Dimension: | 112x112x93mm |
| Box Qty: | 20 Pcs |




White

SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377



Ceiling-Blade Lights

7W VT-707

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **770lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **110x120x170mm**
Box Qty: **20 Pcs**



Round-Bridgelux


6W VT-741

SKU: 7524 - 3000K Warm White
SKU: 7525 - 4000K Day White

3800157620017
3800157620024

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø135mm**
Box Qty: **20 Pcs**



Round-Bridgelux


9W VT-743

SKU: 7526 - 3000K Warm White
SKU: 7527 - 4000K Day White

3800157620031
3800157620048

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø180mm**
Box Qty: **20 Pcs**





Up-Down Light-Medium


9w VT-8056

SKU: 8239 - 3000K Warm White
SKU: 8240 - 4000K Day White
SKU: 8241 - 6400K White

3800157625791
3800157625807
3800157625814

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 400lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|-------------|
| PF: | >0.9 |
| Beam Angle: | 90° |
| Body Type: | PC |
| Dimension: | 173x81x46mm |
| Box Qty: | 20 Pcs |



Up-Down Light-Large


12w VT-8057

SKU: 8242 - 3000K Warm White
SKU: 8243 - 4000K Day White
SKU: 8244 - 6400K White

3800157625821
3800157625838
3800157625845

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 600lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.9 |
| Beam Angle: | 92° |
| Body Type: | PC |
| Dimension: | 230x100x90mm |
| Box Qty: | 20 Pcs |



Softlight-Bulkhead


12w VT-8058

SKU: 8245 - 3000K Warm White
SKU: 8246 - 4000K Day White
SKU: 8247 - 6400K White

3800157625852
3800157625869
3800157625876

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 500lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.9 |
| Beam Angle: | 130° |
| Body Type: | PC |
| Dimension: | 230x110x76mm |
| Box Qty: | 20 Pcs |



Landscape-Soft Light-Medium


12w VT-8054

SKU: 8233 - 3000K Warm White
SKU: 8234 - 4000K Day White
SKU: 8235 - 6400K White

3800157625739
3800157625746
3800157625753

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 600lm |
| IP Rating: | IP65 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.9 |
| Beam Angle: | 110° |
| Body Type: | PC |
| Dimension: | 265x120x81mm |
| Box Qty: | 20 Pcs |





Landscape-Soft Light-Large


20w VT-8055

SKU: 8236 - 3000K Warm White
SKU: 8237 - 4000K Day White
SKU: 8238 - 6400K White


3800157625760
3800157625777
3800157625784

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **110°**
Body Type: **PC**
Dimension: **319x170x114mm**
Box Qty: **20 Pcs**



Indoor Wall Lights



Wall Lights


5w VT-705

SKU: 8208 - 3000K Warm White
SKU: 8232 - 4000K Day White

3800157623254
3800157624756

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **550lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **150°**
Body Type: **Aluminium**
Dimension: **175x80x96mm**
Box Qty: **20 Pcs**



Rotatable-360-White


5w VT-757

SKU: 7086 - 3000K Warm White
SKU: 7093 - 4000K Day White

3800157616454
3800157616935

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.45**
Beam Angle: **10-360°**
Body Type: **Aluminium**
Dimension: **140x105x140mm**
Box Qty: **20 Pcs**




White

SKU: 8344 - 3000K Warm White 3800157633000
 SKU: 8345 - 4000K Day White 3800157633017

Black


SKU: 8346 - 3000K Warm White 3800157633024
 SKU: 8347 - 4000K Day White 3800157633031



Square-Bridgelux
3W VT-803

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:110-240V,50/60Hz |
| Luminous Flux: | 300lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|--------------|
| PF: | >0.5 |
| Beam Angle: | 120° |
| Body Type: | Iron |
| Dimension: | 220x80x200mm |
| Box Qty: | 20 Pcs |




White

SKU: 8225 - 3000K Warm White 3800157623421
 SKU: 8226 - 4000K Day White 3800157623438

Black

SKU: 8227 - 3000K Warm White 3800157623445
 SKU: 8228 - 4000K Day White 3800157623452



Modern Wall Lights
9W VT-710

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 990lm |
| IP Rating: | IP20 |
| CRI: | >80 |



| | |
|-------------|-------------------|
| PF: | >0.5 |
| Beam Angle: | 360° |
| Body Type: | Aluminium+Acrylic |
| Dimension: | 210x80mm |
| Box Qty: | 20 Pcs |

White

SKU: 8221 - 3000K Warm White 3800157623384
SKU: 8222 - 4000K Day White 3800157623391

Black

SKU: 8223 - 3000K Warm White 3800157623407
SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights

9w VT-709

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP20**
CRI: **>80**


PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **440x335x75mm**
Box Qty: **10 Pcs**

White

SKU: 8307 - 3000K Warm White 3800157630016
SKU: 8308 - 4000K Day White 3800157630023

Black Grey

SKU: 8309 - 3000K Warm White 3800157630030
SKU: 8310 - 4000K Day White 3800157630047




Modern Wall Lights

10w VT-811

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **300x215x60mm**
Box Qty: **20 Pcs**



White


SKU: 8202 - 3000K Warm White 3800157623193
 SKU: 8203 - 4000K Day White 3800157623209

Black

SKU: 8204 - 3000K Warm White 3800157623216
 SKU: 8205 - 4000K Day White 3800157623223

Grey


SKU: 8206 - 3000K Warm White 3800157623230
 SKU: 8207 - 4000K Day White 3800157623247



Modern Wall Lights
12w VT-712

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **1100lm**
 IP Rating: **IP20**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **360°**
 Body Type: **Aluminium+Acrylic**
 Dimension: **260x125x55mm**
 Box Qty: **20 Pcs**




Adjustable Modern Wall Lights
18w VT-819-W

SKU: 8533 - 3000K Warm White 3800157638678
 SKU: 8534 - 4000K Day White 3800157638685

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 IP Rating: **IP44**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **Adjustable 5°-90°**
 Body Type: **Aluminium**
 Dimension: **600x100x42mm**
 Box Qty: **10 Pcs**



Modern Wall Lights
20w VT-821-W

SKU: 8535 - 3000K Warm White 3800157638692
 SKU: 8536 - 4000K Day White 3800157638708

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2000**
 IP Rating: **IP44**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **150°**
 Body Type: **Aluminium**
 Dimension: **610x90x35mm**
 Box Qty: **20 Pcs**


White VT-805-N-W

SKU: 8675 - 3000K Warm White 3800157653961
SKU: 8677 - 4000K Day White 3800157653985

Black VT-805-N-B

SKU: 8676 - 3000K Warm White 3800157653978
SKU: 8678 - 4000K Day White 3800157653992


Single Head

4.5W



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **360lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **100x94x45mm**
Box Qty: **24 Pcs**


White VT-805-W

SKU: 8262 - 3000K Warm White 3800157627122
SKU: 8264 - 4000K Day White 3800157627146

Black VT-805-B



SKU: 8263 - 3000K Warm White
SKU: 8265 - 4000K Day White

Single Head

4.5W

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **360lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **100x94x45mm**
Box Qty: **12 Pcs**




Double Head

9W **VT-810-W**

SKU: 8266 - 3000K Warm White 3800157627160
SKU: 8268 - 4000K Day White 3800157627184

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**
Box Qty: **12 Pcs**




Double Head

9W **VT-810-B**

SKU: 8267 - 3000K Warm White 3800157627177
SKU: 8269 - 4000K Day White 3800157627191

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**
Box Qty: **12 Pcs**



Tripple Head


13.5W VT-813-W

SKU: 8270 - 3000K Warm White
SKU: 8272 - 4000K Day White

3800157627207
3800157627221

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1080lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 600x100x94mm |
| Box Qty: | 12 Pcs |



Tripple Head


13.5W VT-813-B

SKU: 8271 - 3000K Warm White
SKU: 8273 - 4000K Day White

3800157627214
3800157627238

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1080lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 600x100x94mm |
| Box Qty: | 12 Pcs |



Single Head


6W VT-806-W

SKU: 8250 - 3000K Warm White
SKU: 8252 - 4000K Day White

3800157627009
3800157627023

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 480lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 100x93mm |
| Box Qty: | 24 Pcs |



Single Head


6W VT-806-B

SKU: 8251 - 3000K Warm White
SKU: 8253 - 4000K Day White

3800157627016
3800157627030

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 480lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 100x93mm |
| Box Qty: | 24 Pcs |



Double Head


12w VT-812-W

 SKU: 8254 - 3000K Warm White
 SKU: 8256 - 4000K Day White

 3800157627047
 3800157627061

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 960lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 405x100x93mm |
| Box Qty: | 12 Pcs |



Double Head


12w VT-812-B

 SKU: 8255 - 3000K Warm White
 SKU: 8257 - 4000K Day White

 3800157627054
 3800157627078

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 960lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 405x100x93mm |
| Box Qty: | 12 Pcs |



Tripple Head


18w VT-818-W

 SKU: 8258 - 3000K Warm White
 SKU: 8260 - 4000K Day White

 3800157627085
 3800157627108

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1440lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 605x100x93mm |
| Box Qty: | 12 Pcs |



Tripple Head

18w VT-818-B

 SKU: 8259 - 3000K Warm White
 SKU: 8261 - 4000K Day White

 3800157627092
 3800157627115

| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1440lm |
| IP Rating: | IP20 |
| CRI: | >80 |

| | |
|-------------|---------------|
| PF: | >0.5 |
| Beam Angle: | 100° |
| Body Type: | Plastic+Metal |
| Dimension: | 605x100x93mm |
| Box Qty: | 12 Pcs |



LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments



Wall Fitting-IP44-GU10-PIR

VT-7621PIR

SKU: 7502 3800157617611



| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 110x67x163mm |
| Box Qty: | 24 Pcs |



Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

SKU: 7503 3800157617628



| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 110x67x220mm |
| Box Qty: | 12 Pcs |



Wall Fitting-Up-Down-GU10-IP44

VT-7622

SKU: 7500 3800157617598



| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 93x85x163mm |
| Box Qty: | 16 Pcs |



Wall Fitting-IP44-GU10

VT-7621

SKU: 7501 3800157617604

| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 93x85x118mm |
| Box Qty: | 24 Pcs |



Wall Fitting-Up-Down-GU10-IP44

VT-7632

SKU: 7504 3800157617635



| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 110x60x178mm |
| Box Qty: | 12 Pcs |



Wall Fitting-IP44-GU10

VT-7631

SKU: 7505 3800157617642

| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 110x60x125mm |
| Box Qty: | 24 Pcs |



Wall Light-IP44-GU10

VT-7641

SKU: 7506 3800157617659

| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 105x76x118mm |
| Box Qty: | 24 Pcs |



Wall Fitting-Up-Down-GU10

VT-7642

SKU: 7507 3800157617666



| | |
|-------------------|-----------------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Stainless Steel Brush |
| IP Rating: | IP44 |
| Dimension: | 105x76x207mm |
| Box Qty: | 16 Pcs |

Wall Fitting-Round-IP44-GU10
VT-7651RD
SKU: 7508 3800157617673



| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 92x68x80mm |
| Box Qty: | 24 Pcs |

Wall Fitting-Up-Down-GU10-IP44
VT-7652RD
SKU: 7509 3800157617680



UP & DOWN LIGHTS

| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 92x68x150mm |
| Box Qty: | 16 Pcs |

Wall Fitting-Square-IP44-GU10
VT-7651SQ
SKU: 7510 3800157617697



| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 92x68x80mm |
| Box Qty: | 24 Pcs |

Wall Fitting-Up-Down-GU10-IP44
VT-7652SQ
SKU: 7511 3800157617703



UP & DOWN LIGHTS

| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 92x68x150mm |
| Box Qty: | 16 Pcs |

Wall Fitting-Up-Down-GU10-IP44
VT-7662
SKU: 7512 3800157617710



UP & DOWN LIGHTS

| | |
|-------------------|-----------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 85x87x250mm |
| Box Qty: | 12 Pcs |

Wall Fitting-Up-Down-GU10
VT-7662-W
SKU: 7543 3800157630740



UP & DOWN LIGHTS

| | |
|-------------------|-----------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | White |
| IP Rating: | IP44 |
| Dimension: | 85x87x250mm |
| Box Qty: | 12 Pcs |

Wall Fitting-Square-IP44-GU10
VT-7651SQ-W
SKU: 7539 3800157630702



| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| IP Rating: | IP44 |
| Dimension: | 92x68x80mm |
| Box Qty: | 24 Pcs |

Wall Fitting-Round-IP44-GU10
VT-7651RD-W
SKU: 7540 3800157630719



| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| IP Rating: | IP44 |
| Dimension: | 92x68x80mm |
| Box Qty: | 24 Pcs |

Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

SKU: 7541 3800157630726



| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| IP Rating: | IP44 |
| Dimension: | 92x68x150mm |
| Box Qty: | 16 Pcs |



Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

SKU: 7542 3800157630733



| | |
|-------------------|---------------|
| Type: | Wall Fixtures |
| Holder: | 2xGU10 |
| Material: | Aluminium |
| Color of Fixture: | White |
| IP Rating: | IP44 |
| Dimension: | 92x68x80mm |
| Box Qty: | 16 Pcs |



Wall Fitting-Up-Down-GU10

VT-7622-W

SKU: 7570 3800157640442



| | |
|-------------------|-----------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Matt White |
| IP Rating: | IP44 |
| Dimension: | 93x85x163mm |
| Box Qty: | 16 Pcs |



Wall Fitting-Up-Down-GU10

VT-7622-B

SKU: 7569 3800157640435



| | |
|-------------------|-----------------|
| Type: | Wall Fixtures |
| Holder: | 2XGU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Matt Black |
| IP Rating: | IP44 |
| Dimension: | 93x85x163mm |
| Box Qty: | 16 Pcs |



Wall Fitting-IP44-GU10

VT-7611

SKU: 7553 3800157633574

Type: Wall Fixtures

| | |
|-------------------|-------------|
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 100x66x92mm |
| Box Qty: | 24 Pcs |



Wall Fitting-IP44-GU10

VT-7612

SKU: 7554 3800157633581

Type: Wall Fixtures

| | |
|-------------------|-----------|
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 1170x50mm |
| Box Qty: | 6 Pcs |



Underground Fittings-MR16

VT-7678-1

SKU: 8567 3800157644518



| | |
|-------------------|-----------------|
| Holder: | MR16 |
| Material: | Stainless Steel |
| Color of Fixture: | Black+Silver |
| IP Rating: | IP67 |
| Dimension: | D:87x128mm |
| Box Qty: | 12 Pcs |



Underground Fittings-MR16

VT-7678-2

SKU: 8568 3800157644525



| | |
|-------------------|-----------------|
| Holder: | MR16 |
| Material: | Stainless Steel |
| Color of Fixture: | Black+Silver |
| IP Rating: | IP67 |
| Dimension: | D:87x128mm |
| Box Qty: | 12 Pcs |





Wall Fitting-IP44-GU10
VT-841
 SKU: 8626 3800157652483


| | |
|-------------------|-----------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Aluminium+Glass |
| Color of Fixture: | Dark Grey |
| IP Rating: | IP44 |
| Dimension: | 63x99x120mm |
| Box Qty: | 24 Pcs |



Wall Fitting-Up-Down-GU10
VT-842
 SKU: 8627 3800157652490

UP & DOWN LIGHTS


| | |
|-------------------|-----------------|
| Type: | Wall Fixtures |
| Holder: | GU10 |
| Material: | Aluminium+Glass |
| Color of Fixture: | Dark Grey |
| IP Rating: | IP44 |
| Dimension: | 63x99x170mm |
| Box Qty: | 24 Pcs |



Underground Fittings-MR16
VT-7678-3
 SKU:8566 3800157644532

IP67 RATING

| | |
|-------------------|----------------------|
| Type: | Underground Fittings |
| Holder: | MR16 |
| Material: | Stainless Steel |
| Color of Fixture: | Black+Silver |
| IP Rating: | IP67 |
| Dimension: | D:87x128mm |
| Box Qty: | 12 Pcs |



Underground Fitting-Round-GU10
VT-7677RD
 SKU: 7515 3800157617741

IP65 RATING

| | |
|-------------------|----------------------|
| Type: | Underground Fittings |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Black |
| IP Rating: | IP65 |
| Dimension: | 110x110x120mm |
| Box Qty: | 24 Pcs |



Underground Fitting-Square-GU10
VT-7677SQ
 SKU: 7516 3800157617758

IP65 RATING

| | |
|-------------------|----------------------|
| Type: | Underground Fittings |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Black |
| IP Rating: | IP65 |
| Dimension: | 110x110x120mm |
| Box Qty: | 24 Pcs |



Garden Spike-Single Head-E27
VT-728
 SKU: 7044 3800157606332

| | |
|-------------------|--------------|
| Type: | Garden Lamps |
| Holder: | E27 |
| Material: | ABS |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 450x27mm |
| Box Qty: | 12 Pcs |



Garden Spike-Double Head-E27
VT-729
 SKU: 7045 3800157606349

| | |
|-------------------|--------------|
| Type: | Garden Lamps |
| Holder: | E27 |
| Material: | ABS |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 450x205mm |
| Box Qty: | 12 Pcs |



Garden Spike-Black-IP44

VT-769

SKU: 7517 3800157617765

| | |
|-------------------|--------------|
| Type: | Garden Lamps |
| Holder: | GU10 |
| Material: | Aluminium |
| Color of Fixture: | Black |
| IP Rating: | IP44 |
| Dimension: | 95x95x335mm |
| Box Qty: | 12 Pcs |



Garden Spike-White-IP44

VT-770

SKU: 7518 3800157617772

| | |
|-------------------|-----------------|
| Type: | Garden Lamps |
| Holder: | GU10 |
| Material: | Stainless Steel |
| Color of Fixture: | Silver |
| IP Rating: | IP44 |
| Dimension: | 60x60x420mm |
| Box Qty: | 8 Pcs |



Garden Lamp

12w VT-857-B

SKU: 7544 - 3000K Warm White 3800157633444
 SKU: 7545 - 4000K Day White 3800157633451
 SKU: 7546 - Green 3800157633468

| | |
|--------------------|---------------------|
| Commercial Type: | Garden Spike Light |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 720lm |
| Beam Angle: | 30° |
| PF | >0.6 |



| | |
|------------|-----------|
| CRI: | >80 |
| IP Rating: | IP65 |
| Body Type: | Aluminium |
| Dimension: | 73x255mm |
| Box Qty: | 50 Pcs |



Garden Lamp

12w VT-857-W

SKU: 7547 - 3000K Warm White 3800157633475
 SKU: 7548 - 4000K Day White 3800157633482
 SKU: 7549 - Green 3800157633499

| | |
|--------------------|---------------------|
| Commercial Type: | Garden Spike Light |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 720lm |
| Beam Angle: | 30° |
| PF | >0.6 |



| | |
|------------|-----------|
| CRI: | >80 |
| IP Rating: | IP65 |
| Body Type: | Aluminium |
| Dimension: | 73x255mm |
| Box Qty: | 50 Pcs |



Garden Lamp

12w VT-857-G

SKU: 7550 - 3000K Warm White 3800157633505
 SKU: 7551 - 4000K Day White 3800157633512
 SKU: 7552 - Green 3800157633529

| | |
|--------------------|---------------------|
| Commercial Type: | Garden Spike Light |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 720lm |
| Beam Angle: | 30° |
| PF | >0.6 |



| | |
|------------|-----------|
| CRI: | >80 |
| IP Rating: | IP65 |
| Body Type: | Aluminium |
| Dimension: | 73x255mm |
| Box Qty: | 50 Pcs |



Underground Light- Oblique Angle

8W VT-7679

SKU: 8621 - 4000K Day White 3800157652407



| | |
|--------------------|-------------------|
| Commercial Type: | Underground Light |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 350lm |
| Beam Angle: | 20° |
| PF | >0.5 |

| | |
|------------|---------------------------------------|
| CRI: | >80 |
| IP Rating: | IP67 |
| Body Type: | Stainless Steel+Aluminium+Glass Cover |
| Dimension: | Ø150X153mm |
| Box Qty: | 12 Pcs |



Underground Light

12W VT-7681

SKU: 8622 - 4000K Day White 3800157652414



| | |
|--------------------|-------------------|
| Commercial Type: | Underground Light |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 750lm |
| Beam Angle: | 40° |
| PF | >0.7 |

| | |
|------------|---------------------------------------|
| CRI: | >80 |
| IP Rating: | IP67 |
| Body Type: | Stainless Steel+Aluminium+Glass Cover |
| Dimension: | Ø150X153mm |
| Box Qty: | 12 Pcs |



Underground Light

0.5W VT-1141

SKU: 1463 - 3000K Warm White 3800157643610



| | |
|--------------------|-------------------|
| Commercial Type: | Underground Light |
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 5lm |
| Beam Angle: | 90° |
| PF | >0.4 |

| | |
|------------|----------|
| CRI: | >80 |
| IP Rating: | IP67 |
| Body Type: | PC |
| Dimension: | Ø26X82mm |
| Box Qty: | 50 Pcs |



Underground Light

1W VT-1151

SKU: 1464 - 6500K White 3800157643627



| | |
|--------------------|-------------------|
| Commercial Type: | Underground Light |
| Voltage/Frequency: | DC:12V |
| Luminous Flux: | 50lm |
| Beam Angle: | 90° |
| PF | >0.4 |

| | |
|------------|----------|
| CRI: | >80 |
| IP Rating: | IP67 |
| Body Type: | PC |
| Dimension: | Ø48X82mm |
| Box Qty: | 50 Pcs |



Underground Light

1W VT-1161-W

12V

SKU: 1465 - 3000K Warm White
SKU: 1467 - 6500K White3800157643658
3800157643634

Commercial Type: Underground Light

Voltage/Frequency: DC:12V

Luminous Flux: 10lm

Beam Angle: 90°

PF >0.4

CRI: >80

IP Rating: IP67

Body Type: PC+AL

Dimension: Ø60X93mm

Box Qty: 50 Pcs



Underground Light

1W VT-1161-B

12V

SKU: 1466 - 3000K Warm White
SKU: 1468 - 6500K White3800157643665
3800157643641

Commercial Type: Underground Light

Voltage/Frequency: DC:12V

Luminous Flux: 10lm

Beam Angle: 90°

PF >0.4

CRI: >80

IP Rating: IP67

Body Type: PC+AL

Dimension: Ø60X93mm

Box Qty: 50 Pcs



Underground Light

1W VT-1171-W

12V

SKU: 1469 - 3000K Warm White
SKU: 1471 - 6500K White3800157643696
3800157643672

Commercial Type: Underground Light

Voltage/Frequency: DC:12V

Luminous Flux: 10lm

Beam Angle: 90°

PF >0.4

CRI: >80

IP Rating: IP67

Body Type: PC+AL

Dimension: Ø60X93mm

Box Qty: 50 Pcs



Underground Light

1W VT-1171-B

12V

SKU: 1470 - 3000K Warm White
SKU: 1472 - 6500K White3800157643702
3800157643689

Commercial Type: Underground Light

Voltage/Frequency: DC:12V

Luminous Flux: 10lm

Beam Angle: 90°

PF >0.4

CRI: >80

IP Rating: IP67

Body Type: PC+AL


Dimension: Ø60X93mm

Box Qty: 50 Pcs



Pool Lights-PAR56
8W VT-1258

SKU: 7556 - 3000K Warm White 3800157633789
SKU: 7555 - 6400K White 3800157633772
SKU: 7557 - Blue 3800157633796




| | |
|--------------------|----------------|
| Commercial Type: | PAR56 |
| Voltage/Frequency: | AC/DC:12V,50Hz |
| Luminous Flux: | 800lm |
| Beam Angle: | 120° |
| CRI: | >80 |
| IP Rating: | IP68 |
| Body Type: | Glass |
| Dimension: | 178x114mm |
| Cutting Size: | NA |
| Box Qty: | 12 Pcs |



Pool Lights-PAR56-RGB
8W VT-1268

SKU: 7558 - RGB 3800157633802




| | |
|--------------------|----------------|
| Commercial Type: | PAR56 |
| Voltage/Frequency: | AC/DC:12V,50Hz |
| Luminous Flux: | 800lm |
| Beam Angle: | 120° |
| CRI: | >80 |
| IP Rating: | IP68 |
| Body Type: | Glass |
| Dimension: | 178x114mm |
| Cutting Size: | NA |
| Box Qty: | 12 Pcs |



Pool Lights-PAR56
12W VT-1262

SKU: 7560 - 3000K Warm White 3800157633826
SKU: 7559 - 6500K White 3800157633819
SKU: 7561 - Blue 3800157633833



| | |
|--------------------|----------------|
| Commercial Type: | PAR56 |
| Voltage/Frequency: | AC/DC:12V,50Hz |
| Luminous Flux: | 1200lm |
| Beam Angle: | 120° |
| CRI: | >80 |
| IP Rating: | IP68 |
| Body Type: | Glass |
| Dimension: | 178x114mm |
| Cutting Size: | NA |
| Box Qty: | 12 Pcs |



Pool Lights-PAR56-RGB
12W VT-1263

SKU: 7562 - RGB 3800157633840



| | |
|--------------------|----------------|
| Commercial Type: | PAR56 |
| Voltage/Frequency: | AC/DC:12V,50Hz |
| Luminous Flux: | 1200lm |
| Beam Angle: | 120° |
| CRI: | >80 |
| IP Rating: | IP68 |
| Body Type: | Glass |
| Dimension: | 178x114mm |
| Cutting Size: | NA |
| Box Qty: | 12 Pcs |



Garden Lamps


V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Applications


Suitable for Outdoor Lighting



Wall Fittings-E27
VT-832

SKU: 8623 3800157652421

| | |
|-------------------|-----------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60w |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | White+Stainless Steel |
| Body Type: | Stainless Steel+PC |
| Size: | 76x375mm |
| Box Qty: | 12 Pcs |



Wall Fittings-E27
VT-833

SKU: 8624 3800157652438

| | |
|-------------------|-----------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60w |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | White+Stainless Steel |
| Body Type: | Stainless Steel+PC |
| Size: | 76x140x335mm |
| Box Qty: | 12 Pcs |



Bollard Lamp
VT-838


SKU: 8625 3800157652445

| | |
|-------------------|-----------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60w |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | White+Stainless Steel |
| Body Type: | Stainless Steel+PC |
| Size: | Ø110X800mm |
| Box Qty: | 6 Pcs |



Wall Lamp
VT-837-B

SKU: 8517 3800157637435




| | |
|-------------------|-----------------------|
| Voltage: | AC:220-240V, 50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Clear Glass |
| Size: | 113x236x113mm |
| Box Qty: | 10 Pcs |




Wall Lamp
VT-837

SKU: 8518 3800157637442



| | |
|-------------------|-----------------------|
| Voltage: | AC:220-240V, 50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Clear Glass |
| Size: | 113x236x113mm |
| Box Qty: | 10 Pcs |




Wall Fittings GU10

VT-7613

SKU: 7563 3800157636360



| | |
|-------------------|----------------------------------|
| Voltage: | AC:220-240V/50-60HZ |
| Max.Watts: | 35W |
| IP Rating: | IP54 |
| Holder: | GU10 |
| Color of Fixture: | Black |
| Body Type: | Aluminium body+clear PC diffuser |
| Size: | 121x80x220mm |
| Box Qty: | 6 Pcs |




Bollard Lamps GU10

VT-7614

SKU: 7564 3800157636377



| | |
|-------------------|----------------------------------|
| Voltage: | AC:220-240V,50-60Hz |
| Max.Watts: | 35W |
| IP Rating: | IP54 |
| Holder: | GU10 |
| Color of Fixture: | Black |
| Body Type: | Aluminium body+clear PC diffuser |
| Size: | 80x80x500mm |
| Box Qty: | 4 Pcs |




Bollard Lamps GU10

VT-7615

SKU: 7565 3800157636384



| | |
|-------------------|----------------------------------|
| Voltage: | AC:220-240V,50-60Hz |
| Max.Watts: | 35W |
| IP Rating: | IP54 |
| Holder: | GU10 |
| Color of Fixture: | Black |
| Body Type: | Aluminium body+clear PC diffuser |
| Size: | 80x80x800mm |
| Box Qty: | 4 Pcs |




Wall Fittings GU10

VT-7616

SKU: 7566 3800157636391



| | |
|-------------------|---------------------------------|
| Voltage: | AC:220-240V,50-60Hz |
| Max.Watts: | 35W |
| IP Rating: | IP54 |
| Holder: | GU10 |
| Color of Fixture: | Black |
| Body Type: | Aluminium body+opal PC diffuser |
| Size: | 121x80x220mm |
| Box Qty: | 6 Pcs |



Bollard Lamps GU10

VT-7617

SKU: 7567 3800157636407



| | |
|-------------------|---------------------------------|
| Voltage: | AC:220-240V,50-60Hz |
| Max.Watts: | 35W |
| IP Rating: | IP54 |
| Holder: | GU10 |
| Color of Fixture: | Black |
| Body Type: | Aluminium body+opal PC diffuser |
| Size: | 80x500mm |
| Box Qty: | 4 Pcs |




Bollard Lamps GU10

VT-7618

SKU: 7568 3800157636414



| | |
|-------------------|---------------------------------|
| Voltage: | AC:220-240V,50-60Hz |
| Max.Watts: | 35W |
| IP Rating: | IP54 |
| Holder: | GU10 |
| Color of Fixture: | Black |
| Body Type: | Aluminium body+opal PC diffuser |
| Size: | 80x800mm |
| Box Qty: | 4 Pcs |




Wall Lamp

VT-7670

SKU: 7513 3800157617727



| | |
|-------------------|--------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 14W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Stainless Steel |
| Body Type: | Stainless Steel+PC |
| Size: | 250x90x100mm |
| Box Qty: | 12 Pcs |




Wall Lamp

VT-7680

SKU: 7514 3800157617734



| | |
|-------------------|--------------------|
| Voltage: | AC:220-240V |
| Max.Watts: | 14W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Stainless Steel |
| Body Type: | Stainless Steel+PC |
| Size: | 250x90x100mm |
| Box Qty: | 12 Pcs |




Wall Lamp

VT-745-B

SKU: 7064 3800157614399



| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP54 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium |
| Size: | 145X265mm |
| Box Qty: | 12 Pcs |




Wall Lamp

VT-745-DG

SKU: 7065 3800157614405




| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP54 |
| Holder: | E27 |
| Color of Fixture: | Dark Grey |
| Body Type: | Aluminium |
| Size: | 145X265mm |
| Box Qty: | 12 Pcs |



Wall Lamp
VT-754-MB

SKU: 7076 3800157616294


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 245x180x93mm |
| Box Qty: | 10 Pcs |



Wall Lamp
VT-754-MW

SKU: 7077 3800157616300


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 245x180x93mm |
| Box Qty: | 10 Pcs |



Wall Lamp
VT-760-B

SKU: 7519 3800157617789


| | |
|-------------------|-----------------|
| Voltage: | AC:220-240V |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 225x400x148mm |
| Box Qty: | 12 Pcs |



Wall Lamp
VT-760-W

SKU: 7520 3800157617796


| | |
|-------------------|-----------------|
| Voltage: | AC:220-240V |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 225x400x148mm |
| Box Qty: | 12 Pcs |



Wall Lamp
VT-761-B

SKU: 7521 3800157617802


| | |
|-------------------|-----------------|
| Voltage: | AC:220-240V |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 245x445x185mm |
| Box Qty: | 8 Pcs |



Wall Lamp
VT-761-W

SKU: 7522 3800157617819


| | |
|-------------------|-----------------|
| Voltage: | AC:220-240V |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 245x445x185mm |
| Box Qty: | 8 Pcs |



Wall Lamp
VT-730

SKU: 7046 3800157610391


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Black |
| Body Type: | Aluminium+Glass |
| Size: | 200x238mm |
| Box Qty: | 6 Pcs |



Wall Lamp
VT-731

SKU: 7047 3800157610407


| | |
|-------------------|-------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Black |
| Body Type: | Aluminium+Plastic |
| Size: | 200x238mm |
| Box Qty: | 6 Pcs |



Wall Lamp
VT-852

SKU: 7531 3800157630078


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium, Glass |
| Size: | 290x250x525mm |
| Box Qty: | 6 Pcs |



Wall Lamp
VT-853

SKU: 7532 3800157630085

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium, Glass |
| Size: | 290x250x525mm |
| Box Qty: | 6 Pcs |




Wall Lamp
VT-751-B

SKU: 7070

3800157616232



| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 215x375x170mm |
| Box Qty: | 10 Pcs |




Wall Lamp
VT-751-W

SKU: 7071

3800157616249



| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 215x375x170mm |
| Box Qty: | 10 Pcs |




Wall Lamp
VT-749-B

SKU: 7066

3800157616195

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 208x360x170mm |
| Box Qty: | 10 Pcs |




Wall Lamp
VT-749-W

SKU: 7067

3800157616201

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 208x360x170mm |
| Box Qty: | 10 Pcs |




Wall Lamp
VT-750-B

SKU: 7068

3800157616218

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 208x360x170mm |
| Box Qty: | 10 Pcs |



Wall Lamp
VT-835

SKU: 8628 3800157652506

| | |
|-------------------|--------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40w |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Dark Grey |
| Body Type: | Stainless Steel+PC |
| Size: | 148x165x245mm |
| Box Qty: | 6 Pcs |




NEW

Wall Lamp
VT-843

SKU: 8686 3800157654913


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Black |
| Body Type: | Aluminium+Glass |
| Size: | 235x225mm |
| Box Qty: | 10 Pcs |



Wall Lamp
VT-750-W

SKU: 7069 3800157616225


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 208x360x170mm |
| Box Qty: | 10 Pcs |



Ceiling Lamp
VT-752-B

SKU: 7072 3800157616256


| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 170x840mm |
| Box Qty: | 10 Pcs |



Ceiling Lamp
VT-752-W

SKU: 7073 3800157616263

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | White |
| Body Type: | Aluminium+Glass |
| Size: | 170x840mm |
| Box Qty: | 10 Pcs |



Ceiling Lamp

VT-735

SKU: 7058

3800157612616

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Plastic

Size: 170x720mm

Box Qty: 10 Pcs



Pole Lamp

VT-839

SKU: 8629

3800157652513

Voltage: AC:220-240V,50Hz

Max.Watts: 40w

IP Rating: IP44


Holder: E27

Color of Fixture: Dark Grey

Body Type: Stainless Steel+PC

Size: Ø148X800mm

Box Qty: 6 Pcs



Stand Lamp

VT-736

SKU: 7059

3800157612623

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44

Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 170x600mm

Box Qty: 10 Pcs




Pole Lamp

VT-845

SKU: 8687

3800157654920

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 175x950mm

Box Qty: 10 Pcs



Ceiling Lamp

VT-850

SKU: 7529

3800157630054

Voltage: AC:200-240V,50Hz

Max.Watts: 60W

IP Rating: IP44

Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+PC

Size: 250x890mm

Box Qty: 8 Pcs




Pole Lamp

VT-851

SKU: 7530

3800157630061

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Black |
| Body Type: | Aluminium+PC |
| Size: | 250x1110mm |
| Box Qty: | 1 Pcs |



Stand Lamp


VT-734

SKU: 7057

3800157612609



| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60W |
| IP Rating: | IP65 |
| Holder: | E27 |
| Color of Fixture: | Black |
| Body Type: | Aluminium+Glass |
| Size: | 170x290 |
| Box Qty: | 10 Pcs |




Stand Lamp

VT-753-B

SKU: 7074

3800157616270

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt Black |
| Body Type: | Aluminium+Glass |
| Size: | 170x403mm |
| Box Qty: | 10 Pcs |



Stand Lamp

VT-753-W

SKU: 7075

3800157616287

| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 40W |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Matt White |
| Body Type: | Aluminium+Glass |
| Size: | 170x403mm |
| Box Qty: | 10 Pcs |



Pole Lamp


VT-847

SKU: 8688

3800157654937



| | |
|-------------------|------------------|
| Voltage: | AC:220-240V,50Hz |
| Max.Watts: | 60Wx2 |
| IP Rating: | IP44 |
| Holder: | E27 |
| Color of Fixture: | Black |
| Body Type: | Aluminium+Glass |
| Size: | 522x2320mm |
| Box Qty: | 1 Pcs |



Stand Lamp

VT-737

SKU: 7060

3800157612630

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 345x1365mm

Box Qty: 1 Pcs



Stand Lamp

VT-738

SKU: 7061

3800157612647

Voltage: AC:220-240V,50Hz

Max.Watts: 60Wx2

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 480x1410mm

Box Qty: 1 Pcs



Stand Lamp

VT-739

SKU: 7062

3800157612654

Voltage: AC:220-240V,50Hz

Max.Watts: 60Wx2

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 500x1990mm

Box Qty: 1 Pcs



Stand Lamp

VT-740

SKU: 7063

3800157612661

Voltage: AC:220-240V,50Hz

Max.Watts: 60Wx3

IP Rating: IP44

Holder: E27


Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 500x1990mm

Box Qty: 1 Pcs





LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications


Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.




Indoor Display Screen

P3 Indoor LED Display Screen

SKU: 11109 3800157644686

 Box Qty.
6 Pcs


| | | | |
|---------------------------|-----------------------|---------------------------------|--|
| Pixel pitch | 3mm | Brightness | ≥1100 CD/M2 |
| Panel size | L192xH192xT13mm | Working environment temperature | -10 to +40°C |
| Physical density | 111111/M2 | Working environment humidity | 10%~70% RH |
| Pixel configuration | 1,1,1(R,G,B) | Display working voltage | AC46~4HZ,220V±15%/110V±15% |
| Driving method | 1/16 Constant current | Color temperature | 8500K-11500K |
| LED Chip Type | SMD2121 | Gray scale/color | ≥16.7M color |
| Display resolution | 4096(64x64)dots | Input signal | RF\ S-Video\ RGB etc |
| Module weight | 0.35Kg | Control system | PCTV nonlinearity card, DVI Display card, Linsn control system |
| Module port | HUB75-B | Mean free error time | >5000 Hours |
| Module working voltage | 5VDC | Life Hours | 100000 Hours |
| Power | 30W | Steel box weight | 40 Kg/M2 |
| Viewing angle | 120 Degrees | Steel box size | L576Xh768x80mm |
| Option distance | 3-45M | | |
| Driving device | 5020 | | |
| Every square metre module | 27.13 PCS | | |
| Maximum power | 1000 W/M2 | | |
| Frame Frequency | 60Hz | | |
| Refresh frequency | 400-800 Hz/S | | |



Indoor Display Screen

P4 Indoor LED Display Screen

SKU: 11079 3800157619493

Box Qty.
6 Pcs



- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

Screen Parameter


| | |
|---------------------------|--|
| Pixel Density | 62500dots/sqm |
| Brightness | 1100nits |
| Optimum View Distance | more than 5m |
| Gray Scale | 16bits |
| Display Color | 281 trillions(synchronized) |
| Operation Power | AC 220V-240V/ 50/60Hz |
| Power Consumption | 300W/cabinet |
| Control Mode | Synchronized |
| Refresh Frequency | 400-700HZ |
| Support Signal Input | S-Video,RGBHV,YUV etc. |
| Control Distance | UTP140M,SINGLE MODE FIBER 15KM |
| Life Span(50% Brightness) | 100000hrs |
| IP(Front) | IP40 |
| Control System | PCTV nonlinearity card, DVI display card Linsn control system |

LED Cabinet Parameter

| | |
|------------------------------|--------------|
| Cabinet Size(L*h*d) | 512*512*85mm |
| Cabinet Resolution | 128*128 |
| Module Quantity Each Cabinet | 2*4=8 |
| Power Consumption | 300w/cabinet |
| Cabinet Material | Iron |
| Cabinet Weight | 8kg/cabine |

LED Module Parameter

| | |
|-------------------|----------------------------|
| Pixel Pitch | 4mm |
| Led Specification | SMD2121 |
| Led Configuration | SMD 3 in 1 |
| Module Size | 256*128mm |
| Module Resolution | 64*32=2048dot |
| Drive Method | 1/16 scan constant current |
| Drive IC | SM16106 |
| Power Consumption | 25-30W |



Indoor Display Screen

P5 Indoor LED Finished Cabinet
 Box Qty.
6 Pcs

SKU: 11077 3800157617468

Screen Parameter

| | |
|----------------------------|--------------------------------|
| Pixel Density: | 40000dots/sqm |
| Brightness: | 1800nits |
| Optimum View Distance: | more than 5m |
| Gray Scale: | 16bits |
| Display Color: | 281 trillions(synchronized) |
| Operation Power: | 220V-240V |
| Max Power Consumption: | 750W/sqm |
| Control Mode: | Synchronized |
| Refresh Frequency: | 400-700HZ |
| Fram Frequency: | 60HZ |
| Surport Signal Input: | S-Video,RGBHV,YUV etc. |
| Control Distance: | UTP140M,SINGLE MODE FIBER 15KM |
| Life Span(50% Brightness): | 100000hrs |
| IP(Front/rear): | IP20 |

LED Cabinet Parameter

| | |
|-------------------------------|--------------|
| Cabinet Size(L*h*d): | 640*640mm |
| Cabinet Resolution: | 128*128 |
| Module Quantity Each Cabinet: | 2*4=8 |
| Average Power Consumption: | 300w/cabinet |
| Cabinet Material: | Iron |
| Cabinet Size: | 8kg/cabinet |

LED Module Parameter

| | |
|--------------------|----------------------------|
| Pixel Pitch: | 5mm |
| Led Specification: | SMD3528 |
| Led Configuration: | SMD 3 in 1 |
| Module Size: | 320*160mm |
| Module Resolution: | 64*32=2048dot |
| Drive Method: | 1/16 scan constant current |
| Drive IC: | SM16106 |

 Windows 10
**COM700-MEDIA PLAYER**

SKU: 11088 3800157622820

LED Display Player with Industrial PC

| |
|---|
| One TS802 sending card inside |
| Dual Display - Supports Max 1280*800 |
| Supports SD Memory Card/USB/HDMI Out/Internet |
| USB and SD Card Memory Playing |
| Compact and Easy to Install |
| 7" Touch Screen with windows 10 Inside |
| Size - 320*180*50mm |
| Input - AC:120-260V |
| 1 x Audio In |
| 1 x Audio Out |
| 1 x DVI In |
| 1 x HDMI Out |
| 4 USB Interface |

Sending Box  Box Qty.
20 Pcs

SKU: 500082


Sending Card  Box Qty.
20 Pcs

SKU: 500081






Outdoor Display Screen

P6 Outdoor LED Finished Cabinet  Box Qty. **6 Pcs**

SKU: 11078 3800157617475



Screen Parameter

| | |
|---------------------------|---------------------------------|
| Pixel Density | 27777dots/sqm |
| Brightness | 6500nits |
| Optimum View Distance | more than 6m |
| Gray Scale | 16bits |
| Display Color | 281 Trillions(synchronized) |
| Operation Power | 220V-240V |
| Max Power Consumption | 1350W/sqm |
| Control Mode | Synchronized |
| Refresh Frequency | 400-800HZ |
| Fram Frequency | 60HZ |
| Support Signal Input | S-Video,RGBHV,YUV etc. |
| Control Distance | Utp140m, Single Mode Fiber 15km |
| Operating Humidity | 10%-90% |
| Life Span(50% Brightness) | 100000hrs |
| IP(Front/rear) | IP65/IP45 |

LED Cabinet Parameter

| | |
|------------------------------|--------------|
| Cabinet Size(L*h*d) | 768*768mm |
| Cabinet Resolution | 128*128 |
| Module Quantity Each Cabinet | 4*4=16 |
| Average Power Consumption | 800w/cabinet |
| Cabinet Material | Iron |
| Cabinet Size | 25kg/cabinet |

LED Module Parameter

| | |
|-------------------|---------------------------|
| Pixel Pitch | 6mm |
| Led Specification | SMD3535 |
| Led Configuration | SMD 3 in 1 |
| Module Size | 192*192mm |
| Module Resolution | 32*32=1024dot |
| Drive Method | 1/8 scan constant current |
| Drive IC | SM16106 |



Stylish Pendants


Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features


- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.




NEW



Rattan Floor Lamp

Model: VT-4150
 SKU: 40561
 EAN: 3800157655170
 Size: Ø450xH1500mm
 Box Qty: 1Pcs
 Material: Rattan Finish


NEW



Rattan Floor Lamp

Model: VT-3100
 SKU: 40571
 EAN: 3800157655187
 Size: Ø300xH940mm
 Box Qty: 1Pcs
 Material: Rattan Finish


NEW



Wooden Pendant

Model: VT-3450
 SKU: 40501
 EAN: 3800157655118
 Size: Ø350xH450mm
 Box Qty: 1Pcs
 Material: Wooden


NEW



Wooden Pendant

Model: VT-4453
 SKU: 40551
 EAN: 3800157655163
 Size: Ø450xH450mm
 Box Qty: 1Pcs
 Material: Wooden


NEW



Wooden Pendant

Model: VT-3350
 SKU: 40511
 EAN: 3800157655125
 Size: Ø350xH310mm
 Box Qty: 4Pcs
 Material: Wooden


NEW



Wooden Pendant

Model: VT-2450
 SKU: 40521
 EAN: 3800157655132
 Size: Ø250xH450mm
 Box Qty: 4Pcs
 Material: Wooden


NEW



Wooden Pendant


Model: VT-3200
 SKU: 40531
 EAN: 3800157655149
 Size: Ø330xH220mm
 Box Qty: 8Pcs
 Material: Wooden

NEW




Wooden Pendant

Model: VT-4280
 SKU: 40541
 EAN: 3800157655156
 Size: Ø440xH280mm
 Box Qty: 1Pcs
 Material: Wooden




Diamond Cut Glass-Transparent

| | |
|-----------|-----------------|
| Model: | VT-7350-HT |
| SKU: | 3879 |
| EAN: | 3800157620970 |
| Size: | Ø330x260x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Diamond Cut Glass-Black

| | |
|-----------|----------------|
| Model: | VT-7350-HB |
| SKU: | 3880 |
| EAN: | 3800157620987 |
| Size: | 330x260x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |



Designer Glass-Transparent

| | |
|-----------|-----------------|
| Model: | VT-7254 |
| SKU: | 3882 |
| EAN: | 3800157621007 |
| Size: | Ø250x230x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Designer Glass-Transparent

| | |
|-----------|-----------------|
| Model: | VT-7306 |
| SKU: | 3883 |
| EAN: | 3800157621014 |
| Size: | Ø300x265x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass |




Designer Glass-Transparent

| | |
|-----------|---------------|
| Model: | VT-7305 |
| SKU: | 3881 |
| EAN: | 3800157620994 |
| Size: | Ø270x1280mm |
| Box Qty: | 4Pcs |
| Material: | Glass |




Designer Glass-Gun Grey

| | |
|-----------|-----------------|
| Model: | VT-7292 |
| SKU: | 3887 |
| EAN: | 3800157621052 |
| Size: | Ø300x265x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass |




Designer Glass-Gun Grey


| | |
|-----------|-----------------|
| Model: | VT-7380 |
| SKU: | 3888 |
| EAN: | 3800157621069 |
| Size: | Ø380x330x1000mm |
| Box Qty: | 4Pcs |
| Material: | Glass |



Amber Glass-Metal Series


| | |
|-----------|----------------|
| Model: | VT-7303 |
| SKU: | 3866 |
| EAN: | 3800157620765 |
| Size: | 300x280x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |






Transparent Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7302 |
| SKU: | 3865 |
| EAN: | 3800157620758 |
| Size: | 300x280x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Transparent Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7229 |
| SKU: | 3867 |
| EAN: | 3800157620772 |
| Size: | 265x190x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |



Double Glass-Amber-White

| | |
|-----------|-----------------|
| Model: | VT-7304-AW |
| SKU: | 3875 |
| EAN: | 3800157620932 |
| Size: | Ø250x420x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Double Glass-Amber-White

| | |
|-----------|----------------|
| Model: | VT-7181-AW |
| SKU: | 3878 |
| EAN: | 3800157620963 |
| Size: | 180x350x1000mm |
| Box Qty: | 9Pcs |
| Material: | Glass+Metal |




Double Glass-Gungrey-White

| | |
|-----------|----------------|
| Model: | VT-7304-GW |
| SKU: | 3876 |
| EAN: | 3800157620949 |
| Size: | 250x420x1000mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Double Glass-Gungrey-White

| | |
|-----------|----------------|
| Model: | VT-7181-GW |
| SKU: | 3877 |
| EAN: | 3800157620956 |
| Size: | 180x350x1000mm |
| Box Qty: | 9Pcs |
| Material: | Glass+Metal |




Modern-White Glass Pendant

| | |
|-----------|-----------------|
| Model: | VT-7281-WG |
| SKU: | 3884 |
| EAN: | 3800157621021 |
| Size: | Ø285x440x1000mm |
| Box Qty: | 4Pcs |
| Material: | Glass+Metal |



Modern-Black Glass Pendant


| | |
|-----------|----------------|
| Model: | VT-7281-BG |
| SKU: | 3885 |
| EAN: | 3800157621038 |
| Size: | 285x440x1000mm |
| Box Qty: | 4Pcs |
| Material: | Glass+Metal |






Modern-Amber Glass Pendant

| | |
|-----------|----------------|
| Model: | VT-7281-AG |
| SKU: | 3886 |
| EAN: | 3800157621045 |
| Size: | 285x440x1000mm |
| Box Qty: | 4Pcs |
| Material: | Glass+Metal |




Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7210 |
| SKU: | 3730 |
| EAN: | 3800157611039 |
| Size: | 245x230x1100mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Amber Glass-Metal Series


| | |
|-----------|----------------|
| Model: | VT-7140-A |
| SKU: | 3736 |
| EAN: | 3800157611091 |
| Size: | 140x240x1130mm |
| Box Qty: | 12Pcs |
| Material: | Glass+Metal |



Transparent Glass-Metal Series


| | |
|-----------|----------------|
| Model: | VT-7140-T |
| SKU: | 3735 |
| EAN: | 3800157611084 |
| Size: | 140x240x1130mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |






Transparent Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7185 |
| SKU: | 3738 |
| EAN: | 3800157611114 |
| Size: | 180x230x1110mm |
| Box Qty: | 12Pcs |
| Material: | Glass+Metal |




Transparent Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7250 |
| SKU: | 3739 |
| EAN: | 3800157611121 |
| Size: | 250x330x1220mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |



Amber Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7290 |
| SKU: | 3741 |
| EAN: | 3800157611145 |
| Size: | 260x260x1150mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Transparent Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7300 |
| SKU: | 3737 |
| EAN: | 3800157611107 |
| Size: | 300x250x1150mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Amber Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7320 |
| SKU: | 3740 |
| EAN: | 3800157611138 |
| Size: | 250x280x1180mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Amber Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7150-AG |
| SKU: | 3732 |
| EAN: | 3800157611053 |
| Size: | 145x160x1050mm |
| Box Qty: | 12Pcs |
| Material: | Glass+Metal |




Green Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7150-GG |
| SKU: | 3734 |
| EAN: | 3800157611077 |
| Size: | 145x160x1050mm |
| Box Qty: | 12Pcs |
| Material: | Glass+Metal |



Red Glass-Metal Series


| | |
|-----------|----------------|
| Model: | VT-7150-RG |
| SKU: | 3731 |
| EAN: | 3800157611046 |
| Size: | 145x160x1050mm |
| Box Qty: | 12Pcs |
| Material: | Glass+Metal |






Glass-Metal Series

| | |
|-----------|----------------|
| Model: | VT-7150-CG |
| SKU: | 3733 |
| EAN: | 3800157611060 |
| Size: | 145x160x1050mm |
| Box Qty: | 12Pcs |
| Material: | Glass+Metal |




Amber Glass Pendant

| | |
|-----------|----------------|
| Model: | VT-7220-A |
| SKU: | 3726 |
| EAN: | 3800157610995 |
| Size: | 220x280x1150mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Transparent Glass Pendant

| | |
|-----------|----------------|
| Model: | VT-7220-T |
| SKU: | 3727 |
| EAN: | 3800157611008 |
| Size: | 220x280x1150mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |



Transparent Glass-Wood Pendant


| | |
|-----------|----------------|
| Model: | VT-7130 |
| SKU: | 3818 |
| EAN: | 3800157615433 |
| Size: | 135x240x1150mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Wood |






Transparent Glass-Wood Pendant

| | |
|-----------|----------------|
| Model: | VT-7170 |
| SKU: | 3819 |
| EAN: | 3800157615440 |
| Size: | 165x220x1100mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Wood |




Trio Glass Pendant-Lampholder

| | |
|-----------|---------------|
| Model: | VT-7307 |
| SKU: | 3926 |
| EAN: | 3800157626217 |
| Size: | 300x1300mm |
| Box Qty: | 4Pcs |
| Material: | Glass+Wood |



Transparent Glass-Wood Pendant


| | |
|-----------|----------------|
| Model: | VT-7240 |
| SKU: | 3820 |
| EAN: | 3800157615457 |
| Size: | 235x140x1050mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Wood |






3D Glass-Black Canopy

| | |
|-----------|----------------|
| Model: | VT-7015 |
| SKU: | 3830 |
| EAN: | 3800157616652 |
| Size: | 150x140x1200mm |
| Box Qty: | 10Pcs |
| Material: | Glass |




3D Glass-Black Canopy

| | |
|-----------|-----------------|
| Model: | VT-7152 |
| SKU: | 40111 |
| EAN: | 3800157640619 |
| Size: | ø150x100x1020mm |
| Box Qty: | 8Pcs |
| Material: | Glass |




3D Glass-Black Canopy

| | |
|-----------|-----------------|
| Model: | VT-7206 |
| SKU: | 40121 |
| EAN: | 3800157640626 |
| Size: | ø200x100x1070mm |
| Box Qty: | 8Pcs |
| Material: | Glass |



3D Glass-Black Canopy


| | |
|-----------|-----------------|
| Model: | VT-7256 |
| SKU: | 40131 |
| EAN: | 3800157640633 |
| Size: | ø250x100x1110mm |
| Box Qty: | 8Pcs |
| Material: | Glass |






Transparent Glass-V Shape

| | |
|-----------|---------------|
| Model: | VT-7180 |
| SKU: | 3863 |
| EAN: | 3800157620734 |
| Size: | Ø250x90mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Transparent Glass-Globe

| | |
|-----------|---------------|
| Model: | VT-7226 |
| SKU: | 3864 |
| EAN: | 3800157620741 |
| Size: | Ø250x230mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |




Transparent Glass-Cone Shape

| | |
|-----------|---------------|
| Model: | VT-7142 |
| SKU: | 3861 |
| EAN: | 3800157620710 |
| Size: | 140x160mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |



Transparent Glass-V Shape


| | |
|-----------|---------------|
| Model: | VT-7143 |
| SKU: | 3862 |
| EAN: | 3800157620727 |
| Size: | 185x140 mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Metal |






6 Bulb Chandelier-Movable

| | |
|-----------|---------------|
| Model: | VT-7400 |
| SKU: | 3889 |
| EAN: | 3800157621076 |
| Size: | 791x900mm |
| Box Qty: | 4Pcs |
| Material: | Metal |




Aluminium Shade-Black


| | |
|-----------|----------------|
| Model: | VT-7422-B |
| SKU: | 3728 |
| EAN: | 3800157611015 |
| Size: | 230x310x1150mm |
| Box Qty: | 8Pcs |
| Material: | Aluminium |



Aluminium Shade-White


| | |
|-----------|----------------|
| Model: | VT-7422-WH |
| SKU: | 3729 |
| EAN: | 3800157611022 |
| Size: | 230x310x1150mm |
| Box Qty: | 8Pcs |
| Material: | Aluminium |






Mesh Metal-Grey

| | |
|-----------|----------------|
| Model: | VT-7200-MG |
| SKU: | 3822 |
| EAN: | 3800157616577 |
| Size: | 200x270x1300mm |
| Box Qty: | 8Pcs |
| Material: | Metal |




Mesh Metal-Gold

| | |
|-----------|----------------|
| Model: | VT-7200-CG |
| SKU: | 3821 |
| EAN: | 3800157616560 |
| Size: | 200x270x1300mm |
| Box Qty: | 8Pcs |
| Material: | Metal |



Mesh Metal-White

| | |
|-----------|----------------|
| Model: | VT-7200-MW |
| SKU: | 3823 |
| EAN: | 3800157616584 |
| Size: | 200x270x1300mm |
| Box Qty: | 8Pcs |
| Material: | Metal |




Can Shape-Gold Pendant

| | |
|-----------|----------------|
| Model: | VT-7131-CG |
| SKU: | 3824 |
| EAN: | 3800157616591 |
| Size: | 130x250x1300mm |
| Box Qty: | 10Pcs |
| Material: | Metal |




Can Shape-Black Pendant

| | |
|-----------|----------------|
| Model: | VT-7131-MB |
| SKU: | 3825 |
| EAN: | 3800157616607 |
| Size: | 130x250x1300mm |
| Box Qty: | 10Pcs |
| Material: | Metal |




Can Shape-WhitePendant

| | |
|-----------|----------------|
| Model: | VT-7131-MW |
| SKU: | 3826 |
| EAN: | 3800157616614 |
| Size: | 130x250x1300mm |
| Box Qty: | 10Pcs |
| Material: | Metal |




Can Shape-Gold Pendant

| | |
|-----------|----------------|
| Model: | VT-7132-CG |
| SKU: | 3827 |
| EAN: | 3800157616621 |
| Size: | 130x220x1300mm |
| Box Qty: | 10Pcs |
| Material: | Metal |



Can Shape-Black Pendant


| | |
|-----------|----------------|
| Model: | VT-7132-MB |
| SKU: | 3828 |
| EAN: | 3800157616638 |
| Size: | 130x220x1300mm |
| Box Qty: | 10Pcs |
| Material: | Metal |






Can Shape-WhitePendant

| | |
|-----------|----------------|
| Model: | VT-7132-MW |
| SKU: | 3829 |
| EAN: | 3800157616645 |
| Size: | 130x220x1300mm |
| Box Qty: | 10Pcs |
| Material: | Metal |




Mesh Metal-Globe

| | |
|-----------|------------------|
| Model: | VT-7332 |
| SKU: | 3859 |
| EAN: | 3800157620697 |
| Size: | Ø290x1000x1340mm |
| Box Qty: | 8Pcs |
| Material: | Metal |



Mesh Metal-GV Shape

| | |
|-----------|----------------|
| Model: | VT-7252 |
| SKU: | 3860 |
| EAN: | 3800157620703 |
| Size: | 285x170x1000mm |
| Box Qty: | 12Pcs |
| Material: | Metal |



Copper Series-Rose Gold

| | |
|-----------|---------------|
| Model: | VT-8150-CO |
| SKU: | 3713 |
| EAN: | 3800157610865 |
| Size: | Ø150 |
| Box Qty: | 10Pcs |
| Material: | Metal |





Copper Series-Rose Gold

Model: VT-8300
 SKU: 3710
 EAN: 3800157610834
 Size: Ø300
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8220
 SKU: 3711
 EAN: 3800157610841
 Size: Ø220
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8255
 SKU: 3709
 EAN: 3800157610827
 Size: Ø250mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8150-CH
 SKU: 3712
 EAN: 3800157610858
 Size: Ø150mm
 Box Qty: 10Pcs
 Material: Iron with electric copper paint





Copper Series-Chrome

Model: VT-8180-CH
 SKU: 3707
 EAN: 3800157610803
 Size: Ø180mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8180-CO
 SKU: 3708
 EAN: 3800157610810
 Size: Ø180mm
 Box Qty: 8Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8170
 SKU: 3714
 EAN: 3800157610872
 Size: Ø170mm
 Box Qty: 8Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8230
 SKU: 3715
 EAN: 3800157610889
 Size: Ø230mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint





Copper Series-Chrome

Model: VT-8175-CH
 SKU: 3705
 EAN: 3800157610780
 Size: Ø170
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8175-CO
 SKU: 3706
 EAN: 3800157610797
 Size: Ø170mm
 Box Qty: 8Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8200
 SKU: 3716
 EAN: 3800157610896
 Size: Ø200mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint



Copper Series-Rose Gold


Model: VT-8250
 SKU: 3717
 EAN: 3800157610902
 Size: Ø250mm
 Box Qty: 4Pcs
 Material: Iron with electric copper paint






White Glass-Wood Pendant

| | |
|-----------|----------------|
| Model: | VT-7205 |
| SKU: | 3759 |
| EAN: | 3800157611329 |
| Size: | 190x320x1120mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Wood |




White Glass-Wood Pendant

| | |
|-----------|----------------|
| Model: | VT-7175 |
| SKU: | 3758 |
| EAN: | 3800157611312 |
| Size: | 170x320x1120mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Wood |




White Glass-Wood Pendant

| | |
|-----------|----------------|
| Model: | VT-7177 |
| SKU: | 3760 |
| EAN: | 3800157611336 |
| Size: | 170x320x1120mm |
| Box Qty: | 8Pcs |
| Material: | Glass+Wood |



Aluminum Pendant-White


| | |
|-----------|----------------|
| Model: | VT-7162-WH |
| SKU: | 3868 |
| EAN: | 3800157620789 |
| Size: | Ø160x350x600mm |
| Box Qty: | 20Pcs |
| Material: | Aluminium |






Aluminum Pendant-Black

| | |
|-----------|----------------|
| Model: | VT-7162-B |
| SKU: | 3869 |
| EAN: | 3800157620796 |
| Size: | Ø160x350x600mm |
| Box Qty: | 20Pcs |
| Material: | Aluminium |




Concrete-Mesh

| | |
|-----------|----------------|
| Model: | VT-7330 |
| SKU: | 3849 |
| EAN: | 3800157618984 |
| Size: | 400x250x1100mm |
| Box Qty: | 4Pcs |
| Material: | Concrete+Iron |




Concrete-Mesh


| | |
|-----------|----------------|
| Model: | VT-7121 |
| SKU: | 3847 |
| EAN: | 3800157618960 |
| Size: | 120x380x1300mm |
| Box Qty: | 6Pcs |
| Material: | Concrete+Iron |



Concrete-Mesh


| | |
|-----------|----------------|
| Model: | VT-7253 |
| SKU: | 3848 |
| EAN: | 3800157618977 |
| Size: | 250x310x1200mm |
| Box Qty: | 4Pcs |
| Material: | Concrete+Iron |






Concrete-Lampshade

| | |
|-----------|----------------|
| Model: | VT-7155 |
| SKU: | 3850 |
| EAN: | 3800157618991 |
| Size: | 160x290x1250mm |
| Box Qty: | 6Pcs |
| Material: | Concrete |




Concrete-Lampshade

| | |
|-----------|----------------|
| Model: | VT-7202 |
| SKU: | 3853 |
| EAN: | 3800157619028 |
| Size: | 180x160x1100mm |
| Box Qty: | 4Pcs |
| Material: | Concrete |



Concrete-Acrylic

| | |
|-----------|----------------|
| Model: | VT-7291 |
| SKU: | 3854 |
| EAN: | 3800157619035 |
| Size: | 265x260x1050mm |
| Box Qty: | 4Pcs |
| Material: | Concrete+Wood |





Concrete-Wooden

| | |
|-----------|----------------|
| Model: | VT-7301 |
| SKU: | 3858 |
| EAN: | 3800157619073 |
| Size: | 290x250x1150mm |
| Box Qty: | 4Pcs |
| Material: | Concrete+Wood |




Concrete-Wooden

Model: VT-7125-GY
 SKU: 3855
 EAN: 3800157619042
 Size: 120x210x1080mm
 Box Qty: 8Pcs
 Material: Concrete+Wood




Concrete-Wooden

Model: VT-7125-GN
 SKU: 3856
 EAN: 3800157619059
 Size: 120x210x1080mm
 Box Qty: 8Pcs
 Material: Concrete+Wood




Concrete-Wooden

Model: VT-7125-R
 SKU: 3857
 EAN: 3800157619066
 Size: 120x210x1080mm
 Box Qty: 8Pcs
 Material: Concrete+Wood



Concrete-Table Lamp


Model: VT-7160
 SKU: 3851
 EAN: 3800157619004
 Size: 160x150x2000mm
 Box Qty: 4Pcs
 Material: Concrete






Concrete-Table Lamp

| | |
|-----------|----------------|
| Model: | VT-7171 |
| SKU: | 3852 |
| EAN: | 3800157619011 |
| Size: | 180x130x2000mm |
| Box Qty: | 8Pcs |
| Material: | Concrete |




Geometric Series-Gold Canopy

| | |
|-----------|----------------|
| Model: | VT-7141-CG |
| SKU: | 3831 |
| EAN: | 3800157616669 |
| Size: | 250x190x1250mm |
| Box Qty: | 8Pcs |
| Material: | Metal |




Geometric Series-Black Canopy

| | |
|-----------|----------------|
| Model: | VT-7141-MB |
| SKU: | 3832 |
| EAN: | 3800157616676 |
| Size: | 250x190x1250mm |
| Box Qty: | 8Pcs |
| Material: | Metal |



Geometric Series-Gold Canopy


| | |
|-----------|----------------|
| Model: | VT-7161-CG |
| SKU: | 3833 |
| EAN: | 3800157616683 |
| Size: | 225x225x1250mm |
| Box Qty: | 10Pcs |
| Material: | Metal |







Geometric Series-Black Canopy

| | |
|-----------|----------------|
| Model: | VT-7161-MB |
| SKU: | 3834 |
| EAN: | 3800157616690 |
| Size: | 225x225x1250mm |
| Box Qty: | 8Pcs |
| Material: | Metal |




Geometric Series-Black Canopy

| | |
|-----------|---------------|
| Model: | VT-7144 |
| SKU: | 3927 |
| EAN: | 3800157626224 |
| Size: | 300x1300mm |
| Box Qty: | 4Pcs |
| Material: | Metal Finish |




Geometric Series-Gold Canopy

| | |
|-----------|----------------|
| Model: | VT-7322-CG |
| SKU: | 3835 |
| EAN: | 3800157616706 |
| Size: | 320x320x1350mm |
| Box Qty: | 10Pcs |
| Material: | Metal |



Geometric Series-Black Canopy


| | |
|-----------|----------------|
| Model: | VT-7322-MB |
| SKU: | 3836 |
| EAN: | 3800157616713 |
| Size: | 320x320x1350mm |
| Box Qty: | 10Pcs |
| Material: | Metal |






Geometric Series-Gold Canopy

| | |
|-----------|----------------|
| Model: | VT-7321-CG |
| SKU: | 3837 |
| EAN: | 3800157616720 |
| Size: | 320x320x1350mm |
| Box Qty: | 10Pcs |
| Material: | Metal |




Geometric Series-Black Canopy

| | |
|-----------|----------------|
| Model: | VT-7321-MB |
| SKU: | 3838 |
| EAN: | 3800157616737 |
| Size: | 320x320x1350mm |
| Box Qty: | 10Pcs |
| Material: | Metal |




Danish Wood-Bronze Canopy


| | |
|-----------|-----------------------|
| Model: | VT-7225 |
| SKU: | 3816 |
| EAN: | 3800157612760 |
| Size: | 260x330x1111mm |
| Box Qty: | 8Pcs |
| Material: | Aluminium+Sand Finish |



Danish Wood-Bronze Canopy


| | |
|-----------|-----------------------|
| Model: | VT-7340 |
| SKU: | 3817 |
| EAN: | 3800157612777 |
| Size: | 360x420x1200mm |
| Box Qty: | 4Pcs |
| Material: | Aluminium+Sand Finish |






Aluminum-Sand finish-Black

| | |
|-----------|------------------------|
| Model: | VT-7520-B |
| SKU: | 3700 |
| EAN: | 3800157610735 |
| Size: | 220x310x1375mm |
| Box Qty: | 4Pcs |
| Material: | Aluminium+ Sand Finish |




Aluminum-Sand finish-Grey

| | |
|-----------|-----------------------|
| Model: | VT-7520-G |
| SKU: | 3701 |
| EAN: | 3800157610742 |
| Size: | 220x310x1375mm |
| Box Qty: | 4Pcs |
| Material: | Aluminium+Sand Finish |




Aluminum-Sand finish-White

| | |
|-----------|------------------------|
| Model: | VT-7520-WH |
| SKU: | 3702 |
| EAN: | 3800157610759 |
| Size: | 220x310x1375mm |
| Box Qty: | 4Pcs |
| Material: | Aluminium+ Sand Finish |




Modern Wooden Top-White

| | |
|-----------|----------------------|
| Model: | VT-7425-WH |
| SKU: | 3756 |
| EAN: | 3800157611299 |
| Size: | 250x200x1100mm |
| Box Qty: | 8Pcs |
| Material: | Aluminium+Wooden Top |




Modern Wooden Top-Black

| | |
|-----------|----------------------|
| Model: | VT-7425-B |
| SKU: | 3757 |
| EAN: | 3800157611305 |
| Size: | 250x200x1100mm |
| Box Qty: | 8Pcs |
| Material: | Aluminium+Wooden Top |



Wooden Top Iron-White

| | |
|-----------|-----------------|
| Model: | VT-7525-WH |
| SKU: | 3761 |
| EAN: | 3800157611343 |
| Size: | 250x400x1200mm |
| Box Qty: | 8Pcs |
| Material: | Iron+Wooden Top |




Wooden Top Iron-Black

| | |
|-----------|-----------------|
| Model: | VT-7525-B |
| SKU: | 3762 |
| EAN: | 3800157611350 |
| Size: | 250x400x1200mm |
| Box Qty: | 8Pcs |
| Material: | Iron+Wooden Top |




Wooden Top Iron-White

Model: VT-7535-W
 SKU: 3763
 EAN: 3800157611367
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




Wooden Top Iron-Black

Model: VT-7535-B
 SKU: 3764
 EAN: 3800157611374
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




Wooden Top Iron-White

Model: VT-7545-WH
 SKU: 3765
 EAN: 3800157611381
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




Wooden Top Iron-Black

Model: VT-7545-B
 SKU: 3766
 EAN: 3800157611398
 Size: 350x300x1100mm
 Box Qty: 8Pcs
 Material: Iron+Wooden Top




E14 HOLDER



Pendant-Aluminium Shade-White

| | |
|-----------|-------------------|
| Model: | VT-7100-WH |
| SKU: | 3920 |
| EAN: | 3800157626156 |
| Size: | 180x100x1200mm |
| Box Qty: | 12Pcs |
| Material: | Plastic+Aluminium |


E14 HOLDER



Pendant-Aluminium Shade-Black

| | |
|-----------|-------------------|
| Model: | VT-7100-B |
| SKU: | 3921 |
| EAN: | 3800157626163 |
| Size: | 180x100x1200mm |
| Box Qty: | 12Pcs |
| Material: | Plastic+Aluminium |


E14 HOLDER



Pendant-Aluminium Shade-Grey

| | |
|-----------|-------------------|
| Model: | VT-7100-G |
| SKU: | 3922 |
| EAN: | 3800157626170 |
| Size: | 180x100x1200mm |
| Box Qty: | 12Pcs |
| Material: | Plastic+Aluminium |



E14 HOLDER



Pendant-Aluminium Shade-Pink

| | |
|-----------|-------------------|
| Model: | VT-7100-P |
| SKU: | 3923 |
| EAN: | 3800157626187 |
| Size: | 180x100x1200mm |
| Box Qty: | 12Pcs |
| Material: | Plastic+Aluminium |


E14 HOLDER



Pendant-Aluminium Shade-Red


| | |
|-----------|-------------------|
| Model: | VT-7100-R |
| SKU: | 3924 |
| EAN: | 3800157626194 |
| Size: | 180x100x1200mm |
| Box Qty: | 12Pcs |
| Material: | Plastic+Aluminium |

E14 HOLDER




Pendant-Aluminium Shade-Blue

| | |
|-----------|-------------------|
| Model: | VT-7100-BL |
| SKU: | 3925 |
| EAN: | 3800157626200 |
| Size: | 180x100x1200mm |
| Box Qty: | 12Pcs |
| Material: | Plastic+Aluminium |




Metal Plate-Rose Gold

| | |
|-----------|---------------|
| Model: | VT-7777-RG |
| SKU: | 3751 |
| EAN: | 3800157611244 |
| Size: | 300x90x1000mm |
| Box Qty: | 20Pcs |
| Material: | Metal |




Metal Plate-Matt Gold

| | |
|-----------|---------------|
| Model: | VT-7777-MG |
| SKU: | 3752 |
| EAN: | 3800157611251 |
| Size: | 300x90x1000mm |
| Box Qty: | 20Pcs |
| Material: | Metal |




Net Prism-White Pendant

| | |
|-----------|---------------|
| Model: | VT-7401-W |
| SKU: | 3943 |
| EAN: | 3800157630115 |
| Size: | 400x540mm |
| Box Qty: | 2Pcs |
| Material: | Metal |



Net Prism-Black Pendant

| | |
|-----------|---------------|
| Model: | VT-7401-B |
| SKU: | 3944 |
| EAN: | 3800157630122 |
| Size: | 400x540mm |
| Box Qty: | 2Pcs |
| Material: | Metal |



Net Prism-Black Pendant

| | |
|-----------|---------------|
| Model: | VT-7401-BG |
| SKU: | 3945 |
| EAN: | 3800157630139 |
| Size: | 400x540mm |
| Box Qty: | 2Pcs |
| Material: | Metal |



Prism-Blue Pendant

| | |
|-----------|---------------|
| Model: | VT-7310-B |
| SKU: | 3946 |
| EAN: | 3800157630146 |
| Size: | 310x190mm |
| Box Qty: | 4Pcs |
| Material: | Metal |



Prism-Yellow Pendant

| | |
|-----------|---------------|
| Model: | VT-7310-Y |
| SKU: | 3947 |
| EAN: | 3800157630153 |
| Size: | 310x190mm |
| Box Qty: | 4Pcs |
| Material: | Metal |



Prism-White Pendant

| | |
|-----------|---------------|
| Model: | VT-7310-W |
| SKU: | 3948 |
| EAN: | 3800157630160 |
| Size: | 310x190mm |
| Box Qty: | 4Pcs |
| Material: | Metal |



Prism-Wooden-White

| | |
|-----------|---------------|
| Model: | VT-7323-W |
| SKU: | 3949 |
| EAN: | 3800157630177 |
| Size: | 320x270mm |
| Box Qty: | 4Pcs |
| Material: | Metal |



Prism-Wooden-Yellow

| | |
|-----------|---------------|
| Model: | VT-7323-Y |
| SKU: | 3950 |
| EAN: | 3800157630184 |
| Size: | 320x270mm |
| Box Qty: | 4Pcs |
| Material: | Metal |






Prism-Wooden-Pink

| | |
|-----------|---------------|
| Model: | VT-7323-P |
| SKU: | 3951 |
| EAN: | 3800157630191 |
| Size: | 320x270mm |
| Box Qty: | 4Pcs |
| Material: | Metal |




Cone Prism-White

| | |
|-----------|---------------|
| Model: | VT-7255-W |
| SKU: | 3952 |
| EAN: | 3800157630207 |
| Size: | 250x255mm |
| Box Qty: | 4Pcs |
| Material: | Metal |



Cone Prism-Blue

| | |
|-----------|---------------|
| Model: | VT-7255-B |
| SKU: | 3953 |
| EAN: | 3800157630214 |
| Size: | 250x255mm |
| Box Qty: | |
| Material: | Metal |




Cone Prism-Yellow

| | |
|-----------|---------------|
| Model: | VT-7255-Y |
| SKU: | 3954 |
| EAN: | 3800157630221 |
| Size: | 250x255mm |
| Box Qty: | |
| Material: | Metal |



Metal W/Crystal

| | |
|-----------|---------------|
| Model: | VT-7334-T |
| SKU: | 3955 |
| EAN: | 3800157630238 |
| Size: | 300x360mm |
| Box Qty: | 4Pcs |
| Material: | Metal |




Metal W/Crystal

| | |
|-----------|---------------|
| Model: | VT-7334-M |
| SKU: | 3956 |
| EAN: | 3800157630245 |
| Size: | 330x300mm |
| Box Qty: | 4Pcs |
| Material: | Metal |



Metal W/Crystal


| | |
|-----------|---------------|
| Model: | VT-7334-B |
| SKU: | 3957 |
| EAN: | 3800157630252 |
| Size: | 300x360mm |
| Box Qty: | 4Pcs |
| Material: | Metal |





Vintage Metal


| | |
|-----------|----------------|
| Model: | VT-7424 |
| SKU: | 3753 |
| EAN: | 3800157611268 |
| Size: | 260x170x1080mm |
| Box Qty: | 12Pcs |
| Material: | Metal |



Adjustable Height


Vintage Metal-Pulley

| | |
|-----------|--------------------|
| Model: | VT-7201 |
| SKU: | 3845 |
| EAN: | 3800157617192 |
| Size: | 220x140x600-1600mm |
| Box Qty: | 8Pcs |
| Material: | Metal |




Pendant-Hemp Rope

| | |
|-----------|---------------|
| Model: | VT-7118 |
| SKU: | 3754 |
| EAN: | 3800157611275 |
| Size: | 45x57x1500mm |
| Box Qty: | 12Pcs |
| Material: | Rope |



Globe-Chrome Canopy


| | |
|-----------|----------------|
| Model: | VT-7251 |
| SKU: | 3839 |
| EAN: | 3800157616744 |
| Size: | 250x250x1300mm |
| Box Qty: | 4Pcs |
| Material: | Acrylic Glass |






Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-GN |
| Color: | Green |
| SKU: | 3767 |
| EAN: | 3800157611404 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |




Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-BL |
| Color: | Blue |
| SKU: | 3768 |
| EAN: | 3800157611411 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |



Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-R |
| Color: | Red |
| SKU: | 3769 |
| EAN: | 3800157611428 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |




Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-A |
| Color: | Amber |
| SKU: | 3770 |
| EAN: | 3800157611435 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |




Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-T |
| Color: | Transparent |
| SKU: | 3771 |
| EAN: | 3800157611442 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |




Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-P |
| Color: | Pink |
| SKU: | 3772 |
| EAN: | 3800157611459 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |




Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-Y |
| Color: | Yellow |
| SKU: | 3773 |
| EAN: | 3800157611466 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |




Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-RO |
| Color: | Rose |
| SKU: | 3774 |
| EAN: | 3800157611473 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |



Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-GY |
| Color: | Grey |
| SKU: | 3775 |
| EAN: | 3800157611480 |
| Material: | Glass |
| Size: | 78x280x1150mm |
| Box Qty: | 25Pcs |



Pendant Holder-Bottle-E14

| | |
|-----------|---------------|
| Model: | VT-7558-BR |
| Color: | Brown |
| SKU: | 3776 |
| EAN: | 3800157611497 |
| Material: | Glass |
| Size: | 72x280x1150mm |
| Box Qty: | 25Pcs |





Metal Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7555-RB |
| Color: | Red Bronze |
| SKU: | 3840 |
| EAN: | 3800157617147 |
| Material: | Metal |
| Size: | Ø50x90x900mm |
| Box Qty: | 30Pcs |



Metal Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7555-BBR |
| Color: | Brown Bronze |
| SKU: | 3841 |
| EAN: | 3800157617154 |
| Material: | Metal |
| Size: | Ø50x90x900mm |
| Box Qty: | 30Pcs |



Metal Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7555-BB |
| Color: | Brass Bronze |
| SKU: | 3842 |
| EAN: | 3800157617161 |
| Material: | Metal |
| Size: | Ø50x90x900mm |
| Box Qty: | 30Pcs |



Metal Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7555-BR |
| Color: | Bronze |
| SKU: | 3843 |
| EAN: | 3800157617178 |
| Material: | Metal |
| Size: | Ø50x90x900mm |
| Box Qty: | 30Pcs |



Metal Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7555-MG |
| Color: | Gold |
| SKU: | 3844 |
| EAN: | 3800157617185 |
| Material: | Metal |
| Size: | Ø50x90x900mm |
| Box Qty: | 30Pcs |



Wooden Holder-White Wire

| | |
|-----------|---------------|
| Model: | VT-7778-W |
| Color: | White Wire |
| SKU: | 3720 |
| EAN: | 3800157610933 |
| Material: | Wooden |
| Size: | 73x102x1000mm |
| Box Qty: | 50Pcs |



Wooden Holder-Black Wire

| | |
|-----------|---------------|
| Model: | VT-7778-BK |
| Color: | Black Wire |
| SKU: | 3721 |
| EAN: | 3800157610940 |
| Material: | Wooden |
| Size: | 73x102x1000mm |
| Box Qty: | 50Pcs |



Wooden Holder-Blue Wire

| | |
|-----------|---------------|
| Model: | VT-7778-BL |
| Color: | Blue Wire |
| SKU: | 3722 |
| EAN: | 3800157610957 |
| Material: | Wooden |
| Size: | 73x102x1000mm |
| Box Qty: | 50Pcs |



Wooden Holder-Red Wire

| | |
|-----------|---------------|
| Model: | VT-7778-R |
| Color: | Red Wire |
| SKU: | 3723 |
| EAN: | 3800157610964 |
| Material: | Wooden |
| Size: | 73x102x1000mm |
| Box Qty: | 50Pcs |



Wooden Holder-Purple Wire

| | |
|-----------|---------------|
| Model: | VT-7778-PR |
| Color: | Purple Wire |
| SKU: | 3724 |
| EAN: | 3800157610971 |
| Material: | Wooden |
| Size: | 73x102x1000mm |
| Box Qty: | 50Pcs |



Wooden Holder-Green Wire

| | |
|-----------|---------------|
| Model: | VT-7778-GN |
| Color: | Green Wire |
| SKU: | 3725 |
| EAN: | 3800157610988 |
| Material: | Wooden |
| Size: | 73x102x1000mm |
| Box Qty: | 50Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-W |
| Color: | White |
| SKU: | 3803 |
| EAN: | 3800157612340 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-BK |
| Color: | Black |
| SKU: | 3804 |
| EAN: | 3800157612357 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-GN |
| Color: | Green |
| SKU: | 3805 |
| EAN: | 3800157612364 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-BL |
| Color: | Blue |
| SKU: | 3806 |
| EAN: | 3800157612371 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-R |
| Color: | Red |
| SKU: | 3807 |
| EAN: | 3800157612388 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-GY |
| Color: | Grey |
| SKU: | 3808 |
| EAN: | 3800157612395 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998Y |
| Color: | Yellow |
| SKU: | 3809 |
| EAN: | 3800157612401 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Pendant-Parcelain Set

| | |
|-----------|---------------|
| Model: | VT-7998-BR |
| Color: | Brown |
| SKU: | 3810 |
| EAN: | 3800157612418 |
| Material: | Parcelain |
| Size: | Ø105x750mm |
| Box Qty: | 60Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-W |
| Color: | White |
| SKU: | 3795 |
| EAN: | 3800157612265 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-BK |
| Color: | Black |
| SKU: | 3796 |
| EAN: | 3800157612272 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-GN |
| Color: | Green |
| SKU: | 3797 |
| EAN: | 3800157612289 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-BL |
| Color: | Blue |
| SKU: | 3798 |
| EAN: | 3800157612296 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-R |
| Color: | Red |
| SKU: | 3799 |
| EAN: | 3800157612302 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-GY |
| Color: | Grey |
| SKU: | 3800 |
| EAN: | 3800157612319 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Parcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-Y |
| Color: | Yellow |
| SKU: | 3801 |
| EAN: | 3800157612326 |
| Material: | Parcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Porcelain Holder

| | |
|-----------|---------------|
| Model: | VT-799-BR |
| Color: | Brown |
| SKU: | 3802 |
| EAN: | 3800157612333 |
| Material: | Porcelain |
| Size: | Ø47x64mm |
| Box Qty: | 100Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-GN |
| Color: | Green |
| SKU: | 3742 |
| EAN: | 3800157611152 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-R |
| Color: | Red |
| SKU: | 3743 |
| EAN: | 3800157611169 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-BL |
| Color: | Blue |
| SKU: | 3744 |
| EAN: | 3800157611176 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-Y |
| Color: | Yellow |
| SKU: | 3745 |
| EAN: | 3800157611183 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-W |
| Color: | White |
| SKU: | 3746 |
| EAN: | 3800157611190 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-BK |
| Color: | Black |
| SKU: | 3747 |
| EAN: | 3800157611206 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-GY |
| Color: | Grey |
| SKU: | 3748 |
| EAN: | 3800157611213 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-BR |
| Color: | Brown |
| SKU: | 3749 |
| EAN: | 3800157611220 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Concrete Holder-Canopy

| | |
|-----------|---------------|
| Model: | VT-7668-BE |
| Color: | Beige |
| SKU: | 3750 |
| EAN: | 3800157611237 |
| Material: | Concrete |
| Size: | 50x95x1050mm |
| Box Qty: | 40Pcs |



Gold Holder-Gold Canopy

| | |
|-----------|---------------|
| Model: | VT-7448 |
| Color: | Rose Gold Set |
| SKU: | 3777 |
| EAN: | 3800157611503 |
| Material: | |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-W |
| Color: | White |
| SKU: | 3755 |
| EAN: | 3800157611282 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-BK |
| Color: | Black |
| SKU: | 3782 |
| EAN: | 3800157611558 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-BL |
| Color: | Blue |
| SKU: | 3783 |
| EAN: | 3800157611565 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-BN |
| Color: | Brown |
| SKU: | 3784 |
| EAN: | 3800157611572 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-GN |
| Color: | Green |
| SKU: | 3785 |
| EAN: | 3800157611589 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-GY |
| Color: | Grey |
| SKU: | 3786 |
| EAN: | 3800157611596 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 1Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-LB |
| Color: | Light Blue |
| SKU: | 3787 |
| EAN: | 3800157611602 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-O |
| Color: | Orange |
| SKU: | 3788 |
| EAN: | 3800157611619 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-PK |
| Color: | Pink |
| SKU: | 3789 |
| EAN: | 3800157611626 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 1Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-PE |
| Color: | Purple |
| SKU: | 3790 |
| EAN: | 3800157611633 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-R |
| Color: | Red |
| SKU: | 3791 |
| EAN: | 3800157611640 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-RR |
| Color: | Rose Red |
| SKU: | 3792 |
| EAN: | 3800157611657 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-Y |
| Color: | Yellow |
| SKU: | 3793 |
| EAN: | 3800157611664 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Chrome Holder-Chrome Canopy

| | |
|-----------|---------------|
| Model: | VT-7338-BE |
| Color: | Beige |
| SKU: | 3794 |
| EAN: | 3800157611671 |
| Material: | Chrome |
| Size: | Ø39x1000mm |
| Box Qty: | 40Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-BN |
| Color: | Brown |
| SKU: | 3475 |
| EAN: | 3800157607919 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-BE |
| Color: | Blue |
| SKU: | 3476 |
| EAN: | 3800157607926 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-W |
| Color: | White |
| SKU: | 3477 |
| EAN: | 3800157607933 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-BK |
| Color: | Black |
| SKU: | 3478 |
| EAN: | 3800157607940 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-PN |
| Color: | Pink |
| SKU: | 3479 |
| EAN: | 3800157607957 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-R |
| Color: | Red |
| SKU: | 3480 |
| EAN: | 3800157607964 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-GY |
| Color: | Grey |
| SKU: | 3481 |
| EAN: | 3800157607971 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-LB |
| Color: | Light Blue |
| SKU: | 3482 |
| EAN: | 3800157609463 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-PE |
| Color: | Purple |
| SKU: | 3483 |
| EAN: | 3800157609470 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-O |
| Color: | Orange |
| SKU: | 3484 |
| EAN: | 3800157609487 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-Y |
| Color: | Yellow |
| SKU: | 3485 |
| EAN: | 3800157609494 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |



Pendant-Silicone

| | |
|-----------|---------------|
| Model: | VT-7228-GN |
| Color: | Green |
| SKU: | 3486 |
| EAN: | 3800157609500 |
| Material: | Silicone |
| Size: | Ø40x1000mm |
| Box Qty: | 100Pcs |




Sleek Designer

LED Pendants

Offering cutting edge designs as per your mood. From warm to bright task lighting, our pendants come in a wide variety of styles, colors and materials

NEW



Mirror Lights


17W **VT-8505**

SKU: 40441 - 6400K White 3800157654982

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 600lm |
| CRI: | >80 |
| Beam Angle: | 120° |
| Material : | Iron |
| Unit GW : | 6 Kg |
| IP Rating: | IP44 |
| Size : | 500x390x35mm |
| Box Qty: | 1Pcs |



NEW



Mirror Lights



30W **VT-8700**

SKU: 40451 - 6400K White 3800157654999

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 750lm |
| CRI: | >80 |
| Beam Angle: | 120° |
| Material : | Iron |
| Unit GW : | 9.2 Kg |
| IP Rating: | IP44 |
| Size : | 700x500x35mm |
| Box Qty: | 1Pcs |



NEW



Mirror Lights


37W **VT-8701**

SKU: 40461 - 3IN1 3800157655002

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 800lm |
| CRI: | >80 |
| Beam Angle: | 120° |
| Material : | Iron |
| Unit GW : | 9.3 Kg |
| IP Rating: | IP44 |
| Size : | 700x500x35mm |
| Box Qty: | 1Pcs |



NEW



Mirror Lights


38W **VT-8800**

SKU: 40471 - 6400K White 3800157655019

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 700lm |
| CRI: | >80 |
| Beam Angle: | 120° |
| Material : | Iron |
| Unit GW : | 12 Kg |
| IP Rating: | IP44 |
| Size : | 800x600x35mm |
| Box Qty: | 1Pcs |



NEW



Mirror Lights


25W **VT-8601**

SKU: 40481 - 6400K White 3800157655026

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 750lm |
| CRI: | >80 |
| Beam Angle: | 120° |
| Material : | Iron |
| Unit GW : | 8 Kg |
| IP Rating: | IP44 |
| Size : | D:600x35mm |
| Box Qty: | 1Pcs |



NEW




Mirror Lights

25W **VT-8602**

SKU: 40491 - 3IN1 3800157655033

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux: | 750lm |
| CRI: | >80 |
| Beam Angle: | 120° |
| Material : | Iron |
| Unit GW : | 8.1 Kg |
| IP Rating: | IP44 |
| Size : | D:600x35mm |
| Box Qty: | 1Pcs |






Mirror Light-Picture Chrome Wall Lamp

8w VT-7008 **Built In LED**

SKU: 3985 - 3000K Warm White 3800157637978
SKU: 3894 - 4000K Day White 3800157621120

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 600lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |

| | |
|-------------|--------------|
| No. of LED: | 40 pcs |
| Material : | Metal+PMMA |
| Unit GW : | 0.72 Kg |
| Life Span: | 20,000 Hours |
| Size : | 500x55x185mm |
| Box Qty: | 12Pcs |





Mirror Light-Picture Chrome Wall Lamp

12w VT-7012 **Built In LED**

SKU: 3982 - 3000K Warm White 3800157637947
SKU: 3895 - 4000K Day White 3800157621137

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 900lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |

| | |
|-------------|--------------|
| No. of LED: | 60 pcs |
| Material : | Metal+PMMA |
| Unit GW : | 0.82 Kg |
| Life Span: | 20,000 Hours |
| Size : | 640x55x185mm |
| Box Qty: | 12Pcs |





Mirror Movable Wall Lamp

8w VT-7009CH **Built In LED**

SKU: 3984 - 3000K Warm White 3800157637961
SKU: 3900 - 4000K Day white 3800157621854

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 600lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|--------------------------------|
| No. of LED: | 40 pcs |
| Material : | Stainless Steel+Aluminium+PMMA |
| Unit GW : | 0.8 Kg |
| Life Span: | 20,000 Hours |
| Size : | 455x45x190mm |
| Box Qty: | 11Pcs |





Mirror Movable Wall Lamp Golden

8w **VT-7009** **Built In LED**
 SKU: 3983 - 3000K Warm White 3800157637954
 SKU: 3901 - 4000K Day white 3800157621861

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 600lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|--------------------------------|
| No. of LED: | 40 pcs |
| Material : | Stainless Steel+Aluminium+PMMA |
| Unit GW : | 0.8 Kg |
| Life Span: | 20,000 Hours |
| Size : | 455x45x190mm |
| Box Qty: | 11Pcs |




Mirror Surface Light - Chrome Cap

10w **VT-7010-CH** **Built In LED**
 SKU: 3916 - 4000K Day White 3800157626118
 SKU: 3917 - 6400K White 3800157626125

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 950lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 150° |

| | |
|-------------|-----------------|
| No. of LED: | N/A |
| Material : | Aluminium+PC |
| Unit GW : | 0.63 Kg |
| Life Span: | 30,000 Hours |
| Size : | 605x53.6x64.6mm |
| Box Qty: | 10Pcs |





Mirror Surface Light - White Cap

10w **VT-7010-WH** **Built In LED**
 SKU: 3918 - 4000K Day White 3800157626132
 SKU: 3919 - 6400K White 3800157626149

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 950lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 150° |

| | |
|-------------|-----------------|
| No. of LED: | N/A |
| Material : | Aluminium+PC |
| Unit GW : | 0.63 Kg |
| Life Span: | 30,000 Hours |
| Size : | 605x53.6x64.6mm |
| Box Qty: | 10Pcs |




Mirror Surface Light-Chrome

12w VT-7014 **Built In LED**

SKU: 3902 - 4000K Day white 3800157621878

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 900lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|----------------------------|
| No. of LED: | 60 pcs |
| Material : | Stainless Steel+Metal+PMMA |
| Unit GW : | 1.08 Kg |
| Life Span: | 20,000 Hours |
| Size : | 640x65x65mm |
| Box Qty: | 12Pcs |





Mirror Surface Light-Chrome

18w VT-7021 **Built In LED**

SKU: 3903 - 4000K Day white 3800157621885

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1350lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|----------------------------|
| No. of LED: | 90 pcs |
| Material : | Stainless Steel+Metal+PMMA |
| Unit GW : | 1.28 Kg |
| Life Span: | 20,000 Hours |
| Size : | 940x65x65mm |
| Box Qty: | 12Pcs |





Designer Bend Glass-Surface Lamp

12w VT-7013 **Built In LED**

SKU: 3896 - 4000K Day White 3800157621144

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 900lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|-----------------------------|
| No. of LED: | 60 pcs |
| Material : | Stainless Steel+Metal+Glass |
| Unit GW : | 1.01 Kg |
| Life Span: | 20,000 Hours |
| Size : | 685x55x65mm |
| Box Qty: | 6Pcs |





Designer Bend Glass-Surface Lamp

18w VT-7019 Built In LED

SKU: 3897 - 4000K Day white 3800157621151

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1350lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|-----------------------------|
| No. of LED: | 90 pcs |
| Material : | Stainless Steel+Metal+Glass |
| Unit GW : | 1.50 Kg |
| Life Span: | 20,000 Hours |
| Size : | 985x55x65mm |
| Box Qty: | 6Pcs |





Designer Bend Glass-Hanging Pendant

18w VT-7020 Built In LED

SKU: 3898 - 4000K Day white 3800157621168

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1350lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|-----------------------------|
| No. of LED: | 90 pcs |
| Material : | Stainless Steel+Metal+Glass |
| Unit GW : | 1.98 Kg |
| Life Span: | 20,000 Hours |
| Size : | 985x55x800mm |
| Box Qty: | 6Pcs |




Designer Bend Series - Surface Chrome

36w VT-7038 Built In LED

SKU: 3899 - 4000K Day white 3800157621175

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2700lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|-----------------------------|
| No. of LED: | 180 pcs |
| Material : | Stainless Steel+Metal+Glass |
| Unit GW : | 3.53 Kg |
| Life Span: | 20,000 Hours |
| Size : | 985x120x75mm |
| Box Qty: | 6Pcs |



Designer Sleek Pendant-Chrome

18w VT-7018

Built In LED



SKU: 3890 - 4000K Day White

3800157621083

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1350lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

No. of LED: 90 pcs

| | |
|------------|----------------------------|
| Material : | Stainless Steel+Metal+PMMA |
| Unit GW : | 1.38 Kg |
| Life Span: | 20,000 Hours |
| Size : | 940x55x800mm |
| Box Qty: | 12Pcs |



Designer Sleek Pendant-Chrome

24w VT-7024

Built In LED



SKU: 3891 - 4000K Day White

3800157621090

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1800lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

No. of LED: 120 pcs

| | |
|------------|----------------------------|
| Material : | Stainless Steel+Metal+PMMA |
| Unit GW : | 1.59 Kg |
| Life Span: | 20,000 Hours |
| Size : | 1220x55x800mm |
| Box Qty: | 12Pcs |



Designer Sleek Pendant-Chrome

36w VT-7036



Built In LED

SKU: 3892 - 4000K Day White

3800157621106

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2700lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|----------------------------|
| No. of LED: | 180 pcs |
| Material : | Stainless Steel+Metal+PMMA |
| Unit GW : | 1.82 Kg |
| Life Span: | 20,000 Hours |
| Size : | 1820x55x800mm |
| Box Qty: | 12Pcs |



Designer Sleek Chrome Surface Lamp

36w VT-7037


Built In LED

SKU: 3893 - 4000K Day White

3800157621113

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2700lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.8 |
| Beam Angle: | 120° |

| | |
|-------------|----------------------------|
| No. of LED: | 180 pcs |
| Material : | Stainless Steel+Metal+PMMA |
| Unit GW : | 2.24 Kg |
| Life Span: | 20,000 Hours |
| Size : | 940x120x60mm |
| Box Qty: | 6Pcs |




Pendant Light-Gold Lamp Shade

7W VT-7333-G Built In LED

SKU: 3934 - 3000K Warm White 3800157628952
SKU: 3928 - 4000K Day White 3800157626569

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |
| No. of LED: | 14 pcs |
| Material : | Metal Finish |
| Unit GW : | 1.4 Kg |
| Life Span: | 30,000 Hours |
| Size : | Ø120xH190mm |
| Box Qty: | 12Pcs |




Pendant Light-White Lamp Shade

7W VT-7333-WH Built In LED

SKU: 3935 - 3000K Warm White 3800157628969
SKU: 3929 - 4000K Day White 3800157626576

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |
| No. of LED: | 14 pcs |
| Material : | Metal Finish |
| Unit GW : | 1.4 Kg |
| Life Span: | 30,000 Hours |
| Size : | Ø120xH190mm |
| Box Qty: | 12Pcs |




Pendant Light-Gold Lamp Shade

7W VT-7444-G Built In LED

SKU: 3936 - 3000K Warm White 3800157628976
SKU: 3930 - 4000K Day White 3800157626583

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |
| Beam Angle: | 120° |
| No. of LED: | 14 pcs |
| Material : | Metal Finish |
| Unit GW : | 1.9 Kg |
| Life Span: | 30,000 Hours |
| Size : | Ø250xH190mm |
| Box Qty: | 8Pcs |



Pendant Light-White Lamp Shade

7W VT-7444-WH Built In LED

SKU: 3937 - 3000K Warm White 3800157628983
SKU: 3931 - 4000K Day White 3800157626590

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 1.9 Kg

Life Span: 30,000 Hours

Size : Ø250xH190mm

Box Qty: 8Pcs



Pendant Light-Gold Lamp Shade

7W VT-7666-G Built In LED

SKU: 3938 - 3000K Warm White 3800157628990
SKU: 3932 - 4000K Day White 3800157626606

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs



Pendant Light-White Lamp Shade

7W VT-7666-WH Built In LED

SKU: 3939 - 3000K Warm White 3800157629003
SKU: 3933 - 4000K Day White 3800157626613

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs




Pendant Light-White

20w VT-25-1-W Built In LED

SKU: 3992 -3000K Warm White 3800157638777

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 140 pcs |
| Material : | Iron+Acrylic |
| Unit GW : | 3.2 Kg |
| Life Span: | 30,000 Hours |
| Size : | 450mm |
| Box Qty: | 1Pcs |




Pendant Light-Black

20w VT-25-1-B Built In LED

SKU: 3993 -3000K Warm White 3800157638784

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 140 pcs |
| Material : | Iron+Acrylic |
| Unit GW : | 3.2 Kg |
| Life Span: | 30,000 Hours |
| Size : | 450mm |
| Box Qty: | 1Pcs |




Pendant Light-Coffee

20w VT-25-1-C Built In LED

SKU: 3994 -3000K Warm White 3800157638791

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 140 pcs |
| Material : | Iron+Acrylic |
| Unit GW : | 3.2 Kg |
| Life Span: | 30,000 Hours |
| Size : | 450mm |
| Box Qty: | 1Pcs |



Pendant Light-White

30w VT-32-1-W Built In LED

SKU: 3995 -3000K Warm White 3800157638807

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs



Pendant Light-Black

30w VT-32-1-B Built In LED

SKU: 3996 -3000K Warm White 3800157638814

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs



Pendant Light-Coffee

30w VT-32-1-C Built In LED

SKU: 3997 -3000K Warm White 3800157638821

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs




Designer Series-TRIAC Dimmable

25w VT-7351

SKU: 40021 - 3000K Warm White 3800157640503

| | |
|--------------------|--------------|
| Voltage/Frequency: | AC:220-240V |
| Luminous Flux: | 2100lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 132 pcs |
| Material : | PC + Iron |
| Unit GW : | 2.2 kgs |
| Life Span: | 30,000 Hours |
| Size : | ø350x2000mm |
| Box Qty: | 1Pcs |





Designer Series-TRIAC Dimmable

40w VT-7502

SKU: 40031 - 3000K Warm White 3800157640510

| | |
|--------------------|--------------|
| Voltage/Frequency: | AC:220-240V |
| Luminous Flux: | 3200lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 216 pcs |
| Material : | PC + Iron |
| Unit GW : | 3.8 kgs |
| Life Span: | 30,000 Hours |
| Size : | ø500x2000mm |
| Box Qty: | 1Pcs |



Designer Series-TRIAC Dimmable

72w VT-7390

SKU: 40011 - 3000K Warm White 3800157640497

| | |
|--------------------|--------------|
| Voltage/Frequency: | AC:220-240V |
| Luminous Flux: | 6500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 432 pcs |
| Material : | PC + Iron |
| Unit GW : | 6.2 kgs |
| Life Span: | 30,000 Hours |
| Size : | ø390x2000mm |
| Box Qty: | 1Pcs |

Ceiling Lamp-TRIAC Dimmable

12W VT-7203

SKU: 40041 - 3000K Warm White 3800157640527

Voltage/Frequency: AC:220-240V

Luminous Flux: 1000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 72 pcs



Material: PC + Iron

Unit GW: 1.2 kgs

Life Span: 30,000 Hours

Size: ø200x125mm

Box Qty: 1Pcs



Ceiling Lamp-TRIAC Dimmable

25W VT-7352

SKU: 40051 - 3000K Warm White 3800157640534

Voltage/Frequency: AC:220-240V

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 132 pcs



Material: PC + Iron

Unit GW: 2.1 kgs

Life Span: 30,000 Hours

Size: ø350x168mm

Box Qty: 1Pcs



Ceiling Lamp-TRIAC Dimmable

40W VT-7503

SKU: 40061 - 3000K Warm White 3800157640541

Voltage/Frequency: AC:220-240V

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 216 pcs



Material: PC + Iron


Unit GW: 3.8 kgs

Life Span: 30,000 Hours

Size: ø500x215mm

Box Qty: 1Pcs






Wall Lamp-TRIAC Dimmable

20w VT-7331

SKU: 40091 - 3000K Warm White 3800157640572

| | |
|--------------------|---------------|
| Voltage/Frequency: | AC:220-240V |
| Luminous Flux: | 1700lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 100 pcs |
| Material : | PC + Iron |
| Unit GW : | 0.187 kgs |
| Life Span: | 30,000 Hours |
| Size : | 330x380x230mm |
| Box Qty: | 6Pcs |



Designer Series-TRIAC Dimmable

105w VT-7910

SKU: 40101 - 3000K Warm White 3800157640589

| | |
|--------------------|--------------|
| Voltage/Frequency: | AC:220-240V |
| Luminous Flux: | 6300lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 576 pcs |
| Material : | PC + Iron |
| Unit GW : | 11.05 kgs |
| Life Span: | 30,000 Hours |
| Size : | 910x2000mm |
| Box Qty: | 1Pcs |




Table Lamps

12w VT-7204

SKU: 40071 - 3000K Warm White 3800157640558

| | |
|--------------------|--------------|
| Voltage/Frequency: | AC:220-240V |
| Luminous Flux: | 1200lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 72 pcs |
| Material : | PC + Iron |
| Unit GW : | 0.483 kgs |
| Life Span: | 30,000 Hours |
| Size : | ø200x335mm |
| Box Qty: | 6Pcs |

Table Lamps

25W VT-7353

SKU: 40081 - 3000K Warm White 3800157640565

Voltage/Frequency: AC:220-240V

Luminous Flux: 2550lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 132 pcs


Material: PC + Iron

Unit GW: 5.5 kgs

Life Span: 30,000 Hours

Size: ø350x365mm

Box Qty: 1Pcs

TOUCH
DIMMING

Designer Series Pendant-Color Changing

32W VT-7460

SKU: 3958 -3IN1

3800157636520

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 320 pcs


Material: PC

Unit GW: 2.20 kgs

Life Span: 30,000 Hours

Size: 460x2000mm

Box Qty: 1Pcs

COLOR
CHANGING
WITH REMOTE

Designer Series Pendant-Color Changing

38W VT-7605

SKU: 3959 -3IN1

3800157636537

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material: PC


Unit GW: 3.90 kgs

Life Span: 30,000 Hours

Size: 600x2000mm

Box Qty: 1Pcs

COLOR
CHANGING
WITH REMOTE




Designer Series Pendant-Color Changing

82W VT-7750

SKU: 3960 -3IN1

3800157636544

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 7300lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 768 pcs |
| Material : | PC |
| Unit GW : | 6.85 kgs |
| Life Span: | 30,000 Hours |
| Size : | 795x2000mm |
| Box Qty: | 1Pcs |





Designer Series Pendant-Color Changing

40w VT-7461

SKU: 3962 -3IN1

3800157636568

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 3600lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 384 pcs |
| Material : | PC |
| Unit GW : | 3.00 kgs |
| Life Span: | 30,000 Hours |
| Size : | 460x460x2000mm |
| Box Qty: | 1Pcs |



Designer Series Pendant-Color Changing

42w VT-7607

SKU: 3963 -3IN1

3800157636575

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 3400lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 384 pcs |
| Material : | PC |
| Unit GW : | 4.80 kgs |
| Life Span: | 30,000 Hours |
| Size : | 600x600x2000mm |
| Box Qty: | 1Pcs |

Designer Series Pendant-Color Changing

80W VT-7751

SKU: 3964 -3IN1

3800157636582

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs



Material : PC

Unit GW : 7.00 kgs

Life Span: 30,000 Hours

Size : 750x750x2000mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

60W VT-7606

SKU: 3961 -3IN1

3800157636551

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 5400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 604 pcs


Material : PC

Unit GW : 7.5 kgs

Life Span: 30,000 Hours

Size : 600x300x2000mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

68W VT-7608

SKU: 3965 -3IN1

3800157636599

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 624 pcs



Material : PC

Unit GW : 6.50 kgs

Life Span: 30,000 Hours

Size : 600x300x2000mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

22W VT-7308

SKU: 3966 -3IN1

3800157636605

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs



Material : PC

Unit GW : 16.50 kgs

Life Span: 30,000 Hours

Size : 300x85mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

32W VT-7462

SKU: 3967 -3IN1

3800157636612

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 2.90 kgs

Life Span: 30,000 Hours

Size : 460x100mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

38W VT-7609

SKU: 3968 -3IN1

3800157636629

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 4.90 kgs

Life Span: 30,000 Hours

Size : 600x120mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

82W VT-7752

SKU: 3969 -3IN1

3800157636636

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs


Material : PC

Unit GW : 9.65 kgs

Life Span: 30,000 Hours

Size : 750x130mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

26w VT-7309

SKU: 3970 -3IN1

3800157636643

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs



Material : PC

Unit GW : 18.50 kgs

Life Span: 30,000 Hours

Size : 300x300x80mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

40w VT-7463

SKU: 3971 -3IN1

3800157636650

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 3.95 kgs

Life Span: 30,000 Hours

Size : 460x460x95mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

42W VT-7610

SKU: 3972 -3IN1

3800157636667

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 6.55 kgs

Life Span: 30,000 Hours

Size : 600x600x115mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

80W VT-7753

SKU: 3973 -3IN1

3800157636674

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs




Material : PC

Unit GW : 10.50 kgs

Life Span: 30,000 Hours

Size : 750x750x125mm

Box Qty: 1Pcs



Designer Series Pendant-TRIAC Dimmable

32W VT-7049

SKU: 3978 -3000K Warm White

3800157636728

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 200 pcs

Material : PC


Unit GW : 2.6 kgs

Life Span: 30,000 Hours

Size : 890x125x2000mm

Box Qty: 1Pcs





Designer Series Pendant-TRIAC Dimmable

52w VT-7072

SKU: 3979 -3000K Warm White 3800157636735

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 300 pcs


Material: PC

Unit GW: 3.5 kgs

Life Span: 30,000 Hours

Size: 1310x125x2000mm

Box Qty: 1Pcs



Designer Series Pendant-TRIAC Dimmable

18w VT-7027

SKU: 3980 -3000K Warm White 3800157636742

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1200lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 100 pcs


Material: PC

Unit GW: 2.05 kgs

Life Span: 30,000 Hours

Size: ø125x2500mm

Box Qty: 1Pcs



Designer Series Pendant-TRIAC Dimmable

32w VT-7050

SKU: 3981 -3000K Warm White 3800157636759

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 200 pcs

Material: PC

Unit GW: 2.60 kgs

Life Span: 30,000 Hours

Size: ø125x2900mm

Box Qty: 1Pcs

Wall Lamp-TRIAC Dimmable

18W VT-7025

SKU: 3974 - 3000K Warm White 3800157636681

| | |
|--------------------|---------------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux: | 1200lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 100 pcs |
| Material : | PC+Iron |
| Unit GW : | 2.05 kgs |
| Life Span: | 30,000 Hours |
| Size : | ø125x530mm |
| Box Qty: | 1Pcs |




Table Lamps

18W VT-7026

SKU: 3975 3000K Warm White 3800157636698

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1200lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 100 pcs |
| Material : | PC |
| Unit GW : | 2.80 kgs |
| Life Span: | 30,000 Hours |
| Size : | 130x480mm |
| Box Qty: | 1Pcs |




Floor Lamps

32W VT-7048

SKU: 3976 3000K Warm White 3800157636704

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2100lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |
| No. of LED: | 200 pcs |
| Material : | PC |
| Unit GW : | 5.60 kgs |
| Life Span: | 30,000 Hours |
| Size : | 200x900mm |
| Box Qty: | 1Pcs |



Floor Lamps

65W VT-7096

SKU: 3977 3000K Warm White 3800157636711

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 864 pcs


Material : PC

Unit GW : 6.50 Kgs

Life Span: 30,000 Hours

Size : 120x1790mm

Box Qty: 1Pcs



Wall Lamps

VT-7402

SKU: 40431

Watts: Max 60W

Material: Metal

Base: E27

Color: Chrome

Input Power: AC:220-240V,50Hz

EAN: 3800157648578

Size: 610x220x330mm

Box Qty: 6Pcs




Table Lamps

VT-7513-W

SKU: 40371

Watts: Max 60W

Material: Metal

Base: E27

Color: White

Input Power: AC:220-240V,50Hz

EAN: 3800157648516

Size: 360x155x730mm

Box Qty: 6Pcs




Table Lamps

VT-7513-B

| | |
|--------------|------------------|
| SKU: | 40361 |
| Watts: | Max 60W |
| Material: | Metal |
| Base: | E27 |
| Color: | Black |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648509 |
| Size: | 360x155x730mm |
| Box Qty: | 6Pcs |




Table Lamps

VT-7512-W

| | |
|--------------|------------------|
| SKU: | 40351 |
| Watts: | Max 60W |
| Material: | Metal |
| Base: | E27 |
| Color: | White |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648493 |
| Size: | 380x155x440mm |
| Box Qty: | 6Pcs |




Table Lamps

VT-7512-B

| | |
|--------------|------------------|
| SKU: | 40341 |
| Watts: | Max 60W |
| Material: | Metal |
| Base: | E27 |
| Color: | Black |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648486 |
| Size: | 380x155x440mm |
| Box Qty: | 6Pcs |




Table Lamps

VT-7412

| | |
|--------------|------------------|
| SKU: | 40331 |
| Watts: | Max 60W |
| Material: | Metal |
| Base: | E27 |
| Color: | Red+Bronze |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648479 |
| Size: | 150x420mm |
| Box Qty: | 4Pcs |




Table Lamps

VT-7712

| | |
|--------------|------------------|
| SKU: | 40381 |
| Watts: | Max 60W |
| Material: | Fabric+Metal |
| Base: | E27 |
| Color: | Ivory+Black |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648523 |
| Size: | 320x200x570mm |
| Box Qty: | 1Pcs |





Table Lamps

VT-7713


| | |
|--------------|------------------|
| SKU: | 40391 |
| Watts: | Max 60W |
| Material: | Fabric+Metal |
| Base: | E27 |
| Color: | Ivory+Black |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648530 |
| Size: | 300x180x550mm |
| Box Qty: | 1Pcs |



Floor Lamps

VT-7912


| | |
|--------------|------------------|
| SKU: | 40401 |
| Watts: | Max 60W |
| Material: | Fabric+Metal |
| Base: | E27 |
| Color: | Ivory+Black |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648547 |
| Size: | 450x300x1630mm |
| Box Qty: | 1Pcs |



Floor Lamps

VT-7913


| | |
|--------------|------------------|
| SKU: | 40411 |
| Watts: | Max 60W |
| Material: | Fabric+Metal |
| Base: | E27 |
| Color: | Ivory+Black |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648554 |
| Size: | 450x285x1620mm |
| Box Qty: | 1Pcs |



Floor Lamps

VT-7702

| | |
|--------------|------------------|
| SKU: | 40421 |
| Watts: | Max 60W |
| Material: | Metal |
| Base: | E27 |
| Color: | Black+Chrome |
| Input Power: | AC:220-240V,50Hz |
| EAN: | 3800157648561 |
| Size: | 140x200x1540mm |
| Box Qty: | 4Pcs |








Ball Light
VT-7801
SKU: 40141 - RGB 3800157641029

| | |
|----------------|-------------------------|
| Watts: | 1w |
| Luminous Flux: | 18lm |
| Size : | 200x200x140mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 1000mAh |
| IP Rating: | IP67 |
| Box Qty: | 8Pcs |



RGB



RECHARGEABLE





Stone Light
VT-7802
SKU: 40151 - RGB 3800157641036

| | |
|----------------|-------------------------|
| Watts: | 1w |
| Luminous Flux: | 18lm |
| Size : | 280x210x170mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 1000mAh |
| IP Rating: | IP67 |
| Box Qty: | 8Pcs |



RGB





RECHARGEABLE




Ball Light
VT-7803
SKU: 40161 - RGB 3800157641043



| | |
|----------------|-------------------------|
| Watts: | 1w |
| Luminous Flux: | 18lm |
| Size : | 300x300x290mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 1000mAh |
| IP Rating: | IP67 |
| Box Qty: | 1Pcs |

Stone Light
VT-7804
SKU: 40171 - RGB 3800157641050

| | |
|----------------|-------------------------|
| Watts: | 1w |
| Luminous Flux: | 18lm |
| Size : | 320x250x170mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 1000mAh |
| IP Rating: | IP67 |
| Box Qty: | 1Pcs |




Pot Light
VT-7805
SKU: 40181 - RGB 3800157641067

| | |
|----------------|-------------------------|
| Watts: | 1w |
| Luminous Flux: | 18lm |
| Size : | 280x280x290mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 1000mAh |
| IP Rating: | IP54 |
| Box Qty: | 1Pcs |





Pot Light
VT-7808
SKU: 40211 - RGB 3800157641098

| | |
|----------------|-------------------------|
| Watts: | 1.5w |
| Luminous Flux: | 54lm |
| Size : | 355x355x325mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 2000mAh |
| IP Rating: | IP54 |
| Box Qty: | 1Pcs |





Ice Bucket Light
VT-7806
SKU: 40191 - RGB 3800157641074

| | |
|----------------|-------------------------|
| Watts: | 1.5w |
| Luminous Flux: | 54lm |
| Size : | 290x330x350mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 2000mAh |
| IP Rating: | IP54 |
| Box Qty: | 1Pcs |





Ball Light
VT-7807
SKU: 40201 - RGB 3800157641081

| | |
|----------------|-------------------------|
| Watts: | 3w |
| Luminous Flux: | 54lm |
| Size : | 400x400x390mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 2000mAh |
| IP Rating: | IP54 |
| Box Qty: | 1Pcs |




Ball Light
VT-7809
SKU: 40221 - RGB 3800157641104

| | |
|----------------|-------------------------|
| Watts: | 6w |
| Luminous Flux: | 108lm |
| Size : | 500x500x260mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 3600mAh |
| IP Rating: | IP54 |
| Box Qty: | 1Pcs |


 



Stool Light
VT-7810
SKU: 40231 - RGB 3800157641111

| | |
|----------------|-------------------------|
| Watts: | 3w |
| Luminous Flux: | 54lm |
| Size : | 400x400x360mm |
| Material : | LLDPE |
| Life Span: | 50,000 Hours |
| Battery: | Lithium Battery 2000mAh |
| IP Rating: | IP54 |
| Box Qty: | 1Pcs |



Cube Light

VT-7811

SKU: 40241 - RGB 3800157641128



Watts: 3w
 Luminous Flux: 108lm
 Size : 400x400x400mm
 Material : LLDPE
 Life Span: 50,000 Hours
 Battery: Lithium Battery 3600mAh
 IP Rating: IP54
 Box Qty: 1Pcs



Table Light

VT-7812

SKU: 40251 - RGB 3800157641135



Watts: 6w
 Luminous Flux: 108lm
 Size : 720x720x580mm
 Material : LLDPE
 Life Span: 50,000 Hours
 Battery: Lithium Battery 3600mAh
 IP Rating: IP54
 Box Qty: 1Pcs




Table Light

VT-7813

SKU: 40261 - RGB 3800157641142



Watts: 5w
 Luminous Flux: 100lm
 Size : 600x600x1100mm
 Material : LLDPE
 Life Span: 50,000 Hours
 Battery: Lithium Battery 5200mAh
 IP Rating: IP54
 Box Qty: 1Pcs





Stool Light

VT-7814

SKU: 40271 - RGB 3800157641159



Watts: 5w
 Luminous Flux: 100lm
 Size : 500x560x1100mm
 Material : LLDPE
 Life Span: 50,000 Hours
 Battery: Lithium Battery 5200mAh
 IP Rating: IP54
 Box Qty: 1Pcs



Linkable Up to 60 Units



Starlight-Ceiling

VT-7128-W

SKU: 40281 - 2IN1 3800157641166

| | |
|----------------|-------------------------|
| Watts: | 8w |
| Luminous Flux: | 900lm |
| Size : | 300x300x40mm |
| Material : | ABS |
| Life Span: | 20000 Hours |
| Battery: | Linkable Up to 60 Units |
| IP Rating: | IP20 |
| Box Qty: | 12Pcs |



Starlight-Ceiling

VT-7128-B

SKU: 40291 - 2IN1 3800157641173

| | |
|----------------|-------------------------|
| Watts: | 8w |
| Luminous Flux: | 900lm |
| Size : | 300x300x40mm |
| Material : | ABS |
| Life Span: | 20000 Hours |
| Battery: | Linkable Up to 60 Units |
| IP Rating: | IP20 |
| Box Qty: | 12Pcs |



Starlight-Ceiling

VT-7128-G

SKU: 40301 - 2IN1 3800157641180

| | |
|----------------|-------------------------|
| Watts: | 8w |
| Luminous Flux: | 900lm |
| Size : | 300x300x40mm |
| Material : | ABS |
| Life Span: | 20000 Hours |
| Battery: | Linkable Up to 60 Units |
| IP Rating: | IP20 |
| Box Qty: | 12Pcs |

Solar Egg Light

VT-7815

SKU: 8557 - RGB+WW 3800157641418

| | |
|----------------|---------------------------------|
| Watts: | 0.2W |
| Luminous Flux: | 4lm |
| Size : | D:188x395mm |
| Material : | PC |
| Life Span: | 20000 Hours |
| Battery: | 1xAA BATTERY, 1.2V/500mAH NI-MH |
| IP Rating: | IP44 |
| Box Qty: | 4Pcs |



 **Solar Lights** **21** COLOR CHANGING + WARM WHITE

Solar Light

VT-719

SKU: 8558 - 2200K 3800157641425
Warm White

| | |
|------------|------------------------------|
| Watts: | 0.4W |
| Size : | 100x100x650mm |
| Material : | PC |
| Life Span: | 20000 Hours |
| Battery: | 3.7V/500mAH Lithium Battery, |
| IP Rating: | IP44 |
| Box Qty: | 12Pcs |



 **Solar Lights**

NEW

Solar Flame Light

VT-724

SKU: 8689 - 2200K 3800157654975
Warm White

| | |
|------------|-------------------|
| Watts: | 1w |
| Size : | 75x75x500mm |
| Material : | PP |
| Battery: | 1.2V 2/3AAA NI-MH |
| IP Rating: | IP44 |
| Box Qty: | 24Pcs |




 **Solar Lights** **4** PCS PACK



Modern Circular

Chandeliers & Pendants

With Built in LED lights



White Chandelier-2 Step-Dimmable

115W VT-101-2-W


Built In LED

SKU: 3986 - 3000K Warm White

3800157638715

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 8050lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 600 pcs |
| Material : | Aluminium+Acrylic |
| Unit GW : | 4.7 Kg |
| Life Span: | 25,000 Hours |
| Size : | 600/400/200mm |
| Box Qty: | 1Pcs |



Black Chandelier-2 Step-Dimmable

115W VT-101-2-B


Built In LED

SKU: 3987 - 3000K Warm White

3800157638722

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 8050lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 600 pcs |
| Material : | Aluminium+Acrylic |
| Unit GW : | 4.7 Kg |
| Life Span: | 25,000 Hours |
| Size : | 600/400/200mm |
| Box Qty: | 1Pcs |



Coffee Chandelier-2 Step-Dimmable

115w VT-101-2-C

Built In LED

SKU: 3988 - 3000K Warm White

3800157638739

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 8050lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 600 pcs |
| Material : | Aluminium+Acrylic |
| Unit GW : | 4.7 Kg |
| Life Span: | 25,000 Hours |
| Size : | 600/400/200mm |
| Box Qty: | 1Pcs |



White Chandelier-3 Step-Dimmable

92w VT-82-3-W


Built In LED

SKU: 3989 - 3000K Warm White

3800157638746

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 6500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 470 pcs |
| Material : | Aluminium+Acrylic |
| Unit GW : | 4.7 Kg |
| Life Span: | 25,000 Hours |
| Size : | 600/500/400mm |
| Box Qty: | 1Pcs |




Black Chandelier-3 Step-Dimmable

92w VT-82-3-B **Built In LED**
 SKU: 3990 - 3000K Warm White 3800157638753

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 6500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 470 pcs |
| Material : | Aluminium+Acrylic |
| Unit GW : | 4.7 Kg |
| Life Span: | 25,000 Hours |
| Size : | 600/500/400mm |
| Box Qty: | 1Pcs |




Coffee Chandelier-3 Step-Dimmable

92w VT-82-3-C **Built In LED**
 SKU: 3991 - 3000K Warm White 3800157638760

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 6500lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 470 pcs |
| Material : | Aluminium+Acrylic |
| Unit GW : | 4.7 Kg |
| Life Span: | 25,000 Hours |
| Size : | 600/500/400mm |
| Box Qty: | 1Pcs |



Chandelier Series

40w VT-40-1

Built In LED

SKU: 3874 - 3000K Warm White

3800157620888

Voltage/Frequency: AC:100-240V,50Hz

Luminous Flux: 2800lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs


Material : Steel+PC

Unit GW : 3.90 Kg

Life Span: 20,000 Hours

Size : 400X210X1000mm

Box Qty: 1Pcs



Chandelier-3 Step

70w VT-70-3D

Built In LED

SKU: 3904 - 3000K Warm White
SKU: 3905 - 4000K Day White

3800157624633
3800157624640

Voltage/Frequency: AC:100-240V,50Hz

Luminous Flux: 4900lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 360 pcs


Material : Acrylic+Aluminium

Unit GW : 3.50 Kg

Life Span: 20,000 Hours

Size : 600x600x1200mm

Box Qty: 1Pcs



Chandelier-3 Step

80w VT-80-3D


Built In LED

SKU: 3906 - 3000K Warm White
SKU: 3907 - 4000K Day White

3800157624657
3800157624664

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:100-240V,50Hz |
| Luminous Flux: | 5600lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 510 pcs |
| Material : | Acrylic+Aluminium |
| Unit GW : | 4.7 Kg |
| Life Span: | 20,000 Hours |
| Size : | 600x600x1200mm |
| Box Qty: | 1Pcs |



Ceiling Light

85w VT-85-3

Built In LED

SKU: 3910 - 3000K Warm White
SKU: 3911 - 4000K Day White

3800157624695
3800157624701

| | |
|--------------------|------------------|
| Voltage/Frequency: | AC:100-240V,50Hz |
| Luminous Flux: | 6400lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.9 |
| Beam Angle: | 120° |

| | |
|-------------|-------------------|
| No. of LED: | 510 pcs |
| Material : | Acrylic+Aluminium |
| Unit GW : | 5.5 Kg |
| Life Span: | 20,000 Hours |
| Size : | 200x400x600mm |
| Box Qty: | 1Pcs |

TOWER FANS


WITH TEMPERATURE DISPLAY
AND REMOTE CONTROL

- 3 speeds with remote control
- 3 fan mode (Normal / Natural / Sleep)

REMOTE CONTROL





CONTROL PANEL



CONTROL PANEL





Tower Fan

VT-4538

SKU: 7926 EAN: 3800157654517




Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High

- Power(Watts): 45
- Voltage/Freq: AC:220-240V,50/60Hz
- Size(inches): 31
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Function: Oscillation Function
- Timer: 1hr(Max)
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan

VT-5536

SKU: 7900 EAN: 3800157644709




3 Wind Mode
Normal | Natural | Sleep



3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan


VT-5546

SKU: 7901 EAN: 3800157644716

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.75m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan

VT-5547

SKU: 7902 EAN: 3800157644723

3 Wind Mode
Normal | Natural | Sleep

3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: White & Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



LED Ceiling Fan

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans offer quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior décor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

- Both AC and DC motor variations available
- Available in a range of sizes and finishes
- Remote Control and Pull chain for speed control and On/Off
- Forward and reverse function for cool or warm airflow



Ceiling Fan AC Motor

50W VT-6042-4

SKU: 7914 EAN: 3800157654036



4 MDF BLADES



3 SPEEDS AND LIGHT PULL CHAIN



AC-POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 10mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 1xE27 light kit (light source NOT included)
- Motor Power AC:220V,50Hz,50W (power of the motor)
- G.W.: 4.0KG / N.W.: 3.28KG
- Box Qty: 1pc



Ceiling Fan AC Motor

55W VT-6056-4

SKU: 7921 EAN: 3800157654104



4 GLASS SHADES



3 SPEEDS AND LIGHT PULL CHAIN



AC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 11mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 4xE27 light kit (light source NOT included)
- 4 glass shade
- Motor Power AC:220V,50HZ,55W (power of the motor)
- G.W.:4.5KG / N.W.:3.8KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W VT-6054-4

SKU: 7917 EAN: 3800157654067



LIGHT KIT



4 MDF BLADES



AC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 x 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.6KG / N.W.: 6.8KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W VT-6043-4

SKU: 7915 EAN: 3800157654043



LIGHT KIT



4 MDF BLADES



AC-POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 6.8KG / N.W.: 6.1KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W VT-6053-5

SKU: 7916 EAN: 3800157654050



LIGHT KIT



5 MDF BLADES



AC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KG / N.W.:6.7KG
- Box Qty: 1pc



Ceiling Fan AC Motor

60W VT-6052-5

SKU: 7913 EAN: 3800157654029



LIGHT KIT



5 MDF BLADES DOUBLE COLOR



AC-POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades double color
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KGS / N.W.: 6.5KGS
- Box Qty: 1pc



Ceiling Fan DC Motor

35W **VT-6054-4**

SKU: 7918 EAN: 3800157654074



LIGHT KIT



4 MDF BLADES



DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- Reversible Double Color Blades
- With forward and reverse function
- 4 MDF blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.: 7.3KG / N.W.: 6.5KG
- Box Qty: 1pc



Ceiling Fan DC Motor

35W **VT-6055-3**

SKU: 7919 EAN: 3800157654081



LIGHT KIT



3 ABS PLASTIC BLADES



DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG
- Box Qty: 1pc



Ceiling Fan DC Motor

35W **VT-6055-3**

SKU: 7920 EAN: 3800157654098



LIGHT KIT



3 ABS PLASTIC BLADES



DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG
- Box Qty: 1pc



Ceiling Fan DC Motor

35W VT-3042-3

SKU: 7929 EAN: 3800157656009

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 3 PC Plastic blades
- DC powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- LED 30W 3IN1 CCT - 3000 Lumens
- Motor Power DC:220V,50HZ,35W (motor)
- G.W.: 9.8KG / N.W.: 9.1KG
- Box Qty: 1pc




LIGHT KIT



3 PC PLASTIC BLADES



DC -POWER MOTOR




On



Off

Hidden bladeless LED light ceiling fan





Stand Fan Cross Base

40W **VT-4016-3**

SKU: 7922 EAN: 3800157654470

- 16" STAND FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Stand Fan Round Base


55W **VT-5016-5**

SKU: 7923 EAN: 3800157654487

- 16" STAND FAN
- AC: 220-240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Desk Fan 12 inch

40W VT-4012-3

SKU: 7924 EAN: 3800157654494

- 12"DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- Size: 340 × 260 × 480mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Desk Fan 16 inch


40W VT-4017-3

SKU: 7925 EAN: 3800157654500

- 16"DESK FAN
- AC: 220-240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.15KGS
- Size: 410 × 260 × 510mm
- Box Qty: 1pc



Oscillation
Low | Medium | High



3 Fan Speed
Low | Medium | High



Nylon Cable Tie

Keep installations clean with V-TAC's tough cable ties. Made of nylon, the cable ties feature high tensile strength and are an essential item for any toolbox.

- High quality
- Suitable for a multitude of uses
- Easy to thread

Nylon Cable Tie Black

- High quality
- Suitable for a multitude of uses
- Easy to thread
- UV protection



| SKU | EAN | Maximum Hold | Dimension | Unit Color | Box Qty |
|------------|---------------|--------------|-----------|------------|---------|
| SKU: 11160 | 3800157654159 | 8 Kgs | 2.5x100mm | Black | 500 |
| SKU: 11162 | 3800157654173 | 8 Kgs | 2.5x150mm | Black | 400 |
| SKU: 11164 | 3800157654197 | 8 Kgs | 2.5x200mm | Black | 300 |
| SKU: 11166 | 3800157654210 | 18 Kgs | 3.5x150mm | Black | 250 |
| SKU: 11168 | 3800157654234 | 18 Kgs | 3.5x200mm | Black | 200 |
| SKU: 11169 | 3800157654241 | 18 Kgs | 3.5x250mm | Black | 150 |
| SKU: 11170 | 3800157654258 | 18 Kgs | 3.5x300mm | Black | 150 |
| SKU: 11172 | 3800157654272 | 22 Kgs | 4.5x150mm | Black | 200 |
| SKU: 11174 | 3800157654296 | 22 Kgs | 4.5x300mm | Black | 100 |
| SKU: 11176 | 3800157654319 | 22 Kgs | 4.5x350mm | Black | 100 |
| SKU: 11177 | 3800157654326 | 22 Kgs | 4.8x200mm | Black | 150 |
| SKU: 11178 | 3800157654333 | 23 Kgs | 7.6x300mm | Black | 60 |

Nylon Cable Tie White

- High quality
- Suitable for a multitude of uses
- Easy to thread



| SKU | EAN | Maximum Hold | Dimension | Unit Color | Box Qty |
|------------|---------------|--------------|-----------|------------|---------|
| SKU: 11159 | 3800157654142 | 8 Kgs | 2.5x100mm | White | 500 |
| SKU: 11161 | 3800157654166 | 8 Kgs | 2.5x150mm | White | 400 |
| SKU: 11163 | 3800157654180 | 8 Kgs | 2.5x200mm | White | 300 |
| SKU: 11165 | 3800157654203 | 18 Kgs | 3.5x150mm | White | 250 |
| SKU: 11167 | 3800157654227 | 18 Kgs | 3.5x200mm | White | 200 |
| SKU: 11171 | 3800157654265 | 22 Kgs | 4.5x150mm | White | 200 |
| SKU: 11175 | 3800157654302 | 22 Kgs | 4.5x350mm | White | 100 |
| SKU: 11173 | 3800157654289 | 22 Kgs | 4.5x300mm | White | 100 |



Electronic Insect Killer

Enjoy an insect-free experience with V-TAC Electronic Insect Killer. An environment friendly option to eliminate insects, this insect killer lures insects to a killing grid, creating a comfortable and safe zone around it. Suitable for patios, houses, kitchens and commercial applications.

- Insect control without pesticides and harmful chemicals
- Durable corrosion-free aluminum body
- Easy to clean and efficient killing grid

Electronic Insect Killer

Perfect for home, Office, Garage, kitchens, Schools, Hospitals, Courtyard and Commercial Areas



Wire chain for hanging or set it on a flat surface.



CHEMICAL FREE
Eco friendly



- Lamp life time up to 8000 hours
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only

• Housing made of special treated, aluminum, scratch-proof, corrosion-proof and easy to clean

• Power supply: AC:220-240V 50/60Hz





50m²
Coverage Area

Electronic Insect Killer

16W VT-3216

SKU: 11179 EAN: 3800157654340

Box Qty : 6







80m²
Coverage Area

Electronic Insect Killer

20W VT-3220

SKU: 11180 EAN: 3800157654357

Box Qty : 6





100m²
Coverage Area

Electronic Insect Killer

30W VT-3230

SKU: 11181 EAN: 3800157654364

Box Qty : 6




150m²
Coverage Area

Electronic Insect Killer

40W VT-3240

SKU: 11182 EAN: 3800157654371

Box Qty : 4



| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 101 | 201 | 186 | 207 | 253 | 193 | 373 | 145 | 440 | 26 | 509 | 66 | 616 | 84 | 712 | 80 |
| 102 | 202 | 187 | 207 | 254 | 193 | 374 | 118 | 441 | 26 | 511 | 179 | 617 | 86 | 713 | 80 |
| 103 | 200 | 188 | 207 | 255 | 193 | 375 | 118 | 442 | 21 | 512 | 179 | 618 | 86 | 714 | 80 |
| 104 | 200 | 189 | 181 | 256 | 193 | 376 | 118 | 443 | 21 | 517 | 105 | 619 | 86 | 715 | 82 |
| 105 | 189 | 190 | 181 | 257 | 193 | 377 | 120 | 444 | 21 | 518 | 105 | 621 | 84 | 716 | 82 |
| 106 | 188 | 191 | 181 | 258 | 192 | 378 | 120 | 445 | 29 | 519 | 105 | 622 | 84 | 717 | 82 |
| 107 | 186 | 192 | 180 | 259 | 192 | 379 | 120 | 446 | 29 | 520 | 207 | 623 | 86 | 718 | 80 |
| 108 | 179 | 193 | 180 | 260 | 192 | 380 | 124 | 447 | 29 | 521 | 207 | 624 | 86 | 719 | 80 |
| 109 | 179 | 194 | 180 | 261 | 192 | 381 | 124 | 448 | 33 | 525 | 55 | 625 | 86 | 720 | 80 |
| 110 | 202 | 195 | 181 | 262 | 192 | 382 | 126 | 449 | 33 | 526 | 55 | 626 | 84 | 721 | 82 |
| 111 | 196 | 196 | 181 | 263 | 192 | 383 | 122 | 450 | 33 | 527 | 55 | 628 | 84 | 722 | 82 |
| 112 | 196 | 197 | 181 | 264 | 192 | 384 | 122 | 451 | 35 | 528 | 55 | 632 | 74 | 723 | 82 |
| 113 | 196 | 198 | 181 | 265 | 192 | 385 | 125 | 452 | 35 | 529 | 55 | 633 | 74 | 724 | 80 |
| 114 | 198 | 199 | 181 | 266 | 192 | 386 | 125 | 453 | 35 | 530 | 55 | 634 | 74 | 725 | 80 |
| 115 | 198 | 200 | 181 | 267 | 195 | 387 | 125 | 454 | 29 | 531 | 55 | 650 | 93 | 726 | 80 |
| 116 | 198 | 201 | 179 | 268 | 195 | 388 | 125 | 455 | 29 | 532 | 55 | 651 | 93 | 727 | 76 |
| 117 | 196 | 202 | 179 | 269 | 195 | 389 | 125 | 456 | 29 | 533 | 57 | 652 | 93 | 728 | 76 |
| 118 | 196 | 203 | 179 | 270 | 201 | 390 | 125 | 457 | 33 | 534 | 57 | 653 | 93 | 729 | 76 |
| 119 | 196 | 204 | 180 | 271 | 202 | 391 | 125 | 458 | 33 | 535 | 57 | 654 | 93 | 730 | 78 |
| 123 | 206 | 205 | 180 | 272 | 189 | 392 | 125 | 459 | 33 | 536 | 57 | 655 | 93 | 731 | 78 |
| 124 | 206 | 206 | 180 | 275 | 189 | 393 | 125 | 460 | 35 | 537 | 57 | 656 | 93 | 732 | 78 |
| 125 | 206 | 207 | 180 | 278 | 189 | 394 | 125 | 461 | 35 | 538 | 57 | 657 | 93 | 733 | 76 |
| 126 | 199 | 208 | 180 | 279 | 189 | 395 | 127 | 462 | 35 | 539 | 57 | 658 | 93 | 734 | 76 |
| 127 | 199 | 209 | 180 | 280 | 190 | 396 | 127 | 463 | 29 | 540 | 57 | 659 | 98 | 735 | 76 |
| 128 | 199 | 210 | 203 | 283 | 207 | 397 | 127 | 464 | 29 | 541 | 45 | 660 | 98 | 736 | 78 |
| 131 | 178 | 211 | 203 | 284 | 207 | 398 | 127 | 465 | 29 | 542 | 45 | 661 | 98 | 737 | 78 |
| 132 | 178 | 212 | 203 | 285 | 207 | 399 | 127 | 466 | 33 | 543 | 45 | 662 | 99 | 738 | 78 |
| 133 | 178 | 213 | 205 | 287 | 188 | 400 | 26 | 467 | 33 | 544 | 45 | 663 | 99 | 739 | 76 |
| 135 | 203 | 214 | 205 | 290 | 187 | 401 | 26 | 468 | 33 | 545 | 47 | 664 | 99 | 740 | 76 |
| 136 | 203 | 215 | 205 | 291 | 187 | 402 | 26 | 469 | 35 | 558 | 66 | 665 | 99 | 741 | 76 |
| 137 | 203 | 216 | 205 | 292 | 190 | 403 | 21 | 470 | 35 | 559 | 66 | 666 | 99 | 742 | 78 |
| 138 | 203 | 217 | 205 | 294 | 190 | 404 | 21 | 471 | 35 | 560 | 65 | 667 | 99 | 743 | 78 |
| 139 | 203 | 218 | 205 | 320 | 175 | 405 | 21 | 472 | 30 | 561 | 65 | 668 | 99 | 744 | 78 |
| 140 | 203 | 219 | 205 | 321 | 175 | 406 | 26 | 473 | 30 | 562 | 65 | 669 | 99 | 748 | 75 |
| 141 | 203 | 220 | 205 | 322 | 175 | 407 | 26 | 474 | 30 | 563 | 65 | 670 | 99 | 749 | 75 |
| 142 | 203 | 221 | 205 | 323 | 175 | 408 | 26 | 475 | 27 | 564 | 65 | 671 | 99 | 750 | 74 |
| 143 | 203 | 222 | 206 | 324 | 175 | 409 | 22 | 476 | 27 | 565 | 65 | 672 | 92 | 751 | 74 |
| 144 | 195 | 223 | 206 | 325 | 175 | 410 | 22 | 477 | 27 | 566 | 63 | 673 | 92 | 753 | 106 |
| 145 | 195 | 224 | 206 | 326 | 175 | 411 | 22 | 478 | 22 | 567 | 63 | 674 | 92 | 754 | 107 |
| 146 | 195 | 225 | 206 | 327 | 175 | 412 | 27 | 479 | 22 | 568 | 63 | 675 | 92 | 755 | 100 |
| 147 | 204 | 226 | 206 | 328 | 175 | 413 | 27 | 480 | 22 | 569 | 63 | 676 | 109 | 756 | 101 |
| 148 | 204 | 227 | 206 | 331 | 174 | 414 | 27 | 481 | 30 | 572 | 71 | 677 | 109 | 757 | 101 |
| 149 | 204 | 228 | 198 | 332 | 174 | 415 | 22 | 482 | 30 | 573 | 71 | 678 | 109 | 758 | 101 |
| 150 | 204 | 229 | 198 | 333 | 174 | 416 | 22 | 483 | 30 | 575 | 61 | 679 | 109 | 759 | 101 |
| 151 | 204 | 230 | 198 | 350 | 143 | 417 | 22 | 484 | 30 | 576 | 61 | 680 | 109 | 759 | 107 |
| 152 | 204 | 231 | 198 | 351 | 143 | 418 | 27 | 485 | 30 | 577 | 61 | 681 | 109 | 760 | 15 |
| 153 | 204 | 232 | 198 | 352 | 143 | 419 | 27 | 486 | 23 | 578 | 61 | 686 | 92 | 761 | 15 |
| 154 | 204 | 233 | 198 | 353 | 142 | 420 | 23 | 487 | 23 | 580 | 66 | 687 | 92 | 762 | 13 |
| 155 | 204 | 234 | 195 | 354 | 142 | 421 | 23 | 488 | 30 | 581 | 66 | 688 | 92 | 763 | 13 |
| 159 | 199 | 235 | 195 | 355 | 142 | 422 | 27 | 489 | 30 | 583 | 61 | 689 | 103 | 764 | 19 |
| 160 | 199 | 236 | 195 | 356 | 143 | 423 | 27 | 490 | 39 | 584 | 61 | 690 | 103 | 765 | 19 |
| 161 | 199 | 237 | 199 | 357 | 143 | 424 | 26 | 493 | 39 | 585 | 65 | 691 | 103 | 766 | 15 |
| 162 | 199 | 238 | 199 | 358 | 143 | 425 | 26 | 494 | 41 | 590 | 333 | 692 | 103 | 767 | 15 |
| 163 | 199 | 239 | 199 | 359 | 142 | 426 | 26 | 495 | 41 | 600 | 118 | 693 | 103 | 768 | 13 |
| 164 | 199 | 240 | 178 | 360 | 142 | 427 | 21 | 496 | 41 | 601 | 118 | 694 | 103 | 769 | 13 |
| 165 | 181 | 241 | 178 | 361 | 142 | 428 | 21 | 497 | 41 | 602 | 118 | 695 | 103 | 770 | 19 |
| 166 | 181 | 242 | 178 | 362 | 143 | 429 | 21 | 498 | 41 | 603 | 124 | 696 | 103 | 771 | 19 |
| 167 | 181 | 243 | 178 | 363 | 143 | 430 | 29 | 499 | 41 | 604 | 124 | 697 | 103 | 772 | 15 |
| 168 | 197 | 244 | 178 | 364 | 143 | 431 | 29 | 500 | 41 | 606 | 114 | 703 | 82 | 773 | 15 |
| 169 | 197 | 245 | 178 | 365 | 142 | 432 | 29 | 501 | 41 | 607 | 114 | 704 | 82 | 774 | 13 |
| 170 | 197 | 246 | 178 | 366 | 142 | 433 | 33 | 502 | 36 | 608 | 116 | 705 | 82 | 775 | 13 |
| 171 | 196 | 247 | 178 | 367 | 142 | 434 | 33 | 503 | 36 | 609 | 116 | 706 | 80 | 776 | 19 |
| 172 | 196 | 248 | 178 | 368 | 145 | 435 | 33 | 504 | 36 | 611 | 86 | 707 | 80 | 777 | 19 |
| 173 | 196 | 249 | 193 | 369 | 145 | 436 | 35 | 505 | 166 | 612 | 86 | 708 | 80 | 778 | 15 |
| 174 | 197 | 250 | 193 | 370 | 145 | 437 | 35 | 506 | 166 | 613 | 86 | 709 | 82 | 779 | 15 |
| 175 | 197 | 251 | 193 | 371 | 145 | 438 | 35 | 507 | 166 | 614 | 84 | 710 | 82 | 780 | 167 |
| 176 | 197 | 252 | 193 | 372 | 145 | 439 | 26 | 508 | 166 | 615 | 84 | 711 | 82 | 781 | 167 |

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|-----|-------|-----|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 782 | 47 | 858 | 196 | 963 | 53 | 1267 | 392 | 1363 | 130 | 1479 | 371 | 2166 | 338 | 2571 | 346 |
| 783 | 47 | 859 | 196 | 964 | 16 | 1268 | 392 | 1364 | 130 | 1480 | 371 | 2350 | 347 | 2573 | 335 |
| 784 | 167 | 860 | 200 | 965 | 16 | 1269 | 394 | 1365 | 130 | 1481 | 371 | 2351 | 347 | 2574 | 335 |
| 787 | 13 | 861 | 200 | 966 | 16 | 1270 | 373 | 1366 | 131 | 1482 | 371 | 2352 | 347 | 2575 | 432 |
| 788 | 13 | 862 | 190 | 967 | 16 | 1271 | 373 | 1367 | 131 | 1483 | 371 | 2353 | 347 | 2576 | 432 |
| 789 | 19 | 863 | 197 | 968 | 16 | 1272 | 373 | 1368 | 131 | 1484 | 371 | 2354 | 347 | 2580 | 339 |
| 790 | 19 | 864 | 197 | 969 | 16 | 1273 | 373 | 1369 | 403 | 1485 | 372 | 2355 | 347 | 2581 | 339 |
| 791 | 16 | 865 | 197 | 970 | 156 | 1274 | 373 | 1375 | 392 | 1486 | 372 | 2356 | 347 | 2582 | 339 |
| 792 | 16 | 866 | 197 | 971 | 156 | 1275 | 373 | 1382 | 131 | 1487 | 372 | 2371 | 209 | 2583 | 432 |
| 793 | 13 | 867 | 197 | 972 | 156 | 1276 | 373 | 1383 | 131 | 1488 | 372 | 2372 | 209 | 2584 | 432 |
| 794 | 13 | 868 | 197 | 973 | 156 | 1277 | 373 | 1384 | 131 | 1489 | 372 | 2373 | 209 | 2585 | 432 |
| 795 | 19 | 869 | 179 | 974 | 156 | 1278 | 373 | 1385 | 131 | 1490 | 386 | 2403 | 339 | 2586 | 432 |
| 796 | 19 | 870 | 179 | 975 | 156 | 1279 | 373 | 1388 | 390 | 1491 | 384 | 2404 | 339 | 2587 | 347 |
| 797 | 179 | 871 | 179 | 976 | 157 | 1280 | 373 | 1389 | 390 | 1492 | 383 | 2405 | 339 | 2588 | 347 |
| 798 | 92 | 872 | 181 | 977 | 157 | 1284 | 374 | 1390 | 390 | 1493 | 383 | 2430 | 342 | 2589 | 347 |
| 799 | 92 | 873 | 181 | 978 | 157 | 1285 | 368 | 1391 | 390 | 1494 | 384 | 2431 | 342 | 2590 | 354 |
| 801 | 149 | 874 | 181 | 979 | 157 | 1286 | 368 | 1392 | 391 | 1495 | 382 | 2459 | 342 | 2591 | 342 |
| 802 | 149 | 875 | 181 | 980 | 157 | 1294 | 366 | 1393 | 391 | 1496 | 382 | 2460 | 340 | 2592 | 342 |
| 803 | 150 | 876 | 181 | 981 | 157 | 1297 | 366 | 1394 | 391 | 1497 | 433 | 2461 | 338 | 2593 | 337 |
| 804 | 150 | 877 | 181 | 982 | 157 | 1300 | 365 | 1395 | 391 | 1498 | 433 | 2462 | 338 | 2594 | 337 |
| 805 | 150 | 878 | 181 | 983 | 157 | 1303 | 366 | 1396 | 391 | 1500 | 404 | 2463 | 338 | 2595 | 337 |
| 806 | 149 | 879 | 181 | 984 | 157 | 1304 | 374 | 1397 | 391 | 1685 | 257 | 2512 | 344 | 2596 | 337 |
| 807 | 155 | 880 | 181 | 985 | 156 | 1305 | 374 | 1398 | 377 | 1686 | 257 | 2513 | 344 | 2597 | 337 |
| 808 | 155 | 881 | 164 | 986 | 156 | 1308 | 391 | 1399 | 377 | 1687 | 257 | 2514 | 344 | 2598 | 337 |
| 809 | 155 | 882 | 118 | 987 | 156 | 1309 | 391 | 1400 | 377 | 2002 | 340 | 2515 | 344 | 2599 | 337 |
| 812 | 151 | 883 | 51 | 988 | 156 | 1310 | 391 | 1401 | 377 | 2005 | 339 | 2516 | 344 | 2600 | 337 |
| 813 | 165 | 884 | 51 | 989 | 156 | 1311 | 391 | 1402 | 377 | 2009 | 339 | 2517 | 345 | 2601 | 337 |
| 814 | 165 | 885 | 51 | 990 | 156 | 1312 | 391 | 1403 | 377 | 2011 | 339 | 2518 | 345 | 2602 | 338 |
| 815 | 149 | 886 | 51 | 991 | 157 | 1313 | 391 | 1404 | 378 | 2013 | 339 | 2527 | 346 | 2603 | 338 |
| 816 | 149 | 887 | 51 | 992 | 157 | 1314 | 376 | 1405 | 378 | 2015 | 339 | 2529 | 345 | 2604 | 338 |
| 817 | 151 | 888 | 51 | 993 | 157 | 1315 | 376 | 1406 | 378 | 2016 | 339 | 2531 | 345 | 2605 | 335 |
| 818 | 150 | 889 | 51 | 994 | 157 | 1316 | 376 | 1407 | 378 | 2025 | 340 | 2535 | 347 | 2606 | 335 |
| 819 | 150 | 890 | 51 | 995 | 157 | 1317 | 376 | 1408 | 378 | 2031 | 339 | 2536 | 347 | 2607 | 335 |
| 820 | 152 | 891 | 69 | 996 | 157 | 1318 | 376 | 1409 | 378 | 2032 | 339 | 2537 | 347 | 2608 | 341 |
| 821 | 153 | 892 | 69 | 997 | 157 | 1319 | 376 | 1410 | 364 | 2034 | 339 | 2538 | 347 | 2609 | 341 |
| 822 | 153 | 893 | 69 | 998 | 157 | 1320 | 376 | 1411 | 364 | 2035 | 339 | 2539 | 347 | 2610 | 343 |
| 823 | 153 | 894 | 69 | 999 | 157 | 1321 | 376 | 1412 | 364 | 2036 | 339 | 2540 | 347 | 2611 | 343 |
| 824 | 166 | 895 | 69 | 1100 | 373 | 1322 | 377 | 1413 | 364 | 2037 | 340 | 2541 | 347 | 2612 | 343 |
| 825 | 166 | 896 | 69 | 1192 | 367 | 1323 | 377 | 1424 | 395 | 2038 | 340 | 2542 | 347 | 2613 | 343 |
| 826 | 166 | 897 | 179 | 1207 | 374 | 1324 | 377 | 1446 | 406 | 2041 | 339 | 2543 | 347 | 2614 | 343 |
| 827 | 166 | 899 | 171 | 1208 | 374 | 1325 | 377 | 1451 | 131 | 2042 | 340 | 2544 | 336 | 2615 | 343 |
| 828 | 166 | 935 | 152 | 1209 | 374 | 1326 | 375 | 1452 | 131 | 2043 | 339 | 2545 | 336 | 2616 | 343 |
| 829 | 166 | 937 | 153 | 1210 | 374 | 1327 | 375 | 1453 | 373 | 2044 | 340 | 2546 | 336 | 2617 | 343 |
| 830 | 166 | 939 | 144 | 1232 | 367 | 1328 | 375 | 1455 | 386 | 2118 | 340 | 2547 | 341 | 2618 | 343 |
| 831 | 166 | 940 | 144 | 1233 | 366 | 1329 | 375 | 1456 | 363 | 2120 | 341 | 2548 | 335 | 2619 | 343 |
| 832 | 160 | 941 | 144 | 1234 | 366 | 1330 | 376 | 1457 | 363 | 2122 | 341 | 2549 | 335 | 2620 | 343 |
| 835 | 170 | 942 | 144 | 1235 | 366 | 1331 | 376 | 1458 | 363 | 2124 | 340 | 2550 | 335 | 2621 | 343 |
| 836 | 170 | 943 | 202 | 1236 | 367 | 1332 | 365 | 1459 | 363 | 2126 | 341 | 2551 | 335 | 2622 | 337 |
| 837 | 171 | 944 | 190 | 1237 | 367 | 1333 | 365 | 1460 | 389 | 2128 | 341 | 2552 | 341 | 2623 | 337 |
| 838 | 171 | 945 | 37 | 1238 | 367 | 1334 | 365 | 1461 | 389 | 2133 | 340 | 2553 | 341 | 2624 | 337 |
| 839 | 160 | 946 | 37 | 1243 | 280 | 1335 | 365 | 1462 | 390 | 2135 | 340 | 2554 | 353 | 2625 | 336 |
| 840 | 160 | 947 | 25 | 1244 | 280 | 1336 | 365 | 1463 | 501 | 2137 | 341 | 2555 | 354 | 2626 | 336 |
| 841 | 160 | 948 | 25 | 1245 | 280 | 1337 | 365 | 1464 | 501 | 2138 | 341 | 2556 | 353 | 2627 | 336 |
| 842 | 160 | 949 | 25 | 1246 | 280 | 1338 | 365 | 1465 | 502 | 2143 | 341 | 2557 | 354 | 2628 | 432 |
| 843 | 160 | 950 | 21 | 1247 | 280 | 1339 | 365 | 1466 | 502 | 2144 | 340 | 2558 | 336 | 2629 | 432 |
| 844 | 160 | 951 | 25 | 1248 | 280 | 1340 | 365 | 1467 | 502 | 2145 | 340 | 2559 | 336 | 2700 | 229 |
| 845 | 160 | 952 | 22 | 1255 | 367 | 1349 | 393 | 1468 | 502 | 2148 | 341 | 2560 | 336 | 2701 | 245 |
| 846 | 160 | 953 | 49 | 1256 | 367 | 1350 | 394 | 1469 | 502 | 2149 | 341 | 2561 | 336 | 2702 | 245 |
| 847 | 171 | 954 | 49 | 1257 | 367 | 1351 | 394 | 1470 | 502 | 2150 | 341 | 2562 | 342 | 2703 | 245 |
| 850 | 201 | 955 | 49 | 1259 | 393 | 1352 | 394 | 1471 | 502 | 2155 | 341 | 2563 | 342 | 2704 | 229 |
| 851 | 201 | 956 | 53 | 1260 | 393 | 1353 | 394 | 1472 | 502 | 2156 | 341 | 2564 | 342 | 2705 | 229 |
| 852 | 201 | 957 | 53 | 1261 | 393 | 1354 | 403 | 1473 | 387 | 2159 | 341 | 2565 | 346 | 2706 | 229 |
| 853 | 202 | 958 | 53 | 1262 | 393 | 1355 | 403 | 1474 | 387 | 2161 | 338 | 2566 | 346 | 2707 | 219 |
| 854 | 202 | 959 | 53 | 1263 | 392 | 1356 | 403 | 1475 | 388 | 2162 | 338 | 2567 | 346 | 2708 | 219 |
| 855 | 202 | 960 | 53 | 1264 | 392 | 1360 | 129 | 1476 | 388 | 2163 | 338 | 2568 | 345 | 2709 | 219 |
| 856 | 197 | 961 | 53 | 1265 | 392 | 1361 | 129 | 1477 | 371 | 2164 | 338 | 2569 | 345 | 2710 | 219 |
| 857 | 197 | 962 | 53 | 1266 | 392 | 1362 | 129 | 1478 | 371 | 2165 | 338 | 2570 | 345 | 2711 | 219 |

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 2712 | 219 | 2785 | 208 | 3143 | 273 | 3303 | 353 | 3507 | 347 | 3627 | 263 | 3713 | 537 | 3786 | 562 |
| 2713 | 223 | 2786 | 208 | 3144 | 276 | 3307 | 353 | 3508 | 347 | 3628 | 263 | 3714 | 539 | 3787 | 562 |
| 2714 | 223 | 2790 | 231 | 3145 | 276 | 3309 | 353 | 3509 | 347 | 3629 | 263 | 3715 | 539 | 3788 | 562 |
| 2715 | 223 | 2791 | 429 | 3146 | 276 | 3312 | 353 | 3510 | 347 | 3630 | 263 | 3716 | 540 | 3789 | 562 |
| 2716 | 223 | 2792 | 279 | 3147 | 276 | 3318 | 353 | 3511 | 347 | 3631 | 263 | 3717 | 540 | 3790 | 562 |
| 2717 | 223 | 2793 | 279 | 3148 | 277 | 3319 | 353 | 3512 | 347 | 3632 | 263 | 3720 | 559 | 3791 | 562 |
| 2718 | 223 | 2794 | 279 | 3149 | 277 | 3320 | 353 | 3522 | 369 | 3640 | 265 | 3721 | 559 | 3792 | 562 |
| 2719 | 256 | 2796 | 256 | 3150 | 277 | 3321 | 353 | 3523 | 369 | 3641 | 265 | 3722 | 559 | 3793 | 562 |
| 2720 | 256 | 2797 | 256 | 3151 | 277 | 3322 | 353 | 3524 | 369 | 3642 | 266 | 3723 | 559 | 3794 | 562 |
| 2721 | 256 | 2798 | 256 | 3152 | 277 | 3326 | 353 | 3525 | 369 | 3643 | 266 | 3724 | 559 | 3795 | 560 |
| 2722 | 256 | 2799 | 258 | 3153 | 260 | 3327 | 353 | 3526 | 369 | 3644 | 266 | 3725 | 559 | 3796 | 560 |
| 2723 | 256 | 2800 | 258 | 3154 | 261 | 3331 | 346 | 3527 | 369 | 3645 | 266 | 3726 | 530 | 3797 | 560 |
| 2724 | 256 | 2801 | 258 | 3155 | 261 | 3333 | 346 | 3528 | 369 | 3646 | 266 | 3727 | 530 | 3798 | 560 |
| 2728 | 252 | 2802 | 246 | 3156 | 261 | 3334 | 346 | 3529 | 369 | 3647 | 267 | 3728 | 534 | 3799 | 560 |
| 2730 | 220 | 2803 | 251 | 3157 | 261 | 3337 | 354 | 3559 | 369 | 3648 | 264 | 3729 | 534 | 3800 | 560 |
| 2731 | 220 | 2806 | 185 | 3158 | 261 | 3338 | 354 | 3560 | 369 | 3649 | 264 | 3730 | 527 | 3801 | 560 |
| 2732 | 220 | 2807 | 185 | 3159 | 261 | 3339 | 354 | 3565 | 369 | 3650 | 264 | 3731 | 529 | 3802 | 561 |
| 2733 | 223 | 2808 | 185 | 3160 | 261 | 3340 | 354 | 3566 | 369 | 3651 | 264 | 3732 | 529 | 3803 | 560 |
| 2734 | 223 | 2809 | 185 | 3161 | 262 | 3341 | 354 | 3575 | 281 | 3652 | 265 | 3733 | 530 | 3804 | 560 |
| 2735 | 223 | 2810 | 185 | 3162 | 262 | 3350 | 349 | 3576 | 281 | 3653 | 265 | 3734 | 529 | 3805 | 560 |
| 2736 | 221 | 2811 | 185 | 3163 | 262 | 3351 | 349 | 3577 | 281 | 3654 | 265 | 3735 | 527 | 3806 | 560 |
| 2737 | 221 | 2812 | 185 | 3164 | 262 | 3352 | 349 | 3578 | 294 | 3655 | 369 | 3736 | 527 | 3807 | 560 |
| 2738 | 221 | 2813 | 185 | 3165 | 262 | 3353 | 349 | 3581 | 281 | 3656 | 369 | 3737 | 528 | 3808 | 560 |
| 2739 | 258 | 2814 | 185 | 3166 | 262 | 3354 | 350 | 3582 | 281 | 3657 | 369 | 3738 | 528 | 3809 | 560 |
| 2740 | 258 | 2815 | 246 | 3167 | 262 | 3355 | 350 | 3583 | 281 | 3658 | 369 | 3739 | 528 | 3810 | 560 |
| 2741 | 258 | 2816 | 185 | 3168 | 262 | 3356 | 350 | 3584 | 265 | 3659 | 369 | 3740 | 529 | 3816 | 547 |
| 2742 | 255 | 2817 | 185 | 3169 | 262 | 3357 | 350 | 3585 | 266 | 3660 | 369 | 3741 | 528 | 3817 | 547 |
| 2743 | 255 | 2818 | 219 | 3170 | 263 | 3358 | 350 | 3586 | 266 | 3663 | 354 | 3742 | 561 | 3818 | 530 |
| 2744 | 255 | 2819 | 219 | 3228 | 358 | 3359 | 351 | 3587 | 270 | 3664 | 264 | 3743 | 561 | 3819 | 531 |
| 2745 | 255 | 2820 | 219 | 3231 | 358 | 3360 | 351 | 3588 | 270 | 3665 | 264 | 3744 | 561 | 3820 | 531 |
| 2746 | 255 | 3018 | 353 | 3232 | 359 | 3361 | 351 | 3589 | 271 | 3666 | 264 | 3745 | 561 | 3821 | 535 |
| 2747 | 255 | 3035 | 361 | 3233 | 359 | 3362 | 351 | 3590 | 271 | 3667 | 264 | 3746 | 561 | 3822 | 535 |
| 2748 | 231 | 3057 | 358 | 3234 | 359 | 3363 | 351 | 3591 | 271 | 3668 | 57 | 3747 | 561 | 3823 | 535 |
| 2749 | 231 | 3070 | 358 | 3235 | 359 | 3364 | 350 | 3592 | 271 | 3669 | 269 | 3748 | 561 | 3824 | 535 |
| 2750 | 431 | 3101 | 359 | 3236 | 359 | 3365 | 350 | 3593 | 266 | 3673 | 252 | 3749 | 561 | 3825 | 536 |
| 2751 | 430 | 3111 | 272 | 3237 | 360 | 3366 | 350 | 3594 | 266 | 3674 | 265 | 3750 | 561 | 3826 | 536 |
| 2752 | 430 | 3112 | 272 | 3238 | 360 | 3367 | 349 | 3595 | 270 | 3675 | 263 | 3751 | 552 | 3827 | 536 |
| 2753 | 430 | 3113 | 273 | 3239 | 360 | 3368 | 349 | 3596 | 270 | 3676 | 263 | 3752 | 552 | 3828 | 536 |
| 2754 | 429 | 3114 | 273 | 3240 | 361 | 3369 | 349 | 3597 | 270 | 3677 | 264 | 3753 | 557 | 3829 | 537 |
| 2755 | 429 | 3115 | 273 | 3243 | 357 | 3370 | 349 | 3598 | 270 | 3680 | 396 | 3754 | 557 | 3830 | 532 |
| 2756 | 429 | 3116 | 274 | 3244 | 357 | 3371 | 348 | 3599 | 267 | 3681 | 396 | 3755 | 561 | 3831 | 545 |
| 2757 | 431 | 3117 | 275 | 3246 | 356 | 3372 | 348 | 3600 | 267 | 3682 | 397 | 3756 | 549 | 3832 | 545 |
| 2760 | 214 | 3118 | 275 | 3247 | 356 | 3423 | 278 | 3601 | 267 | 3683 | 397 | 3757 | 549 | 3833 | 545 |
| 2761 | 214 | 3119 | 275 | 3248 | 360 | 3469 | 268 | 3602 | 267 | 3684 | 397 | 3758 | 541 | 3834 | 546 |
| 2762 | 214 | 3120 | 275 | 3249 | 360 | 3470 | 268 | 3603 | 267 | 3685 | 397 | 3759 | 541 | 3835 | 546 |
| 2763 | 214 | 3121 | 275 | 3250 | 360 | 3471 | 268 | 3604 | 267 | 3687 | 397 | 3760 | 541 | 3836 | 546 |
| 2764 | 214 | 3122 | 275 | 3251 | 360 | 3472 | 268 | 3605 | 267 | 3688 | 397 | 3761 | 549 | 3837 | 547 |
| 2765 | 214 | 3123 | 275 | 3252 | 360 | 3473 | 268 | 3606 | 267 | 3689 | 269 | 3762 | 549 | 3838 | 547 |
| 2766 | 214 | 3124 | 276 | 3253 | 358 | 3474 | 269 | 3607 | 268 | 3690 | 269 | 3763 | 550 | 3839 | 557 |
| 2767 | 214 | 3125 | 276 | 3255 | 356 | 3475 | 562 | 3608 | 268 | 3691 | 265 | 3764 | 550 | 3840 | 559 |
| 2768 | 214 | 3126 | 276 | 3256 | 358 | 3476 | 562 | 3609 | 268 | 3692 | 265 | 3765 | 550 | 3841 | 559 |
| 2769 | 214 | 3127 | 276 | 3257 | 358 | 3477 | 562 | 3610 | 268 | 3694 | 271 | 3766 | 550 | 3842 | 559 |
| 2770 | 214 | 3128 | 276 | 3258 | 358 | 3478 | 562 | 3611 | 269 | 3695 | 271 | 3767 | 558 | 3843 | 559 |
| 2771 | 214 | 3129 | 272 | 3259 | 357 | 3479 | 562 | 3612 | 269 | 3696 | 271 | 3768 | 558 | 3844 | 559 |
| 2772 | 215 | 3130 | 272 | 3261 | 356 | 3480 | 563 | 3613 | 269 | 3697 | 272 | 3769 | 558 | 3845 | 557 |
| 2773 | 215 | 3131 | 396 | 3262 | 357 | 3481 | 563 | 3614 | 269 | 3698 | 252 | 3770 | 558 | 3847 | 542 |
| 2774 | 215 | 3132 | 396 | 3263 | 357 | 3482 | 563 | 3615 | 269 | 3700 | 548 | 3771 | 558 | 3848 | 542 |
| 2775 | 215 | 3133 | 396 | 3264 | 361 | 3483 | 563 | 3616 | 270 | 3701 | 548 | 3772 | 558 | 3849 | 542 |
| 2776 | 215 | 3134 | 272 | 3265 | 359 | 3484 | 563 | 3617 | 277 | 3702 | 548 | 3773 | 558 | 3850 | 543 |
| 2777 | 215 | 3135 | 272 | 3269 | 361 | 3485 | 563 | 3618 | 277 | 3705 | 540 | 3774 | 558 | 3851 | 544 |
| 2778 | 257 | 3136 | 272 | 3270 | 361 | 3486 | 563 | 3619 | 277 | 3706 | 540 | 3775 | 558 | 3852 | 545 |
| 2779 | 257 | 3137 | 272 | 3271 | 359 | 3500 | 347 | 3620 | 278 | 3707 | 539 | 3776 | 558 | 3853 | 543 |
| 2780 | 257 | 3138 | 273 | 3272 | 361 | 3501 | 347 | 3621 | 294 | 3708 | 539 | 3777 | 561 | 3854 | 543 |
| 2781 | 208 | 3139 | 273 | 3273 | 357 | 3502 | 347 | 3622 | 295 | 3709 | 538 | 3782 | 561 | 3855 | 544 |
| 2782 | 208 | 3140 | 273 | 3274 | 357 | 3503 | 347 | 3623 | 295 | 3710 | 538 | 3783 | 561 | 3856 | 544 |
| 2783 | 208 | 3141 | 273 | 3275 | 357 | 3504 | 347 | 3624 | 57 | 3711 | 538 | 3784 | 561 | 3857 | 544 |
| 2784 | 208 | 3142 | 273 | 3300 | 353 | 3505 | 347 | 3625 | 353 | 3712 | 538 | 3785 | 562 | 3858 | 543 |

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 3859 | 537 | 3933 | 574 | 4124 | 222 | 4459 | 215 | 4862 | 307 | 4946 | 311 | 5570 | 374 | 5992 | 285 |
| 3860 | 537 | 3934 | 573 | 4156 | 221 | 4460 | 215 | 4863 | 308 | 4947 | 311 | 5571 | 405 | 5993 | 285 |
| 3861 | 533 | 3935 | 573 | 4160 | 220 | 4461 | 215 | 4864 | 308 | 4948 | 311 | 5572 | 405 | 5995 | 291 |
| 3862 | 533 | 3936 | 573 | 4162 | 220 | 4466 | 255 | 4865 | 308 | 4949 | 311 | 5588 | 332 | 5996 | 291 |
| 3863 | 533 | 3937 | 574 | 4164 | 221 | 4467 | 255 | 4866 | 308 | 4966 | 394 | 5607 | 332 | 6018 | 303 |
| 3864 | 533 | 3938 | 574 | 4166 | 221 | 4468 | 255 | 4867 | 308 | 4967 | 402 | 5608 | 332 | 6019 | 302 |
| 3865 | 525 | 3939 | 574 | 4174 | 222 | 4472 | 234 | 4868 | 308 | 4968 | 402 | 5609 | 332 | 6052 | 324 |
| 3866 | 524 | 3943 | 553 | 4207 | 220 | 4473 | 237 | 4869 | 308 | 4973 | 394 | 5610 | 332 | 6053 | 324 |
| 3867 | 525 | 3944 | 553 | 4216 | 221 | 4476 | 241 | 4870 | 308 | 4982 | 402 | 5611 | 332 | 6054 | 324 |
| 3868 | 541 | 3945 | 553 | 4223 | 280 | 4479 | 241 | 4871 | 308 | 4997 | 393 | 5745 | 292 | 6055 | 324 |
| 3869 | 542 | 3946 | 553 | 4224 | 280 | 4482 | 243 | 4872 | 307 | 4998 | 394 | 5755 | 291 | 6056 | 324 |
| 3874 | 602 | 3947 | 554 | 4225 | 280 | 4483 | 244 | 4873 | 307 | 4999 | 393 | 5895 | 291 | 6057 | 324 |
| 3875 | 525 | 3948 | 554 | 4254 | 224 | 4484 | 244 | 4874 | 307 | 5031 | 311 | 5896 | 294 | 6184 | 330 |
| 3876 | 526 | 3949 | 554 | 4255 | 280 | 4485 | 244 | 4887 | 308 | 5032 | 311 | 5897 | 294 | 6185 | 330 |
| 3877 | 526 | 3950 | 554 | 4256 | 280 | 4486 | 242 | 4888 | 308 | 5033 | 311 | 5917 | 292 | 6198 | 330 |
| 3878 | 525 | 3951 | 555 | 4257 | 280 | 4487 | 242 | 4889 | 308 | 5050 | 394 | 5918 | 11 | 6199 | 330 |
| 3879 | 523 | 3952 | 555 | 4259 | 245 | 4488 | 242 | 4890 | 317 | 5051 | 393 | 5919 | 11 | 6200 | 330 |
| 3880 | 523 | 3953 | 555 | 4276 | 224 | 4489 | 241 | 4891 | 317 | 5052 | 393 | 5920 | 11 | 6201 | 330 |
| 3881 | 524 | 3954 | 555 | 4277 | 224 | 4490 | 241 | 4892 | 317 | 5053 | 393 | 5921 | 11 | 6217 | 299 |
| 3882 | 523 | 3955 | 556 | 4278 | 224 | 4491 | 241 | 4893 | 317 | 5056 | 392 | 5922 | 11 | 6221 | 299 |
| 3883 | 523 | 3956 | 556 | 4300 | 250 | 4498 | 233 | 4894 | 317 | 5068 | 325 | 5923 | 11 | 6222 | 299 |
| 3884 | 526 | 3957 | 556 | 4301 | 247 | 4499 | 239 | 4895 | 317 | 5070 | 325 | 5940 | 285 | 6229 | 321 |
| 3885 | 526 | 3958 | 580 | 4302 | 248 | 4737 | 318 | 4896 | 317 | 5071 | 325 | 5941 | 285 | 6231 | 321 |
| 3886 | 527 | 3959 | 580 | 4307 | 247 | 4738 | 318 | 4897 | 317 | 5072 | 325 | 5942 | 285 | 6238 | 300 |
| 3887 | 524 | 3960 | 581 | 4308 | 248 | 4739 | 318 | 4898 | 317 | 5073 | 325 | 5943 | 283 | 6239 | 300 |
| 3888 | 524 | 3961 | 582 | 4362 | 235 | 4740 | 318 | 4904 | 312 | 5074 | 325 | 5944 | 283 | 6256 | 301 |
| 3889 | 534 | 3962 | 581 | 4364 | 245 | 4741 | 319 | 4905 | 312 | 5076 | 325 | 5945 | 283 | 6257 | 301 |
| 3890 | 571 | 3963 | 581 | 4365 | 247 | 4742 | 319 | 4906 | 312 | 5077 | 402 | 5946 | 286 | 6258 | 301 |
| 3891 | 571 | 3964 | 582 | 4366 | 248 | 4743 | 318 | 4907 | 312 | 5078 | 405 | 5947 | 286 | 6259 | 303 |
| 3892 | 572 | 3965 | 582 | 4367 | 247 | 4744 | 318 | 4908 | 312 | 5081 | 406 | 5948 | 286 | 6262 | 321 |
| 3893 | 572 | 3966 | 583 | 4369 | 223 | 4745 | 319 | 4909 | 312 | 5082 | 406 | 5949 | 283 | 6263 | 321 |
| 3894 | 567 | 3967 | 583 | 4388 | 248 | 4746 | 319 | 4910 | 312 | 5083 | 406 | 5950 | 283 | 6264 | 321 |
| 3895 | 567 | 3968 | 583 | 4390 | 223 | 4759 | 318 | 4911 | 312 | 5084 | 405 | 5951 | 283 | 6265 | 322 |
| 3896 | 569 | 3969 | 584 | 4394 | 250 | 4760 | 318 | 4912 | 312 | 5085 | 405 | 5952 | 286 | 6268 | 302 |
| 3897 | 570 | 3970 | 584 | 4399 | 250 | 4797 | 311 | 4913 | 313 | 5086 | 401 | 5953 | 286 | 6270 | 302 |
| 3898 | 570 | 3971 | 584 | 4407 | 246 | 4798 | 311 | 4914 | 313 | 5087 | 401 | 5954 | 286 | 6271 | 302 |
| 3899 | 570 | 3972 | 585 | 4408 | 246 | 4800 | 314 | 4915 | 313 | 5088 | 401 | 5955 | 283 | 6272 | 321 |
| 3900 | 567 | 3973 | 585 | 4409 | 246 | 4801 | 314 | 4916 | 312 | 5089 | 401 | 5956 | 283 | 6273 | 321 |
| 3901 | 568 | 3974 | 587 | 4410 | 246 | 4802 | 314 | 4917 | 312 | 5090 | 401 | 5957 | 283 | 6276 | 318 |
| 3902 | 569 | 3975 | 587 | 4411 | 246 | 4803 | 313 | 4918 | 312 | 5091 | 402 | 5958 | 286 | 6277 | 318 |
| 3903 | 569 | 3976 | 587 | 4412 | 246 | 4804 | 313 | 4919 | 313 | 5116 | 354 | 5959 | 286 | 6278 | 319 |
| 3904 | 602 | 3977 | 588 | 4413 | 247 | 4805 | 313 | 4920 | 313 | 5117 | 354 | 5960 | 286 | 6279 | 318 |
| 3905 | 602 | 3978 | 585 | 4414 | 247 | 4806 | 314 | 4921 | 313 | 5118 | 354 | 5961 | 284 | 6280 | 319 |
| 3906 | 603 | 3979 | 586 | 4418 | 224 | 4807 | 314 | 4922 | 316 | 5119 | 354 | 5962 | 284 | 6281 | 318 |
| 3907 | 603 | 3980 | 586 | 4419 | 224 | 4808 | 314 | 4923 | 316 | 5120 | 355 | 5963 | 284 | 6282 | 328 |
| 3910 | 603 | 3981 | 586 | 4420 | 224 | 4809 | 313 | 4924 | 316 | 5121 | 355 | 5964 | 287 | 6283 | 328 |
| 3911 | 603 | 3982 | 567 | 4421 | 236 | 4810 | 313 | 4925 | 317 | 5123 | 355 | 5965 | 287 | 6284 | 328 |
| 3912 | 419 | 3983 | 568 | 4425 | 250 | 4811 | 313 | 4926 | 317 | 5124 | 355 | 5966 | 287 | 6285 | 328 |
| 3913 | 419 | 3984 | 567 | 4426 | 250 | 4812 | 314 | 4927 | 317 | 5127 | 355 | 5967 | 284 | 6286 | 328 |
| 3914 | 419 | 3985 | 567 | 4427 | 249 | 4813 | 314 | 4928 | 317 | 5128 | 355 | 5968 | 284 | 6287 | 328 |
| 3916 | 568 | 3986 | 599 | 4428 | 249 | 4814 | 314 | 4929 | 317 | 5129 | 355 | 5969 | 284 | 6292 | 306 |
| 3917 | 568 | 3987 | 599 | 4429 | 248 | 4815 | 313 | 4930 | 317 | 5130 | 355 | 5972 | 284 | 6293 | 306 |
| 3918 | 568 | 3988 | 600 | 4431 | 248 | 4816 | 313 | 4931 | 310 | 5131 | 355 | 5977 | 293 | 6294 | 306 |
| 3919 | 568 | 3989 | 600 | 4432 | 248 | 4817 | 313 | 4932 | 310 | 5132 | 355 | 5978 | 293 | 6295 | 308 |
| 3920 | 551 | 3990 | 601 | 4440 | 222 | 4818 | 309 | 4933 | 310 | 5133 | 355 | 5979 | 293 | 6296 | 308 |
| 3921 | 551 | 3991 | 601 | 4444 | 247 | 4821 | 309 | 4934 | 310 | 5134 | 355 | 5980 | 294 | 6297 | 308 |
| 3922 | 551 | 3992 | 575 | 4445 | 247 | 4824 | 309 | 4935 | 310 | 5135 | 356 | 5981 | 294 | 6309 | 322 |
| 3923 | 551 | 3993 | 575 | 4446 | 247 | 4826 | 309 | 4936 | 310 | 5136 | 356 | 5982 | 294 | 6310 | 322 |
| 3924 | 552 | 3994 | 575 | 4447 | 216 | 4833 | 310 | 4937 | 310 | 5137 | 356 | 5983 | 294 | 6313 | 324 |
| 3925 | 552 | 3995 | 576 | 4448 | 216 | 4854 | 306 | 4938 | 310 | 5138 | 356 | 5984 | 292 | 6314 | 324 |
| 3926 | 531 | 3996 | 576 | 4449 | 216 | 4855 | 306 | 4939 | 310 | 5139 | 356 | 5985 | 292 | 6318 | 322 |
| 3927 | 546 | 3997 | 576 | 4453 | 219 | 4856 | 306 | 4940 | 311 | 5140 | 356 | 5986 | 293 | 6319 | 322 |
| 3928 | 573 | 4061 | 280 | 4454 | 219 | 4857 | 307 | 4941 | 311 | 5141 | 356 | 5987 | 293 | 6320 | 322 |
| 3929 | 573 | 4062 | 280 | 4455 | 219 | 4858 | 307 | 4942 | 311 | 5502 | 290 | 5988 | 285 | 6321 | 322 |
| 3930 | 573 | 4084 | 280 | 4456 | 219 | 4859 | 307 | 4943 | 311 | 5560 | 333 | 5989 | 285 | 6322 | 323 |
| 3931 | 574 | 4122 | 221 | 4457 | 219 | 4860 | 307 | 4944 | 311 | 5566 | 390 | 5990 | 285 | 6324 | 323 |
| 3932 | 574 | 4123 | 222 | 4458 | 219 | 4861 | 307 | 4945 | 311 | 5567 | 390 | 5991 | 285 | 6325 | 323 |

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 6328 | 302 | 6443 | 94 | 7047 | 509 | 7177 | 242 | 7335 | 233 | 7462 | 232 | 7532 | 509 | 7924 | 613 |
| 6329 | 301 | 6444 | 95 | 7055 | 421 | 7178 | 243 | 7336 | 233 | 7463 | 232 | 7533 | 295 | 7925 | 613 |
| 6332 | 301 | 6445 | 95 | 7057 | 513 | 7179 | 243 | 7341 | 216 | 7464 | 232 | 7534 | 295 | 7926 | 605 |
| 6333 | 301 | 6446 | 329 | 7058 | 512 | 7180 | 243 | 7342 | 216 | 7465 | 232 | 7535 | 295 | 7927 | 434 |
| 6340 | 314 | 6447 | 329 | 7059 | 512 | 7181 | 243 | 7343 | 217 | 7466 | 233 | 7536 | 295 | 7928 | 434 |
| 6346 | 315 | 6448 | 329 | 7060 | 514 | 7182 | 243 | 7344 | 217 | 7467 | 233 | 7537 | 295 | 7929 | 611 |
| 6347 | 315 | 6449 | 329 | 7061 | 514 | 7183 | 243 | 7346 | 222 | 7468 | 233 | 7538 | 295 | 7950 | 137 |
| 6348 | 315 | 6450 | 302 | 7062 | 514 | 7184 | 244 | 7349 | 218 | 7470 | 430 | 7539 | 497 | 7951 | 137 |
| 6352 | 315 | 6451 | 300 | 7063 | 514 | 7186 | 244 | 7350 | 218 | 7472 | 240 | 7540 | 497 | 7952 | 137 |
| 6353 | 315 | 6452 | 300 | 7064 | 507 | 7187 | 244 | 7351 | 218 | 7473 | 238 | 7541 | 498 | 7953 | 137 |
| 6354 | 315 | 6453 | 300 | 7065 | 507 | 7188 | 244 | 7352 | 218 | 7474 | 234 | 7542 | 498 | 7954 | 136 |
| 6355 | 315 | 6454 | 300 | 7066 | 510 | 7189 | 244 | 7353 | 218 | 7475 | 237 | 7543 | 497 | 7955 | 136 |
| 6356 | 315 | 6458 | 302 | 7067 | 510 | 7190 | 244 | 7354 | 218 | 7476 | 255 | 7544 | 500 | 7956 | 136 |
| 6357 | 315 | 6459 | 327 | 7068 | 510 | 7191 | 245 | 7355 | 226 | 7477 | 255 | 7545 | 500 | 7957 | 136 |
| 6358 | 315 | 6460 | 327 | 7069 | 511 | 7194 | 224 | 7356 | 226 | 7478 | 255 | 7546 | 500 | 7958 | 133 |
| 6361 | 316 | 6461 | 327 | 7070 | 510 | 7195 | 224 | 7357 | 223 | 7479 | 213 | 7547 | 500 | 7959 | 133 |
| 6364 | 315 | 6462 | 327 | 7071 | 510 | 7216 | 237 | 7358 | 223 | 7480 | 213 | 7548 | 500 | 7960 | 133 |
| 6365 | 315 | 6463 | 327 | 7072 | 511 | 7217 | 236 | 7359 | 223 | 7481 | 213 | 7549 | 500 | 7961 | 133 |
| 6366 | 315 | 6464 | 327 | 7073 | 511 | 7218 | 235 | 7360 | 226 | 7482 | 213 | 7550 | 500 | 7962 | 134 |
| 6367 | 316 | 6465 | 327 | 7074 | 513 | 7220 | 235 | 7361 | 226 | 7483 | 213 | 7551 | 500 | 7963 | 134 |
| 6369 | 316 | 6466 | 327 | 7075 | 513 | 7229 | 218 | 7362 | 220 | 7484 | 213 | 7552 | 500 | 7964 | 134 |
| 6370 | 316 | 6467 | 329 | 7076 | 508 | 7234 | 281 | 7363 | 220 | 7485 | 213 | 7553 | 498 | 7965 | 134 |
| 6372 | 316 | 6468 | 329 | 7077 | 508 | 7235 | 281 | 7364 | 220 | 7486 | 213 | 7554 | 498 | 7966 | 135 |
| 6376 | 300 | 6469 | 329 | 7078 | 484 | 7236 | 281 | 7365 | 225 | 7487 | 213 | 7555 | 503 | 7967 | 135 |
| 6384 | 301 | 6470 | 329 | 7079 | 484 | 7240 | 217 | 7366 | 225 | 7488 | 212 | 7556 | 503 | 7968 | 135 |
| 6385 | 301 | 6471 | 299 | 7080 | 484 | 7241 | 217 | 7368 | 225 | 7489 | 212 | 7557 | 503 | 7969 | 135 |
| 6386 | 302 | 6472 | 329 | 7081 | 485 | 7242 | 217 | 7402 | 218 | 7490 | 212 | 7558 | 503 | 7970 | 137 |
| 6387 | 328 | 6473 | 329 | 7082 | 485 | 7246 | 217 | 7403 | 218 | 7491 | 212 | 7559 | 503 | 7971 | 137 |
| 6388 | 328 | 6474 | 91 | 7083 | 485 | 7251 | 245 | 7407 | 220 | 7492 | 212 | 7560 | 503 | 7972 | 137 |
| 6392 | 321 | 6475 | 91 | 7086 | 488 | 7252 | 239 | 7408 | 220 | 7493 | 212 | 7561 | 503 | 7973 | 137 |
| 6393 | 321 | 6476 | 91 | 7087 | 484 | 7260 | 217 | 7409 | 220 | 7494 | 212 | 7562 | 503 | 7974 | 137 |
| 6394 | 321 | 6477 | 91 | 7088 | 484 | 7261 | 217 | 7410 | 249 | 7495 | 212 | 7563 | 506 | 7975 | 137 |
| 6399 | 328 | 6478 | 91 | 7089 | 484 | 7262 | 217 | 7411 | 249 | 7496 | 212 | 7564 | 506 | 7977 | 137 |
| 6400 | 328 | 6479 | 91 | 7090 | 485 | 7263 | 221 | 7412 | 249 | 7497 | 256 | 7565 | 506 | 7978 | 137 |
| 6401 | 305 | 6480 | 91 | 7091 | 485 | 7264 | 221 | 7413 | 250 | 7498 | 256 | 7566 | 506 | 7979 | 137 |
| 6402 | 305 | 6481 | 91 | 7092 | 485 | 7265 | 221 | 7415 | 238 | 7499 | 256 | 7567 | 506 | 7980 | 278 |
| 6403 | 305 | 6482 | 91 | 7093 | 488 | 7269 | 258 | 7416 | 235 | 7500 | 496 | 7568 | 507 | 7981 | 278 |
| 6404 | 305 | 6483 | 108 | 7098 | 418 | 7270 | 258 | 7418 | 222 | 7501 | 496 | 7569 | 498 | 7982 | 278 |
| 6405 | 305 | 6484 | 108 | 7099 | 418 | 7271 | 258 | 7419 | 220 | 7502 | 496 | 7570 | 498 | 8070 | 319 |
| 6406 | 305 | 6485 | 108 | 7109 | 241 | 7285 | 227 | 7420 | 235 | 7503 | 496 | 7600 | 385 | 8073 | 319 |
| 6407 | 305 | 6486 | 108 | 7110 | 242 | 7286 | 227 | 7421 | 234 | 7504 | 496 | 7601 | 385 | 8074 | 319 |
| 6408 | 305 | 6487 | 97 | 7112 | 242 | 7287 | 227 | 7422 | 218 | 7505 | 496 | 7602 | 380 | 8075 | 319 |
| 6409 | 305 | 6488 | 97 | 7113 | 240 | 7288 | 227 | 7423 | 249 | 7506 | 496 | 7603 | 381 | 8076 | 319 |
| 6410 | 305 | 6489 | 97 | 7114 | 240 | 7289 | 227 | 7424 | 249 | 7507 | 496 | 7604 | 380 | 8080 | 434 |
| 6411 | 305 | 6490 | 97 | 7115 | 240 | 7290 | 227 | 7425 | 249 | 7508 | 497 | 7605 | 381 | 8081 | 298 |
| 6412 | 305 | 6491 | 97 | 7116 | 240 | 7291 | 226 | 7427 | 250 | 7509 | 497 | 7606 | 380 | 8082 | 298 |
| 6413 | 306 | 6492 | 97 | 7119 | 245 | 7292 | 226 | 7429 | 255 | 7510 | 497 | 7607 | 381 | 8083 | 298 |
| 6414 | 306 | 6493 | 97 | 7120 | 245 | 7293 | 226 | 7430 | 255 | 7511 | 497 | 7608 | 380 | 8084 | 298 |
| 6415 | 306 | 6494 | 97 | 7121 | 215 | 7295 | 226 | 7431 | 255 | 7512 | 497 | 7609 | 381 | 8085 | 298 |
| 6416 | 306 | 6495 | 97 | 7142 | 239 | 7296 | 226 | 7432 | 256 | 7513 | 507 | 7900 | 605 | 8086 | 297 |
| 6417 | 306 | 6600 | 75 | 7143 | 239 | 7297 | 227 | 7433 | 256 | 7514 | 507 | 7901 | 606 | 8087 | 297 |
| 6418 | 306 | 6601 | 75 | 7144 | 239 | 7298 | 227 | 7434 | 256 | 7515 | 499 | 7902 | 606 | 8088 | 297 |
| 6422 | 307 | 6602 | 75 | 7145 | 237 | 7300 | 227 | 7435 | 252 | 7516 | 499 | 7903 | 436 | 8119 | 330 |
| 6423 | 307 | 6603 | 298 | 7146 | 236 | 7301 | 227 | 7436 | 252 | 7517 | 500 | 7908 | 438 | 8156 | 303 |
| 6424 | 307 | 6604 | 298 | 7147 | 237 | 7302 | 227 | 7437 | 252 | 7518 | 500 | 7911 | 437 | 8157 | 303 |
| 6427 | 302 | 6605 | 297 | 7148 | 236 | 7305 | 258 | 7438 | 252 | 7519 | 508 | 7912 | 437 | 8158 | 303 |
| 6428 | 307 | 6606 | 399 | 7150 | 215 | 7306 | 258 | 7439 | 252 | 7520 | 508 | 7913 | 609 | 8173 | 161 |
| 6429 | 307 | 6607 | 399 | 7151 | 215 | 7307 | 258 | 7440 | 252 | 7521 | 508 | 7914 | 608 | 8174 | 161 |
| 6430 | 309 | 6608 | 399 | 7154 | 244 | 7308 | 258 | 7453 | 251 | 7522 | 509 | 7915 | 609 | 8175 | 161 |
| 6431 | 309 | 6609 | 399 | 7155 | 238 | 7309 | 227 | 7454 | 251 | 7523 | 423 | 7916 | 609 | 8176 | 161 |
| 6436 | 302 | 6610 | 400 | 7156 | 236 | 7317 | 216 | 7455 | 251 | 7524 | 486 | 7917 | 608 | 8177 | 161 |
| 6437 | 302 | 6611 | 400 | 7157 | 234 | 7324 | 226 | 7456 | 238 | 7525 | 486 | 7918 | 610 | 8178 | 161 |
| 6438 | 94 | 6612 | 400 | 7161 | 225 | 7325 | 226 | 7457 | 234 | 7526 | 486 | 7919 | 610 | 8179 | 161 |
| 6439 | 94 | 6613 | 400 | 7163 | 225 | 7326 | 226 | 7458 | 246 | 7527 | 486 | 7920 | 610 | 8180 | 161 |
| 6440 | 95 | 7044 | 499 | 7164 | 225 | 7328 | 238 | 7459 | 246 | 7529 | 512 | 7921 | 608 | 8181 | 161 |
| 6441 | 95 | 7045 | 499 | 7166 | 225 | 7332 | 257 | 7460 | 246 | 7530 | 513 | 7922 | 612 | 8182 | 162 |
| 6442 | 94 | 7046 | 509 | 7173 | 224 | 7334 | 257 | 7461 | 231 | 7531 | 509 | 7923 | 612 | 8183 | 162 |

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|-------|-------|
| 8184 | 162 | 8269 | 492 | 8336 | 480 | 8467 | 443 | 8576 | 289 | 8689 | 597 | 8756 | 455 | 8823 | 472 |
| 8197 | 162 | 8270 | 493 | 8337 | 480 | 8468 | 443 | 8577 | 289 | 8690 | 259 | 8757 | 455 | 8830 | 470 |
| 8198 | 162 | 8271 | 493 | 8338 | 480 | 8469 | 443 | 8578 | 290 | 8691 | 259 | 8758 | 455 | 8831 | 470 |
| 8199 | 162 | 8272 | 493 | 8339 | 480 | 8470 | 442 | 8579 | 270 | 8692 | 259 | 8759 | 455 | 8832 | 470 |
| 8202 | 491 | 8273 | 493 | 8340 | 480 | 8474 | 445 | 8580 | 270 | 8693 | 259 | 8760 | 455 | 8833 | 468 |
| 8203 | 491 | 8274 | 410 | 8341 | 480 | 8475 | 445 | 8581 | 271 | 8694 | 259 | 8761 | 455 | 8834 | 468 |
| 8204 | 491 | 8275 | 304 | 8342 | 480 | 8476 | 446 | 8582 | 271 | 8695 | 259 | 8762 | 456 | 8839 | 251 |
| 8205 | 491 | 8276 | 423 | 8344 | 489 | 8478 | 446 | 8583 | 274 | 8696 | 260 | 8763 | 456 | 8840 | 251 |
| 8206 | 491 | 8277 | 423 | 8345 | 489 | 8479 | 447 | 8584 | 274 | 8697 | 260 | 8764 | 456 | 8841 | 460 |
| 8207 | 491 | 8278 | 423 | 8346 | 489 | 8500 | 418 | 8585 | 274 | 8698 | 478 | 8765 | 456 | 8874 | 162 |
| 8208 | 488 | 8279 | 424 | 8347 | 489 | 8504 | 420 | 8586 | 274 | 8699 | 478 | 8766 | 456 | 8875 | 162 |
| 8209 | 480 | 8280 | 482 | 8348 | 375 | 8505 | 420 | 8587 | 274 | 8700 | 467 | 8767 | 456 | 8876 | 162 |
| 8210 | 480 | 8281 | 482 | 8349 | 375 | 8506 | 420 | 8588 | 275 | 8701 | 467 | 8768 | 457 | 8877 | 260 |
| 8211 | 480 | 8282 | 482 | 8350 | 375 | 8517 | 505 | 8589 | 274 | 8702 | 467 | 8769 | 457 | 8878 | 260 |
| 8212 | 480 | 8283 | 482 | 8351 | 375 | 8518 | 505 | 8590 | 274 | 8703 | 467 | 8770 | 453 | 8879 | 260 |
| 8213 | 481 | 8284 | 482 | 8352 | 375 | 8519 | 418 | 8591 | 274 | 8704 | 451 | 8771 | 453 | 8880 | 260 |
| 8214 | 481 | 8285 | 482 | 8353 | 375 | 8520 | 418 | 8592 | 275 | 8705 | 452 | 8772 | 453 | 8881 | 257 |
| 8215 | 481 | 8286 | 483 | 8354 | 426 | 8521 | 412 | 8595 | 261 | 8706 | 463 | 8773 | 453 | 8882 | 257 |
| 8216 | 481 | 8287 | 483 | 8355 | 449 | 8522 | 412 | 8596 | 261 | 8707 | 463 | 8774 | 454 | 8883 | 257 |
| 8217 | 486 | 8288 | 483 | 8357 | 426 | 8523 | 413 | 8600 | 416 | 8708 | 463 | 8775 | 454 | 8884 | 257 |
| 8218 | 486 | 8289 | 483 | 8359 | 449 | 8524 | 413 | 8601 | 416 | 8709 | 463 | 8776 | 454 | 8885 | 257 |
| 8219 | 486 | 8290 | 483 | 8360 | 426 | 8525 | 414 | 8602 | 415 | 8710 | 464 | 8777 | 454 | 8886 | 257 |
| 8220 | 486 | 8291 | 483 | 8369 | 427 | 8526 | 414 | 8603 | 415 | 8711 | 464 | 8778 | 452 | 8887 | 163 |
| 8221 | 490 | 8292 | 483 | 8372 | 427 | 8527 | 484 | 8604 | 415 | 8712 | 464 | 8779 | 452 | 8888 | 163 |
| 8222 | 490 | 8293 | 483 | 8379 | 427 | 8528 | 484 | 8605 | 415 | 8713 | 464 | 8780 | 452 | 8889 | 163 |
| 8223 | 490 | 8294 | 483 | 8382 | 410 | 8529 | 484 | 8608 | 260 | 8714 | 464 | 8781 | 452 | 8890 | 163 |
| 8224 | 490 | 8295 | 482 | 8385 | 426 | 8530 | 484 | 8609 | 476 | 8715 | 464 | 8782 | 452 | 8891 | 163 |
| 8225 | 489 | 8296 | 482 | 8387 | 426 | 8531 | 484 | 8610 | 476 | 8716 | 469 | 8783 | 458 | 8912 | 163 |
| 8226 | 489 | 8297 | 482 | 8389 | 426 | 8532 | 484 | 8611 | 477 | 8717 | 470 | 8784 | 458 | 8913 | 163 |
| 8227 | 489 | 8298 | 482 | 8395 | 427 | 8533 | 491 | 8612 | 477 | 8718 | 470 | 8785 | 458 | 8914 | 163 |
| 8228 | 489 | 8299 | 482 | 8397 | 427 | 8534 | 491 | 8613 | 474 | 8719 | 471 | 8786 | 458 | 8915 | 163 |
| 8232 | 488 | 8300 | 482 | 8399 | 427 | 8535 | 491 | 8614 | 474 | 8720 | 471 | 8787 | 458 | 8916 | 395 |
| 8233 | 487 | 8301 | 485 | 8400 | 447 | 8536 | 491 | 8615 | 474 | 8721 | 471 | 8788 | 458 | 8917 | 395 |
| 8234 | 487 | 8302 | 485 | 8401 | 427 | 8537 | 476 | 8616 | 474 | 8722 | 471 | 8789 | 459 | 8918 | 396 |
| 8235 | 487 | 8303 | 485 | 8402 | 427 | 8538 | 476 | 8617 | 475 | 8723 | 471 | 8790 | 459 | 8930 | 419 |
| 8236 | 488 | 8304 | 485 | 8414 | 441 | 8539 | 476 | 8618 | 475 | 8724 | 471 | 8791 | 451 | 9104 | 295 |
| 8237 | 488 | 8305 | 485 | 8415 | 441 | 8540 | 476 | 8619 | 475 | 8725 | 472 | 8792 | 451 | 9366 | 152 |
| 8238 | 488 | 8306 | 485 | 8416 | 442 | 8541 | 477 | 8620 | 475 | 8726 | 472 | 8793 | 451 | 9386 | 153 |
| 8239 | 487 | 8307 | 490 | 8417 | 439 | 8542 | 477 | 8621 | 501 | 8727 | 472 | 8794 | 451 | 9546 | 295 |
| 8240 | 487 | 8308 | 490 | 8418 | 439 | 8543 | 477 | 8622 | 501 | 8728 | 472 | 8795 | 460 | 9944 | 369 |
| 8241 | 487 | 8309 | 490 | 8419 | 439 | 8544 | 477 | 8623 | 505 | 8729 | 468 | 8796 | 460 | 9945 | 369 |
| 8242 | 487 | 8310 | 490 | 8421 | 442 | 8547 | 287 | 8624 | 505 | 8730 | 468 | 8797 | 440 | 9947 | 352 |
| 8243 | 487 | 8311 | 409 | 8422 | 441 | 8548 | 290 | 8625 | 505 | 8731 | 468 | 8798 | 440 | 9952 | 369 |
| 8244 | 487 | 8312 | 408 | 8423 | 439 | 8549 | 290 | 8626 | 499 | 8732 | 468 | 8799 | 453 | 9953 | 369 |
| 8245 | 487 | 8313 | 408 | 8424 | 440 | 8550 | 287 | 8627 | 499 | 8733 | 465 | 8800 | 453 | 9954 | 369 |
| 8246 | 487 | 8314 | 408 | 8425 | 440 | 8551 | 481 | 8628 | 511 | 8734 | 465 | 8801 | 459 | 9955 | 369 |
| 8247 | 487 | 8315 | 408 | 8427 | 441 | 8552 | 481 | 8629 | 512 | 8735 | 465 | 8802 | 459 | 9956 | 352 |
| 8249 | 409 | 8316 | 479 | 8428 | 442 | 8553 | 481 | 8649 | 437 | 8736 | 465 | 8803 | 460 | 9957 | 352 |
| 8250 | 493 | 8317 | 479 | 8432 | 440 | 8554 | 481 | 8650 | 437 | 8737 | 466 | 8804 | 459 | 9969 | 303 |
| 8251 | 493 | 8318 | 479 | 8433 | 440 | 8557 | 597 | 8651 | 435 | 8738 | 466 | 8805 | 459 | 9986 | 352 |
| 8252 | 493 | 8319 | 479 | 8436 | 431 | 8558 | 597 | 8670 | 417 | 8739 | 466 | 8806 | 460 | 9989 | 303 |
| 8253 | 493 | 8320 | 479 | 8437 | 409 | 8559 | 252 | 8671 | 417 | 8740 | 466 | 8807 | 457 | 9997 | 303 |
| 8254 | 494 | 8321 | 479 | 8438 | 448 | 8560 | 475 | 8672 | 417 | 8741 | 466 | 8808 | 457 | 9999 | 303 |
| 8255 | 494 | 8322 | 479 | 8439 | 448 | 8561 | 475 | 8673 | 417 | 8742 | 467 | 8809 | 460 | 11077 | 518 |
| 8256 | 494 | 8323 | 479 | 8440 | 448 | 8562 | 475 | 8674 | 288 | 8743 | 469 | 8810 | 461 | 11078 | 519 |
| 8257 | 494 | 8324 | 479 | 8441 | 448 | 8563 | 475 | 8675 | 492 | 8744 | 469 | 8811 | 461 | 11079 | 517 |
| 8258 | 494 | 8325 | 479 | 8445 | 449 | 8564 | 421 | 8676 | 492 | 8745 | 466 | 8812 | 461 | 11088 | 518 |
| 8259 | 494 | 8326 | 479 | 8446 | 441 | 8565 | 421 | 8677 | 492 | 8746 | 469 | 8813 | 462 | 11109 | 516 |
| 8260 | 494 | 8327 | 479 | 8447 | 442 | 8566 | 499 | 8678 | 492 | 8747 | 469 | 8814 | 461 | 11144 | 137 |
| 8261 | 494 | 8328 | 479 | 8458 | 425 | 8567 | 498 | 8679 | 47 | 8748 | 465 | 8815 | 462 | 11145 | 137 |
| 8262 | 492 | 8329 | 479 | 8459 | 425 | 8568 | 498 | 8681 | 478 | 8749 | 465 | 8816 | 462 | 11159 | 615 |
| 8263 | 492 | 8330 | 479 | 8460 | 425 | 8569 | 420 | 8682 | 478 | 8750 | 251 | 8817 | 457 | 11160 | 615 |
| 8264 | 492 | 8331 | 479 | 8461 | 425 | 8570 | 420 | 8683 | 474 | 8751 | 251 | 8818 | 457 | 11161 | 615 |
| 8265 | 492 | 8332 | 479 | 8462 | 425 | 8571 | 420 | 8684 | 474 | 8752 | 251 | 8819 | 461 | 11162 | 615 |
| 8266 | 492 | 8333 | 479 | 8463 | 425 | 8573 | 288 | 8686 | 511 | 8753 | 251 | 8820 | 462 | 11163 | 615 |
| 8267 | 492 | 8334 | 480 | 8465 | 447 | 8574 | 288 | 8687 | 512 | 8754 | 454 | 8821 | 462 | 11164 | 615 |
| 8268 | 492 | 8335 | 480 | 8466 | 443 | 8575 | 289 | 8688 | 513 | 8755 | 454 | 8822 | 462 | 11165 | 615 |

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|-------|-------|-------|-------|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 11166 | 615 | 40021 | 577 | 44941 | 242 | | | | | | | | |
| 11167 | 615 | 40031 | 577 | 45641 | 230 | | | | | | | | |
| 11168 | 615 | 40041 | 578 | 45651 | 230 | | | | | | | | |
| 11169 | 615 | 40051 | 578 | 45661 | 230 | | | | | | | | |
| 11170 | 615 | 40061 | 578 | 45671 | 230 | | | | | | | | |
| 11171 | 615 | 40071 | 579 | 45691 | 224 | | | | | | | | |
| 11172 | 615 | 40081 | 580 | 58011 | 66 | | | | | | | | |
| 11173 | 615 | 40091 | 579 | 58111 | 66 | | | | | | | | |
| 11174 | 615 | 40101 | 579 | 60246 | 298 | | | | | | | | |
| 11175 | 615 | 40111 | 532 | 60256 | 298 | | | | | | | | |
| 11176 | 615 | 40121 | 532 | 60266 | 301 | | | | | | | | |
| 11177 | 615 | 40131 | 532 | 60276 | 301 | | | | | | | | |
| 11178 | 615 | 40141 | 592 | 60286 | 298 | | | | | | | | |
| 11179 | 617 | 40151 | 592 | 60303 | 304 | | | | | | | | |
| 11180 | 617 | 40161 | 593 | 60696 | 301 | | | | | | | | |
| 11181 | 617 | 40171 | 593 | 62186 | 299 | | | | | | | | |
| 11182 | 617 | 40181 | 593 | 62196 | 299 | | | | | | | | |
| 15011 | 404 | 40191 | 594 | 62206 | 299 | | | | | | | | |
| 15021 | 404 | 40201 | 594 | 62366 | 299 | | | | | | | | |
| 15031 | 404 | 40211 | 593 | 62376 | 299 | | | | | | | | |
| 20000 | 140 | 40221 | 594 | 62406 | 299 | | | | | | | | |
| 20001 | 140 | 40231 | 594 | 62416 | 299 | | | | | | | | |
| 20003 | 141 | 40241 | 595 | 62426 | 299 | | | | | | | | |
| 20004 | 141 | 40251 | 595 | 62436 | 300 | | | | | | | | |
| 20006 | 140 | 40261 | 595 | 63776 | 299 | | | | | | | | |
| 20007 | 140 | 40271 | 595 | 63796 | 300 | | | | | | | | |
| 20009 | 141 | 40281 | 596 | 64511 | 300 | | | | | | | | |
| 20010 | 141 | 40291 | 596 | 64521 | 300 | | | | | | | | |
| 20012 | 25 | 40301 | 596 | 71031 | 241 | | | | | | | | |
| 20013 | 25 | 40311 | 416 | 71091 | 242 | | | | | | | | |
| 20014 | 25 | 40321 | 416 | 71811 | 243 | | | | | | | | |
| 20016 | 154 | 40331 | 590 | 80981 | 410 | | | | | | | | |
| 20017 | 166 | 40341 | 589 | 83111 | 409 | | | | | | | | |
| 20018 | 166 | 40351 | 589 | 83611 | 170 | | | | | | | | |
| 20019 | 166 | 40361 | 589 | 94006 | 288 | | | | | | | | |
| 20020 | 166 | 40371 | 588 | 94008 | 288 | | | | | | | | |
| 20021 | 193 | 40381 | 590 | 94010 | 289 | | | | | | | | |
| 20022 | 193 | 40391 | 590 | 94012 | 289 | | | | | | | | |
| 20023 | 193 | 40401 | 591 | 94026 | 289 | | | | | | | | |
| 20024 | 61 | 40411 | 591 | 94027 | 290 | | | | | | | | |
| 20025 | 61 | 40421 | 591 | 500081 | 518 | | | | | | | | |
| 20026 | 180 | 40431 | 588 | 500082 | 518 | | | | | | | | |
| 20027 | 180 | 40441 | 565 | | | | | | | | | | |
| 20028 | 180 | 40451 | 565 | | | | | | | | | | |
| 20037 | 36 | 40461 | 565 | | | | | | | | | | |
| 20038 | 36 | 40471 | 566 | | | | | | | | | | |
| 20039 | 36 | 40481 | 566 | | | | | | | | | | |
| 20044 | 198 | 40491 | 566 | | | | | | | | | | |
| 20045 | 196 | 40501 | 521 | | | | | | | | | | |
| 20047 | 74 | 40511 | 522 | | | | | | | | | | |
| 20048 | 74 | 40521 | 522 | | | | | | | | | | |
| 20049 | 159 | 40531 | 522 | | | | | | | | | | |
| 20050 | 159 | 40541 | 522 | | | | | | | | | | |
| 20051 | 158 | 40551 | 521 | | | | | | | | | | |
| 20052 | 158 | 40561 | 521 | | | | | | | | | | |
| 20053 | 158 | 40571 | 521 | | | | | | | | | | |
| 20054 | 158 | 42151 | 221 | | | | | | | | | | |
| 20055 | 158 | 42411 | 221 | | | | | | | | | | |
| 20056 | 158 | 42501 | 222 | | | | | | | | | | |
| 20057 | 158 | 42511 | 222 | | | | | | | | | | |
| 20058 | 158 | 42521 | 222 | | | | | | | | | | |
| 20059 | 158 | 42581 | 221 | | | | | | | | | | |
| 20060 | 112 | 43421 | 222 | | | | | | | | | | |
| 34235 | 278 | 43431 | 222 | | | | | | | | | | |
| 36205 | 278 | 43441 | 222 | | | | | | | | | | |
| 36265 | 278 | 43881 | 248 | | | | | | | | | | |
| 40011 | 577 | 44801 | 243 | | | | | | | | | | |



DIALux Partner



TUV



RoHS



CE / LVD



Certified and Tested



CE/EMC

INTRODUCING THE NEW SERIES



Our bestselling LED Lights — now upgraded with a superior efficiency of **160 lm/W** through the latest in LED technology.

*Super***BRIGHT**
160
LUMENS/W

5 YEAR
WARRANTY



Head Offices

Sofia | London

Europe Office
1, Iliansko Shaussee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK Office
Springheath House,
Kelpatrick Road,
Slough, Berkshire,
SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office
Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com

SMART SPEAKERS SMART TABLE LAMPS PENDANTS LED STRIP LIGHTS
TOWER FANS LED CEILING FAN POWER BANK LED SPOT LIGHTS CAMERAS
TABLE LIGHTS LED SOLAR LIGHTS FIRE RATED LIGHTS LED LINEAR LIGHTS